



Kerr-McGee Oil & Gas Onshore LP

A subsidiary of Anadarko Petroleum Corporation

1099 18th Street
Denver, CO 80202
720-929-6000

February 6, 2014

Department of Natural Resources
Oil and Gas Conservation Commission
The Chancery Building
1120 Lincoln St., Suite 801
Denver, CO 80203

Re: Request for Exception to Rule 317.o
NRC 3N-4HZ
NRC 3C-4HZ
NRC 28N-4HZ
NRC 29C-4HZ
Township 1 North, Range 67 West
Section 9: SW/4 SW/4
Weld County, Colorado

Ladies/Gentlemen:

Kerr-McGee Oil & Gas Onshore LP ("KMG") respectfully requests the Director to approve an exception to Rule 317.o and only run an LWD gamma ray log in the horizontal section in the above stated wells on the same well pad. Rule 317.o of the Colorado Oil and Gas Commission's Rules and Regulations requires wells to be logged with a minimum of a resistivity log with gamma ray. The above-named wells are requested to be exempt from this requirement due to the proximity of existing well(s) with acceptable resistivity logs with gamma ray. The available log(s) are within 660 feet of the vertical section(s) of the proposed well(s).

The proposed wells will be logged with an LWD gamma ray log in the horizontal section. The wells will also be cased-hole logged with a cement bond and gamma ray log from the production casing shoe to the surface. The Drilling Completion Report (Form 5) submitted for each well will indicate that no open-hole logs were run.

The existing well(s) within 660 feet with acceptable resistivity logs with gamma ray are listed in the table below:

Well Name	Well Number	API Number	Distance From Well(s)	Azimuth (Degrees)	COGCC Well File Document Number
SCHEIDT STATE #vv	16-03	0512316030	560	165	990302

Should you have any questions, please contact our office. Thank you for your consideration.

Very truly yours,

Kerr-McGee Oil & Gas Onshore LP

A handwritten signature in blue ink, appearing to read "Cheryl Light". The signature is fluid and cursive, with the first name "Cheryl" being more prominent than the last name "Light".

Cheryl Light
Senior Regulatory Analyst