

Jackson County Area, Colorado

Sp—Spicerton sandy loam

Map Unit Setting

Elevation: 7,800 to 8,300 feet
Mean annual precipitation: 10 to 12 inches
Mean annual air temperature: 36 to 38 degrees F
Frost-free period: 30 to 40 days

Map Unit Composition

Spicerton and similar soils: 85 percent

Description of Spicerton

Setting

Landform: Drainageways, stream terraces
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Coalmont formation alluvium derived from sedimentary rock

Properties and qualities

Slope: 0 to 5 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Moderately well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: Frequent
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Slightly saline to moderately saline (8.0 to 16.0 mmhos/cm)
Sodium adsorption ratio, maximum: 50.0
Available water capacity: Moderate (about 6.5 inches)

Interpretive groups

Farmland classification: Not prime farmland
Land capability classification (irrigated): 6s
Land capability (nonirrigated): 7s
Hydrologic Soil Group: C
Ecological site: Salt Flats (R048AY261CO)

Typical profile

0 to 2 inches: Sandy loam
2 to 10 inches: Clay

10 to 60 inches: Clay

Data Source Information

Soil Survey Area: Jackson County Area, Colorado
Survey Area Data: Version 6, Dec 23, 2013

