



Baker Oil Tools

Casing Information		
7" 26# P-110		
Burst=	9,960	psi
Collapse=	6,230	psi
Capacity=	0.03826	bbls/ft

Liner Information		
4-1/2" 11.60# HCP-110		
Burst=	10,690	psi
Collapse=	7,580	psi
Capacity=	0.01554	bbls/ft

S-3 LINER TOP	TVD
5,667.92	6,109.00
Casing Shoe	KOP
6,000.00	5740'

Displacements	BBLS	GALS
Liner Top	216.85	9,108
3.625" SLV	226.39	9,509
3.500" SLV	230.49	9,681
3.375" SLV	234.78	9,861
3.250" SLV	239.25	10,049
3.125" SLV	243.63	10,233
3.000" SLV	248.11	10,421
2.875" SLV	252.59	10,609
2.750" SLV	257.06	10,797
2.625" SLV	261.53	10,984

Displacements	BBLS	GALS
2.500" SLV	266.00	11,172
2.438" SLV	270.48	11,360
2.375" SLV	274.25	11,518
2.313" SLV	278.01	11,676
2.250" SLV	281.79	11,835
2.188" SLV	285.55	11,993
2.125" SLV	289.19	12,146
2.063" SLV	292.51	12,285
2.000+1" SLV	295.90	12,428
BALL SEAT	297.28	12,486
Float Shoe	297.95	12,514

Length of Zone - FT			
Zone 1	280.64	Zone 10	287.51
Zone 2	212.15	Zone 11	287.81
Zone 3	218.89	Zone 12	288.28
Zone 4	242.19	Zone 13	287.83
Zone 5	242.94	Zone 14	281.84
Zone 6	242.80	Zone 15	287.97
Zone 7	242.11	Zone 16	282.01
Zone 8	242.77	Zone 17	270.16
Zone 9	287.87	Zone 18	353.44

Dimensional Information			
Component	OD	ID	dim
S-3	5.875	3.875	in
RE Packers	5.687	4.000	in
Sleeves	5.625	Ball Seat	in




Baker Oil Tools



Bill Barrett Corporation

TD	Float Shoe
10,909.00	10,886.47



ToP is at packer #16. Zones 17 & 18 were not stimulated