

FORM  
5ARev  
06/12

## State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

400562130

Date Received:

## COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 57667  
 2. Name of Operator: MINERAL RESOURCES, INC.  
 3. Address: PO BOX 328  
 City: GREELEY State: CO Zip: 80632  
 4. Contact Name: CLAYTON DOKE  
 Phone: (720) 420-5700  
 Fax: (720) 420-5800  
 Email: clay.doke@iptenergyservices.com

5. API Number 05-123-22875-00  
 6. County: WELD  
 7. Well Name: PARKVIEW SOUTH  
 Well Number: A3  
 8. Location: QtrQtr: NENE Section: 20 Township: 5N Range: 65W Meridian: 6  
 9. Field Name: WATTENBERG Field Code: 90750

## Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/31/2011 End Date: 03/31/2011 Date of First Production this formation:

Perforations Top: 7980 Bottom: 7990 No. Holes: 40 Hole size: 042/100

Provide a brief summary of the formation treatment: Open Hole: ☐

Re-frac CODL w/ 128,604 gal fluid and 251,840# 20/40 sand (31,916 gal SW, 96,688 gal xlink gel)  
 ISIP=2152, ISDP=3490, ATP=5253, ATR=46.7

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3062 Max pressure during treatment (psi): 5633

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Min frac gradient (psi/ft): 0.70

Total acid used in treatment (bbl): 0 Number of staged intervals: 1

Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 704

Fresh water used in treatment (bbl): 3062 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 251840 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

## Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: 04/12/2011

Perforations Top: 7667 Bottom: 7990 No. Holes: 88 Hole size: 042/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole: ☐

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 04/26/2011 Hours: 24 Bbl oil: 7 Mcf Gas: 26 Bbl H2O: 6

Calculated 24 hour rate: Bbl oil: 7 Mcf Gas: 26 Bbl H2O: 6 GOR: 3714

Test Method: FLOWING Casing PSI: 800 Tubing PSI: 650 Choke Size: 018/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1294 API Gravity Oil: 63

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7950 Tbg setting date: 04/27/2011 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION  
Treatment Date: 03/30/2011 End Date: 03/31/2011 Date of First Production this formation:  
Perforations Top: 7667 Bottom: 7808 No. Holes: 48 Hole size: 042/100  
Provide a brief summary of the formation treatment: Open Hole: ☐

Perf. Frac NBRR A [7,667'-7,673'] & NBRR B [7,802'-7,808'] w/ 222,474 gal fluid (126,840 gal SLKW, 95,634 gal XLG)& 293,920# sand (240,020# 20/40 & 53,900# 40/70), ISIP=3435, ISDP=3795, ATP=5303, ATR=57.2, MTR=56.9

This formation is commingled with another formation: ☒ Yes ☐ No  
Total fluid used in treatment (bbl): 5297 Max pressure during treatment (psi): 5817  
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.71  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.88  
Total acid used in treatment (bbl): 0 Number of staged intervals: 1  
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 704  
Fresh water used in treatment (bbl): 5297 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 293920 Rule 805 green completion techniques were utilized: ☒  
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

#### Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:  
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:  
Test Method: Casing PSI: Tubing PSI: Choke Size:  
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:  
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:  
Reason for Non-Production:  
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt  
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: CLAYTON DOKE  
Title: SENIOR ENGINEER Date: Email: clay.doke@iptenergyservices.com

#### Attachment Check List

Att Doc Num Name

400562172 WELLBORE DIAGRAM

Total Attach: 1 Files

#### General Comments

User Group Comment Comment Date

Total: 0 comment(s)