

WELLBORE DIAGRAM

Final P&A WBD


990 FNL & 1,590 FWL

Operator: Great Western Operating Company, LLC**Well Name:** Medsker-Overton #1**Lease Number:****Location:** NENW Sec 31 T2N-R64W**Field:** Wattenberg**County, State:** Weld, CO**API Number:** 05-123-13601**Diagram Date:** 3/11/2014**Well History**

Cut and cap 4' below GL

Perf @ 465' and circulate
400 sx to surfaceStage Collar @ 800'
Cement from 810' to 478' (CBL)Perf and squeeze 150 sx @
4,625' under CICR @ 4,582'
100' of cement on the CICR

TOC @ 6,714' (CBL)

Squeeze 30 sx into the J-Sand
Plug Tagged @ 7,481

Spud Date: 8/31/1987

Date TD Reached:

Completion Date: 12/31/1987

Surface Hole, Casing Size: 12-1/4", 8-5/8", 24#

Surface Casing Cement 225 sx, 3% CC, 1/4 flowseal

Surface Pipe Shoe Depth 275' KB

Production Casing Information

Size and Weight 4-1/2", 11.6#, K-55

Casing Setting Depth 7732

Total Depth 7747

Hole Size 7-7/8"

Primary Cement 200 sx 50:50 POZ, 2% gel, 10% salt
 20% fluoride, 4% Halad 322
 Proceed by 20 bbl 2% KCl and 2% KCl flush

Tubing Information

Size 2-3/8", 4.7#, N-80

Approx. # of Joints 242

Approximate Footage 7626

Producing Formations "J" Sand (7650'-7685')

Log Tops

Fox Hills 650

Sussex 4625

Niobrara 6873

J Sand 7643

J-Sand Perfs 7650' - 7685'

4-1/2" Shoe @ 7,747'