

1 General

1.1 Customer Information

| | |
|----------------|--------------|
| Company | PICEANCE VLY |
| Representative | |
| Address | |

1.2 Well/Wellbore Information

| | | | |
|--------------------------|--------------------------------------|----------------------|--------------|
| Well | PA 341-21 | Wellbore No. | OH |
| Wellbore Legal Name | PA 341-21 | Common Wellbore Name | PA 341-21 |
| Project | PA 21-06S-095W | Site | PA 22-21 Pad |
| Vertical Section Azimuth | 60.84 (°) | North reference | True |
| Origin N/S | | Origin E/W | |
| Spud date | 12/6/2013 | UWI | PA 341-21 |
| Active datum | KB @6,056.0ft (above Mean Sea Level) | | |

2 Survey Name

2.1 Survey Name: Survey #1

| | | | |
|--------------|-----------|----------|--------|
| Survey Name | Survey #1 | Company | MOSTAR |
| Date Started | 12/6/2013 | Ended | |
| Tool Name | MWD | Engineer | |

2.1.1 Tie On Point

| MD (ft) | Inc. (°) | Azi. (°) | TVD (ft) | N/S (ft) | E/W (ft) |
|---------|----------|----------|----------|----------|----------|
| | | 41.48 | | | |

2.1.2 Survey Stations

| Date | Type | MD (ft) | Inc. (°) | Azi. (°) | TVD (ft) | N/S (ft) | E/W (ft) | V. sec. (ft) | DLS (°/100usft) | Build Rate (°/100usft) | Turn (°/100usft) | Tface (°) |
|-----------|--------|---------|----------|----------|----------|----------|----------|--------------|-----------------|------------------------|------------------|-----------|
| 12/6/2013 | NORMAL | 101.0 | 0.44 | 41.48 | 101.00 | 0.29 | 0.26 | 0.37 | 0.44 | 0.44 | 0.00 | 41.48 |
| | NORMAL | 130.0 | 1.23 | 55.11 | 130.00 | 0.55 | 0.59 | 0.78 | 2.79 | 2.72 | 47.00 | 20.99 |
| | NORMAL | 160.0 | 2.11 | 60.82 | 159.98 | 1.01 | 1.33 | 1.65 | 2.98 | 2.93 | 19.03 | 13.57 |
| | NORMAL | 191.0 | 3.08 | 51.77 | 190.95 | 1.80 | 2.48 | 3.05 | 3.39 | 3.13 | -29.19 | 332.54 |
| | NORMAL | 221.0 | 4.13 | 67.50 | 220.89 | 2.71 | 4.12 | 4.92 | 4.78 | 3.50 | 52.43 | 51.32 |
| | NORMAL | 251.0 | 4.84 | 73.74 | 250.80 | 3.48 | 6.33 | 7.22 | 2.87 | 2.37 | 20.80 | 37.64 |
| | NORMAL | 282.0 | 5.54 | 69.08 | 281.67 | 4.38 | 8.98 | 9.98 | 2.63 | 2.26 | -15.03 | 326.61 |
| | NORMAL | 312.0 | 5.98 | 62.23 | 311.52 | 5.62 | 11.72 | 12.97 | 2.72 | 1.47 | -22.83 | 299.18 |
| | NORMAL | 342.0 | 6.95 | 59.06 | 341.33 | 7.29 | 14.66 | 16.35 | 3.44 | 3.23 | -10.57 | 338.22 |
| | NORMAL | 373.0 | 8.71 | 61.87 | 372.04 | 9.36 | 18.34 | 20.57 | 5.81 | 5.68 | 9.06 | 13.67 |
| | NORMAL | 403.0 | 10.12 | 58.54 | 401.64 | 11.80 | 22.59 | 25.48 | 5.04 | 4.70 | -11.10 | 337.23 |
| | NORMAL | 434.0 | 11.26 | 59.77 | 432.10 | 14.75 | 27.53 | 31.22 | 3.75 | 3.68 | 3.97 | 11.92 |
| | NORMAL | 464.0 | 12.67 | 55.90 | 461.45 | 18.07 | 32.78 | 37.43 | 5.41 | 4.70 | -12.90 | 328.46 |
| | NORMAL | 494.0 | 13.46 | 60.64 | 490.67 | 21.63 | 38.55 | 44.20 | 4.44 | 2.63 | 15.80 | 55.92 |
| | NORMAL | 524.0 | 14.69 | 60.21 | 519.77 | 25.23 | 44.89 | 51.50 | 4.11 | 4.10 | -1.43 | 354.93 |
| | NORMAL | 555.0 | 16.10 | 62.40 | 549.66 | 29.17 | 52.11 | 59.72 | 4.92 | 4.55 | 7.06 | 23.47 |
| | NORMAL | 585.0 | 16.72 | 61.00 | 578.43 | 33.19 | 59.58 | 68.20 | 2.45 | 2.07 | -4.67 | 326.79 |
| | NORMAL | 615.0 | 17.60 | 61.52 | 607.10 | 37.45 | 67.34 | 77.05 | 2.98 | 2.93 | 1.73 | 10.14 |
| | NORMAL | 646.0 | 18.74 | 60.03 | 636.55 | 42.17 | 75.77 | 86.71 | 3.97 | 3.68 | -4.81 | 337.12 |
| | NORMAL | 676.0 | 18.91 | 59.68 | 664.95 | 47.03 | 84.14 | 96.39 | 0.68 | 0.57 | -1.17 | 326.24 |
| | NORMAL | 706.0 | 20.23 | 60.03 | 693.21 | 52.08 | 92.83 | 106.44 | 4.42 | 4.40 | 1.17 | 5.24 |

2.1.2 Survey Stations (Continued)

| Date | Type | MD (ft) | Inc. (°) | Azi. (°) | TVD (ft) | N/S (ft) | EW (ft) | V. sec. (ft) | DLS (°/100usft) | Build Rate (°/100usft) | Turn (°/100usft) | Tface (°) |
|------------|--------|------------|-------------|-------------|-------------|-------------|------------|-----------------|--------------------|---------------------------|---------------------|--------------|
| 12/6/2013 | NORMAL | 780.0 | 22.50 | 58.99 | 762.12 | 65.76 | 116.05 | 133.39 | 3.11 | 3.07 | -1.41 | 350.04 |
| | NORMAL | 872.0 | 26.55 | 61.37 | 845.81 | 84.69 | 149.20 | 171.56 | 4.53 | 4.40 | 2.59 | 14.80 |
| | NORMAL | 962.0 | 29.85 | 62.69 | 925.11 | 104.61 | 186.77 | 214.07 | 3.73 | 3.67 | 1.47 | 11.29 |
| | NORMAL | 1,057.0 | 32.22 | 61.63 | 1,006.51 | 127.50 | 230.07 | 263.03 | 2.56 | 2.49 | -1.12 | 346.56 |
| 12/6/2013 | Tie On | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 12/8/2013 | NORMAL | 1,153.0 | 36.44 | 60.93 | 1,085.77 | 153.52 | 277.53 | 317.16 | 4.41 | 4.40 | -0.73 | 354.37 |
| | NORMAL | 1,248.0 | 40.92 | 61.63 | 1,159.91 | 182.03 | 329.59 | 376.51 | 4.74 | 4.72 | 0.74 | 5.85 |
| | NORMAL | 1,342.0 | 41.98 | 60.49 | 1,230.37 | 212.14 | 384.04 | 438.73 | 1.38 | 1.13 | -1.21 | 324.12 |
| | NORMAL | 1,400.0 | 42.42 | 60.31 | 1,273.34 | 231.39 | 417.91 | 477.69 | 0.79 | 0.76 | -0.31 | 344.57 |
| | NORMAL | 1,532.0 | 42.59 | 58.82 | 1,370.65 | 276.56 | 494.80 | 566.85 | 0.77 | 0.13 | -1.13 | 279.04 |
| | NORMAL | 1,626.0 | 42.81 | 58.20 | 1,439.73 | 309.86 | 549.16 | 630.54 | 0.50 | 0.23 | -0.66 | 297.39 |
| | NORMAL | 1,721.0 | 42.11 | 59.87 | 1,509.82 | 342.86 | 604.15 | 694.64 | 1.40 | -0.74 | 1.76 | 122.45 |
| | NORMAL | 1,816.0 | 41.54 | 61.37 | 1,580.62 | 373.94 | 659.35 | 757.99 | 1.21 | -0.60 | 1.58 | 120.23 |
| | NORMAL | 1,912.0 | 41.71 | 60.66 | 1,652.38 | 404.85 | 715.13 | 821.75 | 0.52 | 0.18 | -0.74 | 289.56 |
| | NORMAL | 2,007.0 | 42.02 | 62.25 | 1,723.13 | 435.14 | 770.82 | 885.15 | 1.16 | 0.33 | 1.67 | 74.31 |
| | NORMAL | 2,103.0 | 42.07 | 62.07 | 1,794.42 | 465.16 | 827.67 | 949.42 | 0.14 | 0.05 | -0.19 | 292.46 |
| | NORMAL | 2,198.0 | 42.07 | 61.02 | 1,864.94 | 495.49 | 883.63 | 1,013.07 | 0.74 | 0.00 | -1.11 | 269.61 |
| 12/9/2013 | NORMAL | 2,293.0 | 42.64 | 62.60 | 1,935.15 | 525.72 | 940.04 | 1,077.06 | 1.27 | 0.60 | 1.66 | 62.42 |
| | NORMAL | 2,388.0 | 42.33 | 61.72 | 2,005.20 | 555.68 | 996.78 | 1,141.20 | 0.71 | -0.33 | -0.93 | 242.13 |
| | NORMAL | 2,484.0 | 43.25 | 62.25 | 2,075.65 | 586.31 | 1,054.35 | 1,206.40 | 1.03 | 0.96 | 0.55 | 21.57 |
| | NORMAL | 2,579.0 | 43.52 | 62.07 | 2,144.69 | 616.78 | 1,112.05 | 1,271.64 | 0.31 | 0.28 | -0.19 | 335.33 |
| | NORMAL | 2,674.0 | 43.38 | 61.63 | 2,213.66 | 647.61 | 1,169.66 | 1,336.96 | 0.35 | -0.15 | -0.46 | 245.01 |
| | NORMAL | 2,770.0 | 43.65 | 60.31 | 2,283.28 | 679.68 | 1,227.45 | 1,403.06 | 0.99 | 0.28 | -1.38 | 286.07 |
| | NORMAL | 2,865.0 | 42.59 | 60.58 | 2,352.62 | 711.71 | 1,283.93 | 1,467.99 | 1.13 | -1.12 | 0.28 | 170.22 |
| | NORMAL | 2,960.0 | 41.89 | 60.14 | 2,422.96 | 743.30 | 1,339.44 | 1,531.85 | 0.80 | -0.74 | -0.46 | 202.74 |
| | NORMAL | 3,055.0 | 41.27 | 59.61 | 2,494.02 | 774.94 | 1,393.97 | 1,594.89 | 0.75 | -0.65 | -0.56 | 209.37 |
| | NORMAL | 3,151.0 | 40.66 | 60.23 | 2,566.51 | 806.48 | 1,448.43 | 1,657.82 | 0.76 | -0.64 | 0.65 | 146.56 |
| | NORMAL | 3,246.0 | 41.01 | 60.93 | 2,638.39 | 836.99 | 1,502.54 | 1,719.94 | 0.61 | 0.37 | 0.74 | 52.86 |
| | NORMAL | 3,341.0 | 41.71 | 60.23 | 2,709.69 | 867.83 | 1,557.22 | 1,782.71 | 0.88 | 0.74 | -0.74 | 326.28 |
| | NORMAL | 3,436.0 | 42.15 | 60.66 | 2,780.37 | 899.14 | 1,612.44 | 1,846.19 | 0.55 | 0.46 | 0.45 | 33.31 |
| | NORMAL | 3,532.0 | 41.27 | 61.02 | 2,852.03 | 930.27 | 1,668.21 | 1,910.06 | 0.95 | -0.92 | 0.38 | 164.91 |
| | NORMAL | 3,627.0 | 42.73 | 60.23 | 2,922.63 | 961.45 | 1,723.60 | 1,973.63 | 1.63 | 1.54 | -0.83 | 339.80 |
| | NORMAL | 3,722.0 | 42.73 | 61.19 | 2,992.41 | 992.99 | 1,779.82 | 2,038.09 | 0.69 | 0.00 | 1.01 | 90.35 |
| 12/10/2013 | NORMAL | 3,817.0 | 42.46 | 60.66 | 3,062.35 | 1,024.23 | 1,836.02 | 2,102.38 | 0.47 | -0.28 | -0.56 | 232.84 |
| | NORMAL | 3,913.0 | 41.49 | 60.58 | 3,133.72 | 1,055.73 | 1,891.96 | 2,166.59 | 1.01 | -1.01 | -0.08 | 183.13 |
| | NORMAL | 4,008.0 | 41.58 | 62.07 | 3,204.83 | 1,085.96 | 1,947.23 | 2,229.57 | 1.04 | 0.09 | 1.57 | 85.35 |
| | NORMAL | 4,104.0 | 41.63 | 61.46 | 3,276.62 | 1,116.11 | 2,003.39 | 2,293.31 | 0.43 | 0.05 | -0.64 | 276.81 |
| | NORMAL | 4,199.0 | 42.33 | 61.46 | 3,347.24 | 1,146.47 | 2,059.21 | 2,356.85 | 0.74 | 0.74 | 0.00 | 0.00 |
| | NORMAL | 4,294.0 | 41.32 | 61.89 | 3,418.03 | 1,176.53 | 2,114.97 | 2,420.19 | 1.11 | -1.06 | 0.45 | 164.31 |
| | NORMAL | 4,390.0 | 41.98 | 61.72 | 3,489.76 | 1,206.67 | 2,171.20 | 2,483.98 | 0.70 | 0.69 | -0.18 | 350.22 |
| | NORMAL | 4,485.0 | 41.85 | 61.28 | 3,560.45 | 1,236.96 | 2,226.97 | 2,547.44 | 0.34 | -0.14 | -0.46 | 245.98 |
| | NORMAL | 4,580.0 | 41.01 | 61.46 | 3,631.68 | 1,267.08 | 2,282.15 | 2,610.30 | 0.89 | -0.88 | 0.19 | 172.00 |
| | NORMAL | 4,675.0 | 41.14 | 60.84 | 3,703.30 | 1,297.19 | 2,336.82 | 2,672.71 | 0.45 | 0.14 | -0.65 | 287.47 |
| | NORMAL | 4,771.0 | 39.65 | 61.37 | 3,776.41 | 1,327.26 | 2,391.28 | 2,734.92 | 1.59 | -1.55 | 0.55 | 167.22 |
| | NORMAL | 4,865.0 | 39.56 | 60.84 | 3,848.83 | 1,356.21 | 2,443.75 | 2,794.85 | 0.37 | -0.10 | -0.56 | 254.88 |
| | NORMAL | 4,961.0 | 38.73 | 61.54 | 3,923.28 | 1,385.42 | 2,496.85 | 2,855.45 | 0.98 | -0.86 | 0.73 | 152.24 |
| | NORMAL | 5,056.0 | 36.75 | 61.72 | 3,998.41 | 1,413.05 | 2,548.01 | 2,913.59 | 2.09 | -2.08 | 0.19 | 176.89 |
| | NORMAL | 5,151.0 | 36.00 | 61.72 | 4,074.89 | 1,439.75 | 2,597.62 | 2,969.92 | 0.79 | -0.79 | 0.00 | 180.00 |
| 12/11/2013 | NORMAL | 5,247.0 | 34.68 | 61.02 | 4,153.20 | 1,466.35 | 2,646.36 | 3,025.45 | 1.44 | -1.38 | -0.73 | 196.77 |
| | NORMAL | 5,342.0 | 34.42 | 61.46 | 4,231.45 | 1,492.27 | 2,693.59 | 3,079.32 | 0.38 | -0.27 | 0.46 | 136.36 |
| | NORMAL | 5,438.0 | 33.67 | 61.46 | 4,310.99 | 1,517.95 | 2,740.81 | 3,133.06 | 0.78 | -0.78 | 0.00 | 180.00 |
| | NORMAL | 5,533.0 | 31.30 | 62.34 | 4,391.12 | 1,541.99 | 2,785.80 | 3,184.07 | 2.54 | -2.49 | 0.93 | 169.09 |
| | NORMAL | 5,629.0 | 30.20 | 62.42 | 4,473.63 | 1,564.74 | 2,829.29 | 3,233.14 | 1.15 | -1.15 | 0.08 | 177.90 |
| | NORMAL | 5,724.0 | 28.97 | 63.83 | 4,556.24 | 1,585.95 | 2,871.12 | 3,280.00 | 1.49 | -1.29 | 1.48 | 151.10 |
| | NORMAL | 5,819.0 | 27.78 | 64.09 | 4,639.82 | 1,605.78 | 2,911.69 | 3,325.08 | 1.26 | -1.25 | 0.27 | 174.19 |
| | NORMAL | 5,914.0 | 28.09 | 62.42 | 4,723.76 | 1,625.80 | 2,951.42 | 3,369.54 | 0.89 | 0.33 | -1.76 | 290.88 |

2.1.2 Survey Stations (Continued)

| Date | Type | MD (ft) | Inc. (°) | Azi. (°) | TVD (ft) | N/S (ft) | EW (ft) | V. sec. (ft) | DLS (%/100usft) | Build Rate (%/100usft) | Turn (%/100usft) | Tface (°) |
|------------|--------|------------|-------------|-------------|-------------|-------------|------------|-----------------|--------------------|---------------------------|---------------------|--------------|
| 12/11/2013 | NORMAL | 6,010.0 | 27.12 | 60.84 | 4,808.83 | 1,646.93 | 2,990.57 | 3,414.02 | 1.27 | -1.01 | -1.65 | 216.35 |
| | NORMAL | 6,105.0 | 26.50 | 61.28 | 4,893.62 | 1,667.67 | 3,028.06 | 3,456.86 | 0.69 | -0.65 | 0.46 | 162.45 |
| | NORMAL | 6,201.0 | 24.44 | 60.93 | 4,980.28 | 1,687.61 | 3,064.21 | 3,498.15 | 2.15 | -2.15 | -0.36 | 184.02 |
| | NORMAL | 6,296.0 | 23.56 | 60.14 | 5,067.07 | 1,706.61 | 3,097.85 | 3,536.78 | 0.99 | -0.93 | -0.83 | 199.70 |
| | NORMAL | 6,392.0 | 22.42 | 58.38 | 5,155.44 | 1,725.76 | 3,130.08 | 3,574.26 | 1.39 | -1.19 | -1.83 | 210.28 |
| 12/12/2013 | NORMAL | 6,487.0 | 21.41 | 60.31 | 5,243.58 | 1,743.85 | 3,160.57 | 3,609.70 | 1.31 | -1.06 | 2.03 | 145.40 |
| | NORMAL | 6,583.0 | 20.84 | 59.61 | 5,333.12 | 1,761.17 | 3,190.52 | 3,644.29 | 0.65 | -0.59 | -0.73 | 203.55 |
| | NORMAL | 6,678.0 | 20.44 | 58.29 | 5,422.03 | 1,778.43 | 3,219.21 | 3,677.76 | 0.65 | -0.42 | -1.39 | 228.70 |
| 12/13/2013 | NORMAL | 6,774.0 | 20.40 | 57.77 | 5,511.99 | 1,796.17 | 3,247.63 | 3,711.21 | 0.19 | -0.04 | -0.54 | 257.32 |
| | NORMAL | 6,870.0 | 18.99 | 57.85 | 5,602.38 | 1,813.40 | 3,275.01 | 3,743.52 | 1.47 | -1.47 | 0.08 | 178.94 |
| | NORMAL | 6,965.0 | 18.20 | 57.32 | 5,692.42 | 1,829.64 | 3,300.58 | 3,773.76 | 0.85 | -0.83 | -0.56 | 191.82 |
| | NORMAL | 7,061.0 | 16.88 | 59.08 | 5,783.95 | 1,844.90 | 3,325.16 | 3,802.66 | 1.48 | -1.38 | 1.83 | 158.95 |
| | NORMAL | 7,155.0 | 15.43 | 58.91 | 5,874.24 | 1,858.37 | 3,347.57 | 3,828.80 | 1.54 | -1.54 | -0.18 | 181.79 |
| | NORMAL | 7,250.0 | 14.81 | 58.03 | 5,965.95 | 1,871.32 | 3,368.70 | 3,853.56 | 0.70 | -0.65 | -0.93 | 199.89 |
| | NORMAL | 7,346.0 | 13.98 | 58.12 | 6,058.93 | 1,883.94 | 3,388.95 | 3,877.40 | 0.86 | -0.86 | 0.09 | 178.50 |
| | NORMAL | 7,441.0 | 12.75 | 57.68 | 6,151.36 | 1,895.61 | 3,407.56 | 3,899.33 | 1.30 | -1.29 | -0.46 | 184.51 |
| | NORMAL | 7,537.0 | 11.91 | 57.68 | 6,245.14 | 1,906.57 | 3,424.88 | 3,919.80 | 0.88 | -0.88 | 0.00 | 180.00 |
| | NORMAL | 7,632.0 | 10.68 | 57.68 | 6,338.30 | 1,916.52 | 3,440.60 | 3,938.37 | 1.29 | -1.29 | 0.00 | 180.00 |
| | NORMAL | 7,727.0 | 10.11 | 59.26 | 6,431.74 | 1,925.49 | 3,455.21 | 3,955.50 | 0.67 | -0.60 | 1.66 | 154.20 |
| 12/14/2013 | NORMAL | 7,823.0 | 9.80 | 59.87 | 6,526.30 | 1,933.89 | 3,469.52 | 3,972.09 | 0.34 | -0.32 | 0.64 | 161.51 |
| | NORMAL | 7,918.0 | 9.23 | 59.08 | 6,619.99 | 1,941.87 | 3,483.05 | 3,987.79 | 0.62 | -0.60 | -0.83 | 192.51 |
| | NORMAL | 8,014.0 | 8.79 | 59.61 | 6,714.81 | 1,949.53 | 3,495.98 | 4,002.82 | 0.47 | -0.46 | 0.55 | 169.58 |
| | NORMAL | 8,110.0 | 8.22 | 57.68 | 6,809.75 | 1,956.91 | 3,508.11 | 4,017.00 | 0.66 | -0.59 | -2.01 | 205.65 |
| | NORMAL | 8,205.0 | 7.38 | 59.08 | 6,903.87 | 1,963.68 | 3,519.08 | 4,029.88 | 0.91 | -0.88 | 1.47 | 167.95 |
| | NORMAL | 8,301.0 | 6.24 | 69.54 | 6,999.19 | 1,968.67 | 3,529.26 | 4,041.21 | 1.75 | -1.19 | 10.90 | 137.70 |
| | NORMAL | 8,396.0 | 5.93 | 70.16 | 7,093.66 | 1,972.14 | 3,538.71 | 4,051.15 | 0.33 | -0.33 | 0.65 | 168.34 |
| | NORMAL | 8,492.0 | 4.31 | 72.44 | 7,189.27 | 1,974.92 | 3,546.82 | 4,059.58 | 1.70 | -1.69 | 2.38 | 173.98 |
| | NORMAL | 8,588.0 | 3.78 | 76.84 | 7,285.03 | 1,976.72 | 3,553.34 | 4,066.15 | 0.64 | -0.55 | 4.58 | 151.83 |
| | NORMAL | 8,683.0 | 3.03 | 72.18 | 7,379.87 | 1,978.21 | 3,558.78 | 4,071.63 | 0.84 | -0.79 | -4.91 | 197.94 |
| 12/15/2013 | NORMAL | 8,779.0 | 2.59 | 75.08 | 7,475.75 | 1,979.54 | 3,563.29 | 4,076.22 | 0.48 | -0.46 | 3.02 | 163.54 |
| | NORMAL | 8,874.0 | 2.59 | 81.32 | 7,570.65 | 1,980.42 | 3,567.48 | 4,080.31 | 0.30 | 0.00 | 6.57 | 93.12 |
| | NORMAL | 8,970.0 | 2.15 | 90.46 | 7,666.57 | 1,980.73 | 3,571.43 | 4,083.91 | 0.60 | -0.46 | 9.52 | 143.84 |
| 12/17/2013 | NORMAL | 9,065.0 | 1.41 | 122.80 | 7,761.53 | 1,980.08 | 3,574.19 | 4,086.00 | 1.28 | -0.78 | 34.04 | 141.80 |
| | NORMAL | 9,161.0 | 0.97 | 196.81 | 7,857.51 | 1,978.66 | 3,574.95 | 4,085.98 | 1.54 | -0.46 | 77.09 | 140.78 |
| | NORMAL | 9,256.0 | 1.23 | 207.27 | 7,952.49 | 1,976.99 | 3,574.25 | 4,084.55 | 0.34 | 0.27 | 11.01 | 42.99 |
| | NORMAL | 9,352.0 | 1.54 | 217.81 | 8,048.47 | 1,975.05 | 3,572.99 | 4,082.50 | 0.42 | 0.32 | 10.98 | 44.76 |
| | NORMAL | 9,447.0 | 1.93 | 232.23 | 8,143.42 | 1,973.06 | 3,570.94 | 4,079.75 | 0.61 | 0.41 | 15.18 | 55.58 |
| | NORMAL | 9,543.0 | 2.11 | 234.51 | 8,239.36 | 1,971.05 | 3,568.22 | 4,076.39 | 0.21 | 0.19 | 2.38 | 25.20 |
| | NORMAL | 9,639.0 | 2.29 | 238.56 | 8,335.29 | 1,969.02 | 3,565.15 | 4,072.72 | 0.25 | 0.19 | 4.22 | 42.85 |
| | NORMAL | 9,734.0 | 2.55 | 245.06 | 8,430.21 | 1,967.14 | 3,561.61 | 4,068.71 | 0.40 | 0.27 | 6.84 | 49.83 |
| | NORMAL | 9,830.0 | 2.29 | 245.06 | 8,526.12 | 1,965.43 | 3,557.94 | 4,064.67 | 0.27 | -0.27 | 0.00 | 180.00 |
| | NORMAL | 9,925.0 | 2.07 | 247.78 | 8,621.05 | 1,963.98 | 3,554.63 | 4,061.07 | 0.26 | -0.23 | 2.86 | 156.17 |
| | NORMAL | 10,020.0 | 2.11 | 247.26 | 8,715.99 | 1,962.66 | 3,551.43 | 4,057.63 | 0.05 | 0.04 | -0.55 | 334.37 |
| 12/18/2013 | NORMAL | 10,116.0 | 2.33 | 244.80 | 8,811.92 | 1,961.14 | 3,548.03 | 4,053.93 | 0.25 | 0.23 | -2.56 | 335.35 |
| | NORMAL | 10,186.0 | 2.15 | 243.21 | 8,881.86 | 1,959.95 | 3,545.57 | 4,051.20 | 0.27 | -0.26 | -2.27 | 198.25 |
| | NORMAL | 10,236.0 | 2.15 | 243.21 | 8,931.83 | 1,959.10 | 3,543.80 | 4,049.33 | 0.00 | 0.00 | 0.00 | 0.00 |