

<b>Header Information</b>	measured depth (ft)	inclination (°)	azimuth (°)	true vertical depth (ft)	northing +N/-S (ft)	easting +E/-W (ft)
Operator Name	0.0	0.00	0.00	0.0	0.0	0.0
Great Western Oil & Gas Company LLC	3100.0	0.00	0.00	3100.0	0.0	0.0
Operator Number	3200.0	3.00	191.52	3200.0	-2.6	-0.5
10110	3300.0	6.00	191.52	3299.6	-10.3	-2.1
Well Name and Number	3400.0	9.00	191.52	3398.8	-23.0	-4.7
Postle IC 11-279HN	3500.0	12.00	191.52	3497.1	-40.9	-8.3
API Number (if available)	3600.0	15.00	191.52	3594.3	-63.8	-13.0
	3700.0	18.00	191.52	3690.2	-91.6	-18.7
Location: QQ SEC TWP RGE	3800.0	21.00	191.52	3784.4	-124.3	-25.3
Sec.11-T3N-R68W	3900.0	24.00	191.52	3876.8	-161.8	-33.0
Citing Type: Planned or Actual	4000.0	27.00	191.52	3967.1	-204.0	-41.6
Planned	4100.0	30.00	191.52	4054.9	-250.7	-51.1
Deviation Indicator	4104.6	30.14	191.52	4058.9	-253.0	-51.6
Horizontal ▼	4200.0	30.14	191.52	4141.4	-299.9	-61.1
North Reference	4300.0	30.14	191.52	4227.9	-349.1	-71.2
True ▼	4400.0	30.14	191.52	4314.4	-398.3	-81.2
Grid Type	4500.0	30.14	191.52	4400.9	-447.5	-91.2
▼	4600.0	30.14	191.52	4487.4	-496.7	-101.3
	4700.0	30.14	191.52	4573.8	-545.9	-111.3
	4800.0	30.14	191.52	4660.3	-595.1	-121.3
	4900.0	30.14	191.52	4746.8	-644.3	-131.3
	5000.0	30.14	191.52	4833.3	-693.5	-141.4
	5100.0	30.14	191.52	4919.8	-742.7	-151.4
	5200.0	30.14	191.52	5006.2	-791.9	-161.4
	5300.0	30.14	191.52	5092.7	-841.1	-171.5
	5400.0	30.14	191.52	5179.2	-890.3	-181.5
	5500.0	30.14	191.52	5265.7	-939.4	-191.5
	5600.0	30.14	191.52	5352.2	-988.6	-201.5
	5700.0	30.14	191.52	5438.7	-1037.8	-211.6

5800.0	30.14	191.52	5525.1	-1087.0	-221.6
5900.0	30.14	191.52	5611.6	-1136.2	-231.6
6000.0	30.14	191.52	5698.1	-1185.4	-241.7
6100.0	30.14	191.52	5784.6	-1234.6	-251.7
6200.0	30.14	191.52	5871.1	-1283.8	-261.7
6300.0	30.14	191.52	5957.6	-1333.0	-271.7
6400.0	30.14	191.52	6044.0	-1382.2	-281.8
6500.0	30.14	191.52	6130.5	-1431.4	-291.8
6600.0	30.14	191.52	6217.0	-1480.6	-301.8
6700.0	30.14	191.52	6303.5	-1529.8	-311.9
6800.0	30.14	191.52	6390.0	-1579.0	-321.9
6900.0	30.14	191.52	6476.5	-1628.2	-331.9
7000.0	30.14	191.52	6562.9	-1677.4	-341.9
7100.0	30.14	191.52	6649.4	-1726.6	-352.0
7193.7	30.14	191.52	6730.5	-1772.7	-361.4
7200.0	30.00	189.91	6735.9	-1775.8	-361.9
7300.0	30.59	164.00	6822.6	-1825.1	-359.2
7400.0	35.75	142.04	6906.6	-1872.8	-334.1
7500.0	43.89	126.11	6983.5	-1916.4	-288.0
7600.0	53.64	114.62	7049.5	-1953.8	-223.1
7700.0	64.24	105.81	7101.1	-1983.0	-142.8
7800.0	75.28	98.47	7135.7	-2002.4	-51.2
7900.0	86.53	91.86	7151.5	-2011.2	46.9
7930.7	90.00	89.88	7152.4	-2011.7	77.6
7931.3	90.00	89.88	7152.4	-2011.7	78.2
8000.0	90.00	89.88	7152.4	-2011.5	146.9
8100.0	90.00	89.88	7152.4	-2011.3	246.9
8200.0	90.00	89.88	7152.4	-2011.1	346.9
8300.0	90.00	89.88	7152.4	-2010.9	446.9
8400.0	90.00	89.88	7152.4	-2010.6	546.9
8500.0	90.00	89.88	7152.4	-2010.4	646.9
8600.0	90.00	89.88	7152.4	-2010.2	746.9
8700.0	90.00	89.88	7152.4	-2010.0	846.9
8800.0	90.00	89.88	7152.4	-2009.8	946.9

8900.0	90.00	89.88	7152.4	-2009.6	1046.9
9000.0	90.00	89.88	7152.4	-2009.3	1146.9
9100.0	90.00	89.88	7152.4	-2009.1	1246.9
9200.0	90.00	89.88	7152.4	-2008.9	1346.9
9300.0	90.00	89.88	7152.4	-2008.7	1446.9
9400.0	90.00	89.88	7152.4	-2008.5	1546.9
9500.0	90.00	89.88	7152.4	-2008.2	1646.9
9600.0	90.00	89.88	7152.4	-2008.0	1746.9
9700.0	90.00	89.88	7152.4	-2007.8	1846.9
9800.0	90.00	89.88	7152.4	-2007.6	1946.9
9900.0	90.00	89.88	7152.4	-2007.4	2046.9
10000.0	90.00	89.88	7152.4	-2007.1	2146.9
10100.0	90.00	89.88	7152.4	-2006.9	2246.9
10200.0	90.00	89.88	7152.4	-2006.7	2346.9
10300.0	90.00	89.88	7152.4	-2006.5	2446.9
10400.0	90.00	89.88	7152.4	-2006.3	2546.9
10500.0	90.00	89.88	7152.4	-2006.1	2646.9
10600.0	90.00	89.88	7152.4	-2005.8	2746.9
10700.0	90.00	89.88	7152.4	-2005.6	2846.9
10800.0	90.00	89.88	7152.4	-2005.4	2946.9
10900.0	90.00	89.88	7152.4	-2005.2	3046.9
11000.0	90.00	89.88	7152.4	-2005.0	3146.9
11100.0	90.00	89.88	7152.4	-2004.7	3246.9
11200.0	90.00	89.88	7152.4	-2004.5	3346.9
11300.0	90.00	89.88	7152.4	-2004.3	3446.9
11400.0	90.00	89.88	7152.4	-2004.1	3546.9
11500.0	90.00	89.88	7152.4	-2003.9	3646.9
11600.0	90.00	89.88	7152.4	-2003.6	3746.9
11700.0	90.00	89.88	7152.4	-2003.4	3846.9
11800.0	90.00	89.88	7152.4	-2003.2	3946.9
11900.0	90.00	89.88	7152.4	-2003.0	4046.9
12000.0	90.00	89.88	7152.4	-2002.8	4146.9
12100.0	90.00	89.88	7152.4	-2002.5	4246.9
12200.0	90.00	89.88	7152.4	-2002.3	4346.9

12273.0	90.00	89.88	7152.4	-2002.2	4419.8
---------	-------	-------	--------	---------	--------