

BISON OIL WELL CEMENTING, INC.

1738 Wynkoop St., Ste. 102
Denver, Colorado 80202
Phone: 303-296-3010
Fax: 303-298-8143
E-mail: bisonoil1@qwestoffice.net



SERVICE INVOICE

Nº 12779

WELL NO. AND FARM 25-15F Schmidt	COUNTY weld	STATE Colorado	DATE 3-7-14
CHARGE TO Noble	WELL LOCATION SEC. 25 TWP. 4N RANGE 66W		CONTRACTOR
DELIVERED TO CR 40 CR 35		LOCATION 1 Lasalle	CODE /
SHIPPED VIA 310140324021-320p		LOCATION 2 CR 40-CR 35	CODE /
TYPE AND PURPOSE OF JOB Plug and Abandon		LOCATION 3 Lasalle	CODE /
		WELL TYPE Oil	CODE

PRICE REFERENCE	DESCRIPTION	UNITS		UNIT PRICE	AMOUNT
		QTY.	MEAS.		
	Pump Charge	1	ea		
	mile age	60	ea		
	mile age	60	ea		
	iron inspection	1	ea		
	Supervisor charge	1	ea		
	Data Ag Charge	1	ea		
	Cement	168	SEs		
	Sugar	50	ea		
<div style="border: 1px solid red; padding: 5px; margin: 10px 0;"> Schmidt 25-15F <small>Well Name and No</small> Sandau St. K-25-62-1HNL <small>Project / AFE No</small> 136989 <small>Task</small> 2.3/17 <small>Acc. No.</small> 1.7/2014 <small>Approved</small> SCOTT TRIMBLE <small>Signature</small> </div>					
	Total Weight		Loaded Miles		Ton Miles

If this account is not paid within 30 days of invoice date a FINANCE CHARGE will be made. Computed at a single monthly rate of 1 1/4% which is equal to an ANNUAL PERCENTAGE RATE OF 18%.

TAX REFERENCES

"TAXES WILL BE ADDED AT CORPORATE OFFICE"

Adam Callen

Bison Oil Well Cementing, Inc. Representative

Customer or His Agent

Customers hereby acknowledges and specifically agrees to the terms and conditions on this work order, including, without limitation, the provisions on the reverse side hereof which include the release and indemnity.



Bison Oil Well Cementing

Customer: noble
Well Name: schmith 25 15 1

Invoice # 12779
API# 05-123-16242
Foreman: Aaron
Date 3/7/2014

County: Weld
State: Colorado
Sec: 25
Twp: 4n
Range: 66w

Consultant: scott
Rig Name & Number: leed
Distance To Location: 60 miles
Units On Location: 3101-4022-4021-3206
Time Requested: 8:00 AM
Time Arrived On Location: 7:30 AM
Time Left Location:

Plug Job

Well Data

OD Inches	1.66
String Weight Per ft	4.7
First Plug Sacks	168
First Plug Depth	600
Second Plug Sacks	
Second Plug Depth	
Third Plug Sacks	0
Third Plug Depth	0
Fourth Plug Sacks	0
Fourth Plug Depth	0
ID	#N/A
First Plug Displacement	#N/A bbl
Second Plug Displacement	#N/A bbl
Thirst Plug Displacement	#N/A bbl
Fourth Plug Displacement	#N/A bbl
bbls of Spacer Ahead	5 bbls

bbls of Slurry

First Plug bbls of Slurry	37.4010 bbls
Second Plug bbls of Slurry	0.0000 bbls
Third Plug bbls of Slurry	0.0000 bbls
Fourth Plug bbls of Slurry	0.0000 bbls

First Plug Cement Data

Cement Name:	NEAT G
Cement Density (lb/gal):	15.8
Cement Yield (cuft):	1.25
Gallons Per Sack:	5.00

Second Plug Cement Data

Cement Name:	BFN III
Cement Density (lb/gal):	
Cement Yield (cuft):	
Gallons Per Sack:	

Third Plug Cement Data

Cement Name:	BFN III
Cement Density (lb/gal):	0.0
Cement Yield (cuft):	0
Gallons Per Sack:	0.00

Fourth Plug Cement Data

Cement Name:	BFN III
Cement Density (lb/gal):	0.0
Cement Yield (cuft):	0
Gallons Per Sack:	0.00

Displacement Fluid lb/gal:	8.3
Fluid Ahead (bbls):	5.0
H2O Wash Up (bbls):	20.0

bbls of Mix Water

First Plug bbls Mix Water	20.0000 bbls
Second Plug bbls Mix Water	0.0000 bbls
Third Plug bbls Mix Water	0.0000 bbls
Fourth Plug bbls Mix Water	0.0000 bbls

X

Authorized To Proceed

Customers hereby acknowledges and specifically agrees to the terms and condition on this work order, including, without limitation, the provisions on this work order.

