FORM 5A Rev 06/12

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES

Document Number: 400576033

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 46290
2. Name of Operator: K P KAUFFMAN COMPANY INC
3. Address: 1675 BROADWAY, STE 2800
City: DENVER State: CO Zip: 80202
4. Contact Name: Susana Lara-Mesa
Phone: (303) 825-4822
Fax: (303) 825-4825
Email: Slaramesa@kpk.com

5. API Number 05-123-23516-00
6. County: WELD
7. Well Name: Matsushima
Well Number: #4-19X
8. Location: QtrQtr: SWNE Section: 10 Township: 4N Range: 66W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type:

Treatment Date: End Date: Date of First Production this formation: 03/02/2006

Perforations Top: 7202 Bottom: 7222 No. Holes: 80 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole: ☐

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: End Date: Date of First Production this formation: 03/02/2006

Perforations Top: 6888 Bottom: 7222 No. Holes: 320 Hole size: 0.7

Provide a brief summary of the formation treatment: Open Hole: ☐

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 04/02/2014 Hours: 24 Bbl oil: 0 Mcf Gas: 0 Bbl H2O: 14

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 0 Bbl H2O: 14 GOR: 0

Test Method: Flow Casing PSI: 140 Tubing PSI: 0 Choke Size:

Gas Disposition: Gas Type: Btu Gas: 0 API Gravity Oil: 0

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 03/21/2014 End Date: 03/21/2014 Date of First Production this formation: 03/02/2006

Perforations Top: 6888 Bottom: 7100 No. Holes: 240 Hole size: 0.7

Provide a brief summary of the formation treatment: Open Hole: ☐

Slick water pad of 133,346 gal, 40,860 lb of 40/70 sand, 360,060 lb of 30/50 sand with gel

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 5486 Max pressure during treatment (psi): 5433

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Min frac gradient (psi/ft): 0.88

Total acid used in treatment (bbl): 24 Number of staged intervals: 1

Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 1497

Fresh water used in treatment (bbl): 5462 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 400920 Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Susana Lara-Mesa

Title: VP Engineering Date: Email: Slaramesa@kpk.com

Attachment Check List

Att Doc Num	Name
400578972	WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)