

## Weld County, Colorado, Southern Part

### 66—Ulm clay loam, 0 to 3 percent slopes

#### Map Unit Setting

*Elevation:* 5,070 to 5,200 feet  
*Mean annual precipitation:* 13 to 15 inches  
*Mean annual air temperature:* 46 to 48 degrees F  
*Frost-free period:* 105 to 120 days

#### Map Unit Composition

*Ulm and similar soils:* 85 percent  
*Minor components:* 15 percent

#### Description of Ulm

##### Setting

*Landform:* Plains  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear  
*Parent material:* Alluvium and/or eolian deposits derived from shale

##### Properties and qualities

*Slope:* 0 to 3 percent  
*Depth to restrictive feature:* More than 80 inches  
*Drainage class:* Well drained  
*Capacity of the most limiting layer to transmit water*  
*(Ksat):* Moderately low to moderately high (0.06 to 0.20 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum content:* 15 percent  
*Maximum salinity:* Nonsaline (0.0 to 2.0 mmhos/cm)  
*Available water capacity:* High (about 10.4 inches)

##### Interpretive groups

*Farmland classification:* Prime farmland if irrigated  
*Land capability classification (irrigated):* 3e  
*Land capability (nonirrigated):* 4e  
*Hydrologic Soil Group:* C  
*Ecological site:* Clayey Plains (R067BY042CO)

##### Typical profile

*0 to 5 inches:* Clay loam  
*5 to 19 inches:* Clay  
*19 to 60 inches:* Clay loam

#### Minor Components

##### Renhill

*Percent of map unit:* 10 percent

Map Unit Description: Ulm clay loam, 0 to 3 percent slopes---Weld County, Colorado, Southern Part

---

**Heldt**

*Percent of map unit: 5 percent*

## **Data Source Information**

Soil Survey Area: Weld County, Colorado, Southern Part  
Survey Area Data: Version 12, Jan 3, 2014



## Weld County, Colorado, Southern Part

### 83—Wiley-Colby complex, 3 to 5 percent slopes

#### Map Unit Setting

*Elevation:* 4,850 to 5,000 feet  
*Mean annual precipitation:* 12 to 16 inches  
*Mean annual air temperature:* 48 to 54 degrees F  
*Frost-free period:* 135 to 170 days

#### Map Unit Composition

*Wiley and similar soils:* 55 percent  
*Colby and similar soils:* 30 percent  
*Minor components:* 15 percent

#### Description of Wiley

##### Setting

*Landform:* Plains  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear  
*Parent material:* Calcareous eolian deposits

##### Properties and qualities

*Slope:* 3 to 5 percent  
*Depth to restrictive feature:* More than 80 inches  
*Drainage class:* Well drained  
*Capacity of the most limiting layer to transmit water*  
*(Ksat):* Moderately high to high (0.60 to 2.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum content:* 15 percent  
*Maximum salinity:* Nonsaline (0.0 to 2.0 mmhos/cm)  
*Available water capacity:* High (about 11.7 inches)

##### Interpretive groups

*Farmland classification:* Farmland of statewide importance  
*Land capability classification (irrigated):* 3e  
*Land capability (nonirrigated):* 4e  
*Hydrologic Soil Group:* B  
*Ecological site:* Loamy Plains (R067BY002CO)

##### Typical profile

*0 to 11 inches:* Silt loam  
*11 to 60 inches:* Silty clay loam  
*60 to 64 inches:* Silty clay loam

#### Description of Colby

##### Setting

*Landform:* Plains  
*Down-slope shape:* Linear

*Across-slope shape:* Linear  
*Parent material:* Calcareous eolian deposits

**Properties and qualities**

*Slope:* 3 to 5 percent  
*Depth to restrictive feature:* More than 80 inches  
*Drainage class:* Well drained  
*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high (0.57 to 2.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum content:* 15 percent  
*Available water capacity:* High (about 10.6 inches)

**Interpretive groups**

*Farmland classification:* Farmland of statewide importance  
*Land capability classification (irrigated):* 3e  
*Land capability (nonirrigated):* 4e  
*Hydrologic Soil Group:* B  
*Ecological site:* Loamy Plains (R067BY002CO)

**Typical profile**

*0 to 7 inches:* Loam  
*7 to 60 inches:* Silt loam

**Minor Components**

**Heldt**

*Percent of map unit:* 9 percent

**Weld**

*Percent of map unit:* 6 percent

**Data Source Information**

Soil Survey Area: Weld County, Colorado, Southern Part  
Survey Area Data: Version 12, Jan 3, 2014