



Re: Wilson Creek/Stantec Project Manager Contact Info

1 message

Lujan - DNR, Carlos <carlos.lujan@state.co.us>

Mon, May 5, 2014 at 1:07 PM

To: "EnviroScan, OGCC" <OGCC.EnviroScan@state.co.us>

Cc: "Beall, Christopher" <Christopher.Beall@stantec.com>

Amber,

Please upload the two documents saved in the following sub-directory (no need to data enter the Form 27 - upload only):

U:\LujanC\CHEVRON

and upload this email as well.

Link to REM # 70 and Location ID #314519.

Thanks,
Carlos

Chris,

COGCC staff has reviewed the 2013 Annual Groundwater Report (as well as previous annual reports) and the 2014 Work Plan. Although hydrocarbon concentrations have oscillated over the year, the general trend is that they are decreasing. The benzene plume is receding and free product has decreased in thickness and in area.

Considering the results, COGCC agrees with Chevron/Stantec recommendations (copied below from the report).

Please reduce the sampling frequency from semi-annual to annual.. Please conduct the annual sampling in September 2014.

Thanks,
Carlos

From the 2013 annual report:

8.2 RECOMMENDATIONS

The following recommendations for 2014 are based on data gathered during the 2013 reporting period as well as historical Site data:

- *Continued annual groundwater monitoring and sampling.*
 - *In September 2014, conduct a comprehensive annual groundwater monitoring and sampling event.*
- *Continued annual surface water sampling.*
 - *In September 2014, conduct an annual surface water sampling event.*
- *Continued effectiveness evaluation of Air Sparge System #1 (Trench #2 System and Trench #3 System) operation including assessment of permanently discontinuing the operation and decommissioning the System.*

Carlos Lujan, Ph.D.
Environmental Protection Specialist

co_dnr_div_ogcc_300_rgb_ltrhd_v3



P [970.625.2497 x7](tel:970.625.2497) | F [970.625.2497](tel:970.625.2497) | C [970.286.3292](tel:970.286.3292)
796 Megan Avenue, Suite 201, Rifle, CO 81650
carlos.lujan@state.co.us | www.colorado.gov/cogcc

On Tue, Apr 29, 2014 at 9:05 AM, Beall, Christopher <Christopher.Beall@stantec.com> wrote:

Carlos,

Please find the FTP site link below. Due to the large size of the documents, I have placed both the 2013 Annual Report and 2014 Work Plan for the Wilson Creek Unit (COGCC Remediation Project Number 70) on the FTP site. Please let me know if you have any difficulties accessing the site or retrieving the documents.

Manual Login

FTP link: <ftp://ftptmp.stantec.com>

Login name: s0513085314

Password: 6757489

Disk Quota: 2GB

Expiry Date: 5/13/2014

NOTE: FTP Sites are not included in Stantec daily backups and are only intended to be used as a means of transferring large files between offices, clients, etc.

Thanks,

Chris

From: Lujan - DNR, Carlos [mailto:carlos.lujan@state.co.us]
Sent: Tuesday, April 29, 2014 8:50 AM
To: Beall, Christopher
Subject: Re: Wilson Creek/Stantec Project Manager Contact Info

Chris,

Responding to your email to close the loop.

I look forward to work with you on this project.

Thanks,

Carlos

Carlos Lujan, Ph.D.
Environmental Protection Specialist



P [970.625.2497](tel:970.625.2497) x7 | F [970.625.2497](tel:970.625.2497) | C [970.286.3292](tel:970.286.3292)
796 Megan Avenue, Suite 201, Rifle, CO 81650
carlos.lujan@state.co.us | www.colorado.gov/cogcc

On Tue, Apr 29, 2014 at 8:27 AM, Beall, Christopher <Christopher.Beall@stantec.com> wrote:

Carlos,

Please find my contact info below.

Thanks,

Chris

Christopher Beall, P.G.

Associate Geologist
Stantec
2000 South Colorado Boulevard, Suite 2-300 Denver CO 80222
Direct: [\(303\) 285-4541](tel:303.285.4541)
Mobile: [\(970\) 214-1126](tel:970.214.1126)
christopher.beall@stantec.com



Design with community in mind

stantec.com



The content of this email is the confidential property of Stantec and should not be copied, modified, retransmitted, or used for any purpose except with Stantec's written authorization. If you are not the intended recipient, please delete all copies and notify us immediately.

 Please consider the environment before printing this email.