



Actual Wellpath Report

BADDING 37N-25HZ AWP

Page 1 of 6



REFERENCE WELLPATH IDENTIFICATION

Operator	KERR-MCGEE OIL & GAS ONSHORE LP	Slot	SLOT#01 BADDING 37N-35HZ (350'FSL & 704'FEL, SEC.26)
Area	COLORADO	Well	BADDING 37N-35HZ
Field	WELD COUNTY (KERR MCGEE)	Wellbore	BADDING 37N-25HZ AWB
Facility	SEC.26-T2N-R66W		

REPORT SETUP INFORMATION

Projection System	NAD83 / Lambert Colorado SP, Northern Zone (501), US feet	Software System	WellArchitect® 4.0.0
North Reference	True	User	Wilsjef02
Scale	0.99996	Report Generated	4/17/2014 at 12:41:25 PM
Convergence at slot	n/a	Database/Source file	WellArchitectDB/BADDING_37N-25HZ_AWB.xml

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	0.00	0.08	3213324.01	1281285.67	40°06'10.811"N	104°44'14.586"W
Facility Reference Pt			3213323.93	1281285.67	40°06'10.811"N	104°44'14.587"W
Field Reference Pt			3197771.84	1268891.29	40°04'09.600"N	104°47'36.000"W

WELLPATH DATUM

Calculation method	Minimum curvature	ENSIGN 138 (13'KB) (RKB) to Facility Vertical Datum	5128.00ft
Horizontal Reference Pt	Slot	ENSIGN 138 (13'KB) (RKB) to Mean Sea Level	5128.00ft
Vertical Reference Pt	ENSIGN 138 (13'KB) (RKB)	ENSIGN 138 (13'KB) (RKB) to Mud Line at Slot (SLOT#01 BADDING 37N-35HZ (350'FSL & 704'FEL, SEC.26))	5128.00ft
MD Reference Pt	ENSIGN 138 (13'KB) (RKB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	179.92°



Actual Wellpath Report

BADDING 37N-25HZ AWP

Page 2 of 6



REFERENCE WELLPATH IDENTIFICATION

Operator	KERR-MCGEE OIL & GAS ONSHORE LP	Slot	SLOT#01 BADDING 37N-35HZ (350'FSL & 704'FEL, SEC.26)
Area	COLORADO	Well	BADDING 37N-35HZ
Field	WELD COUNTY (KERR MCGEE)	Wellbore	BADDING 37N-25HZ AWB
Facility	SEC.26-T2N-R66W		

WELLPATH DATA (130 stations) † = interpolated/extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Latitude	Longitude	DLS [°/100ft]	Comments
0.00†	0.000	241.060	0.00	0.00	0.00	0.00	40°06'10.811"N	104°44'14.586"W	0.00	
13.00	0.000	241.060	13.00	0.00	0.00	0.00	40°06'10.811"N	104°44'14.586"W	0.00	TIE-ON
113.00	0.430	241.060	113.00	0.18	-0.18	-0.33	40°06'10.809"N	104°44'14.590"W	0.43	BEGIN GYRO SURVEYS
213.00	0.160	278.380	213.00	0.34	-0.34	-0.79	40°06'10.808"N	104°44'14.596"W	0.32	
313.00	0.130	63.200	313.00	0.27	-0.27	-0.83	40°06'10.808"N	104°44'14.597"W	0.28	
413.00	0.150	344.370	413.00	0.09	-0.09	-0.77	40°06'10.810"N	104°44'14.596"W	0.18	
513.00	0.100	5.120	513.00	-0.12	0.12	-0.79	40°06'10.812"N	104°44'14.596"W	0.07	
613.00	0.270	30.750	613.00	-0.41	0.41	-0.67	40°06'10.815"N	104°44'14.595"W	0.18	
713.00	0.310	352.110	713.00	-0.88	0.88	-0.58	40°06'10.820"N	104°44'14.593"W	0.20	
813.00	0.480	335.620	812.99	-1.53	1.53	-0.79	40°06'10.826"N	104°44'14.596"W	0.20	
913.00	0.560	320.250	912.99	-2.29	2.29	-1.28	40°06'10.834"N	104°44'14.602"W	0.16	
1013.00	0.640	304.290	1012.98	-2.98	2.98	-2.05	40°06'10.840"N	104°44'14.612"W	0.18	
1113.00	0.390	297.500	1112.98	-3.45	3.45	-2.81	40°06'10.845"N	104°44'14.622"W	0.26	
1213.00	0.640	271.360	1212.98	-3.62	3.62	-3.67	40°06'10.847"N	104°44'14.633"W	0.34	
1248.00	0.610	266.780	1247.97	-3.62	3.61	-4.06	40°06'10.847"N	104°44'14.638"W	0.17	TIE-INTO GYROS
1367.00	0.300	218.800	1366.97	-3.34	3.33	-4.88	40°06'10.844"N	104°44'14.649"W	0.39	BEGIN BHI MWD+IFR SURVEYS
1462.00	1.800	326.200	1461.95	-4.39	4.38	-5.87	40°06'10.854"N	104°44'14.662"W	2.01	
1554.00	3.800	309.500	1553.84	-7.53	7.52	-9.03	40°06'10.885"N	104°44'14.702"W	2.33	
1645.00	6.200	320.600	1644.49	-13.26	13.24	-14.47	40°06'10.942"N	104°44'14.772"W	2.83	
1737.00	7.200	317.700	1735.86	-21.37	21.34	-21.51	40°06'11.022"N	104°44'14.863"W	1.15	
1828.00	8.800	315.500	1825.97	-30.57	30.52	-30.22	40°06'11.113"N	104°44'14.975"W	1.79	
1919.00	10.800	315.100	1915.64	-41.59	41.53	-41.12	40°06'11.221"N	104°44'15.115"W	2.20	
2011.00	12.700	311.400	2005.71	-54.40	54.32	-54.79	40°06'11.348"N	104°44'15.291"W	2.22	
2102.00	14.500	311.600	2094.15	-68.60	68.50	-70.82	40°06'11.488"N	104°44'15.497"W	1.98	
2193.00	14.500	311.200	2182.26	-83.69	83.57	-87.91	40°06'11.637"N	104°44'15.717"W	0.11	
2285.00	15.500	311.800	2271.12	-99.50	99.35	-105.74	40°06'11.793"N	104°44'15.947"W	1.10	
2376.00	14.000	312.700	2359.12	-115.09	114.92	-122.89	40°06'11.947"N	104°44'16.168"W	1.67	
2467.00	15.400	309.900	2447.14	-130.33	130.14	-140.25	40°06'12.097"N	104°44'16.391"W	1.72	
2559.00	15.000	309.300	2535.92	-145.74	145.51	-158.84	40°06'12.249"N	104°44'16.630"W	0.47	
2650.00	14.800	308.800	2623.86	-160.50	160.26	-177.01	40°06'12.395"N	104°44'16.864"W	0.26	
2741.00	14.500	307.700	2711.90	-174.78	174.51	-195.08	40°06'12.535"N	104°44'17.097"W	0.45	
2833.00	14.200	309.100	2801.03	-188.96	188.67	-212.95	40°06'12.675"N	104°44'17.326"W	0.50	
2925.00	13.700	309.200	2890.32	-202.99	202.67	-230.15	40°06'12.814"N	104°44'17.548"W	0.54	
3016.00	14.800	307.200	2978.52	-216.85	216.51	-247.76	40°06'12.951"N	104°44'17.774"W	1.32	
3107.00	15.000	305.500	3066.46	-230.74	230.37	-266.61	40°06'13.088"N	104°44'18.017"W	0.53	
3199.00	14.100	305.600	3155.51	-244.21	243.81	-285.41	40°06'13.220"N	104°44'18.259"W	0.98	
3293.00	13.900	307.900	3246.72	-257.83	257.41	-303.63	40°06'13.355"N	104°44'18.493"W	0.63	
3388.00	15.200	309.400	3338.67	-272.78	272.33	-322.26	40°06'13.502"N	104°44'18.733"W	1.42	
3482.00	15.000	309.100	3429.42	-288.30	287.82	-341.22	40°06'13.655"N	104°44'18.977"W	0.23	
3577.00	14.400	302.500	3521.32	-302.42	301.92	-360.73	40°06'13.795"N	104°44'19.228"W	1.87	
3672.00	13.300	301.100	3613.55	-314.44	313.91	-380.05	40°06'13.913"N	104°44'19.477"W	1.21	
3766.00	12.900	298.300	3705.11	-325.03	324.47	-398.54	40°06'14.017"N	104°44'19.715"W	0.80	
3860.00	13.500	297.300	3796.63	-335.06	334.48	-417.53	40°06'14.116"N	104°44'19.959"W	0.68	
3952.00	14.400	301.100	3885.91	-345.92	345.31	-436.87	40°06'14.223"N	104°44'20.208"W	1.40	
4047.00	13.800	306.800	3978.05	-358.84	358.20	-456.06	40°06'14.351"N	104°44'20.455"W	1.59	



Actual Wellpath Report

BADDING 37N-25HZ AWP

Page 3 of 6



REFERENCE WELLPATH IDENTIFICATION

Operator	KERR-MCGEE OIL & GAS ONSHORE LP	Slot	SLOT#01 BADDING 37N-35HZ (350'FSL & 704'FEL, SEC.26)
Area	COLORADO	Well	BADDING 37N-35HZ
Field	WELD COUNTY (KERR MCGEE)	Wellbore	BADDING 37N-25HZ AWB
Facility	SEC.26-T2N-R66W		

WELLPATH DATA (130 stations) † = interpolated/extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Latitude	Longitude	DLS [°/100ft]	Comments
4142.00	13.300	300.900	4070.41	-371.26	370.60	-474.51	40°06'14.473"N	104°44'20.693"W	1.55	
4236.00	13.500	305.700	4161.86	-383.25	382.56	-492.70	40°06'14.591"N	104°44'20.927"W	1.20	
4331.00	14.700	307.000	4253.99	-397.00	396.28	-511.33	40°06'14.727"N	104°44'21.166"W	1.31	
4425.00	15.900	308.000	4344.66	-412.13	411.39	-531.00	40°06'14.876"N	104°44'21.420"W	1.31	
4520.00	14.900	308.100	4436.25	-427.71	426.94	-550.87	40°06'15.030"N	104°44'21.675"W	1.05	
4615.00	13.100	305.300	4528.43	-441.49	440.70	-569.27	40°06'15.166"N	104°44'21.912"W	2.02	
4710.00	15.300	304.400	4620.52	-454.82	454.00	-588.40	40°06'15.297"N	104°44'22.158"W	2.33	
4805.00	15.400	306.400	4712.13	-469.42	468.57	-608.89	40°06'15.441"N	104°44'22.422"W	0.57	
4899.00	14.200	306.000	4803.01	-483.63	482.75	-628.27	40°06'15.582"N	104°44'22.671"W	1.28	
4995.00	15.500	310.100	4895.80	-498.84	497.94	-647.61	40°06'15.732"N	104°44'22.920"W	1.74	
5091.00	14.900	308.300	4988.44	-514.78	513.85	-667.11	40°06'15.889"N	104°44'23.171"W	0.80	
5186.00	13.700	308.000	5080.50	-529.30	528.34	-685.56	40°06'16.032"N	104°44'23.409"W	1.27	
5280.00	14.900	308.600	5171.58	-543.72	542.74	-703.77	40°06'16.174"N	104°44'23.643"W	1.29	
5376.00	13.100	306.900	5264.73	-557.98	556.97	-722.12	40°06'16.315"N	104°44'23.879"W	1.92	
5470.00	11.800	307.000	5356.52	-570.18	569.15	-738.32	40°06'16.435"N	104°44'24.088"W	1.38	
5563.00	10.900	304.700	5447.70	-580.93	579.88	-753.14	40°06'16.541"N	104°44'24.278"W	1.08	
5657.00	8.700	307.000	5540.32	-590.29	589.22	-766.13	40°06'16.634"N	104°44'24.446"W	2.38	
5752.00	7.800	313.300	5634.34	-599.05	597.97	-776.56	40°06'16.720"N	104°44'24.580"W	1.34	
5846.00	6.800	322.200	5727.58	-607.83	606.74	-784.61	40°06'16.807"N	104°44'24.683"W	1.60	
5941.00	4.000	321.300	5822.15	-614.87	613.77	-790.13	40°06'16.876"N	104°44'24.754"W	2.95	
6036.00	2.200	310.600	5917.01	-618.65	617.54	-793.59	40°06'16.914"N	104°44'24.799"W	1.98	
6131.00	0.700	263.800	6011.97	-619.78	618.67	-795.55	40°06'16.925"N	104°44'24.824"W	1.89	
6509.00	0.800	310.400	6389.95	-621.24	620.13	-799.85	40°06'16.939"N	104°44'24.880"W	0.16	
6853.00	0.500	241.400	6733.93	-622.09	620.96	-803.00	40°06'16.947"N	104°44'24.920"W	0.23	
6886.00	0.300	277.900	6766.93	-622.03	620.91	-803.21	40°06'16.947"N	104°44'24.923"W	0.95	
6981.00	8.200	165.400	6861.61	-615.49	614.37	-801.75	40°06'16.882"N	104°44'24.904"W	8.76	
7075.00	16.900	173.500	6953.28	-595.39	594.27	-798.51	40°06'16.684"N	104°44'24.862"W	9.42	
7170.00	24.800	176.800	7041.99	-561.72	560.60	-795.83	40°06'16.351"N	104°44'24.828"W	8.40	
7265.00	33.900	178.900	7124.71	-515.23	514.12	-794.20	40°06'15.892"N	104°44'24.807"W	9.64	
7360.00	44.900	176.900	7198.01	-455.07	453.97	-791.87	40°06'15.297"N	104°44'24.777"W	11.65	
7454.00	53.400	177.000	7259.44	-384.13	383.03	-788.10	40°06'14.596"N	104°44'24.728"W	9.04	
7548.00	60.400	179.000	7310.74	-305.48	304.39	-785.40	40°06'13.819"N	104°44'24.693"W	7.66	
7643.00	67.500	180.600	7352.44	-220.19	219.10	-785.14	40°06'12.976"N	104°44'24.690"W	7.62	
7737.00	74.900	177.800	7382.72	-131.29	130.19	-783.85	40°06'12.097"N	104°44'24.673"W	8.36	
7830.00	84.700	177.400	7399.17	-39.94	38.86	-780.02	40°06'11.195"N	104°44'24.624"W	10.55	
7870.00†	86.570	178.006	7402.21	-0.09	-0.99	-778.42	40°06'10.801"N	104°44'24.604"W	4.91	7" CASING POINT
7969.00	91.200	179.500	7404.14	98.84	-99.92	-776.27	40°06'09.823"N	104°44'24.576"W	4.91	
8063.00	90.900	179.100	7402.41	192.82	-193.90	-775.12	40°06'08.895"N	104°44'24.561"W	0.53	
8158.00	90.300	178.700	7401.42	287.80	-288.88	-773.30	40°06'07.956"N	104°44'24.537"W	0.76	
8252.00	90.500	179.600	7400.76	381.78	-382.86	-771.90	40°06'07.027"N	104°44'24.519"W	0.98	
8347.00	89.200	178.900	7401.01	476.77	-477.85	-770.66	40°06'06.089"N	104°44'24.503"W	1.55	
8442.00	89.600	177.900	7402.01	571.73	-572.81	-768.01	40°06'05.150"N	104°44'24.469"W	1.13	
8537.00	89.500	179.300	7402.75	666.70	-667.77	-765.69	40°06'04.212"N	104°44'24.439"W	1.48	
8631.00	90.300	179.900	7402.92	760.70	-761.77	-765.03	40°06'03.283"N	104°44'24.431"W	1.06	
8726.00	89.100	179.700	7403.41	855.70	-856.77	-764.70	40°06'02.344"N	104°44'24.427"W	1.28	



Actual Wellpath Report

BADDING 37N-25HZ AWP

Page 4 of 6



REFERENCE WELLPATH IDENTIFICATION			
Operator	KERR-MCGEE OIL & GAS ONSHORE LP	Slot	SLOT#01 BADDING 37N-35HZ (350'FSL & 704'FEL, SEC.26)
Area	COLORADO	Well	BADDING 37N-35HZ
Field	WELD COUNTY (KERR MCGEE)	Wellbore	BADDING 37N-25HZ AWB
Facility	SEC.26-T2N-R66W		

WELLPATH DATA (130 stations)										
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Latitude	Longitude	DLS [°/100ft]	Comments
8820.00	90.000	181.800	7404.15	949.68	-950.75	-765.93	40°06'01.415"N	104°44'24.442"W	2.43	
8913.00	88.800	180.200	7405.13	1042.65	-1043.73	-767.55	40°06'00.497"N	104°44'24.463"W	2.15	
9008.00	89.000	179.900	7406.95	1137.63	-1138.71	-767.64	40°05'59.558"N	104°44'24.464"W	0.38	
9102.00	88.500	177.800	7409.00	1231.59	-1232.66	-765.75	40°05'58.630"N	104°44'24.440"W	2.30	
9197.00	88.100	178.200	7411.82	1326.49	-1327.56	-762.44	40°05'57.692"N	104°44'24.397"W	0.60	
9292.00	89.000	179.700	7414.22	1421.45	-1422.51	-760.70	40°05'56.753"N	104°44'24.375"W	1.84	
9387.00	90.100	181.300	7414.97	1516.43	-1517.50	-761.53	40°05'55.815"N	104°44'24.385"W	2.04	
9576.00	91.100	181.000	7412.99	1705.38	-1706.45	-765.32	40°05'53.948"N	104°44'24.434"W	0.55	
9671.00	91.100	181.200	7411.17	1800.34	-1801.41	-767.14	40°05'53.009"N	104°44'24.458"W	0.21	
9860.00	89.600	180.300	7410.01	1989.31	-1990.39	-769.62	40°05'51.142"N	104°44'24.489"W	0.93	
10049.00	90.300	180.200	7410.18	2178.31	-2179.38	-770.44	40°05'49.274"N	104°44'24.500"W	0.37	
10238.00	90.100	180.000	7409.52	2367.30	-2368.38	-770.77	40°05'47.406"N	104°44'24.504"W	0.15	
10428.00	91.200	179.400	7407.36	2557.29	-2558.36	-769.78	40°05'45.529"N	104°44'24.491"W	0.66	
10523.00	90.900	179.500	7405.62	2652.27	-2653.34	-768.86	40°05'44.590"N	104°44'24.479"W	0.33	
10617.00	90.600	181.000	7404.39	2746.25	-2747.33	-769.27	40°05'43.661"N	104°44'24.485"W	1.63	
10712.00	89.400	180.500	7404.39	2841.24	-2842.32	-770.52	40°05'42.723"N	104°44'24.501"W	1.37	
10806.00	89.700	180.500	7405.13	2935.23	-2936.31	-771.34	40°05'41.794"N	104°44'24.511"W	0.32	
10901.00	90.600	180.800	7404.88	3030.23	-3031.31	-772.42	40°05'40.855"N	104°44'24.525"W	1.00	
11090.00	90.400	179.400	7403.23	3219.21	-3220.29	-772.75	40°05'38.987"N	104°44'24.529"W	0.75	
11185.00	89.600	180.300	7403.23	3314.21	-3315.29	-772.50	40°05'38.049"N	104°44'24.526"W	1.27	
11375.00	90.000	179.300	7403.89	3504.21	-3505.29	-771.83	40°05'36.171"N	104°44'24.517"W	0.57	
11469.00	91.000	178.400	7403.07	3598.18	-3599.26	-769.95	40°05'35.242"N	104°44'24.493"W	1.43	
11564.00	89.900	179.400	7402.33	3693.16	-3694.24	-768.12	40°05'34.304"N	104°44'24.470"W	1.56	
11753.00	90.200	179.000	7402.16	3882.15	-3883.22	-765.48	40°05'32.436"N	104°44'24.435"W	0.26	
11848.00	90.300	178.700	7401.75	3977.13	-3978.20	-763.58	40°05'31.498"N	104°44'24.411"W	0.33	
11943.00	90.500	179.800	7401.08	4072.12	-4073.19	-762.33	40°05'30.559"N	104°44'24.395"W	1.18	
12038.00	89.600	180.700	7401.00	4167.12	-4168.19	-762.75	40°05'29.620"N	104°44'24.400"W	1.34	
12227.00	90.200	180.300	7401.33	4356.10	-4357.18	-764.40	40°05'27.753"N	104°44'24.421"W	0.38	
12417.00	88.400	181.100	7403.65	4546.06	-4547.14	-766.72	40°05'25.875"N	104°44'24.451"W	1.04	
12607.00	88.300	180.400	7409.12	4735.96	-4737.04	-769.20	40°05'23.999"N	104°44'24.483"W	0.37	
12702.00	88.600	180.100	7411.69	4830.93	-4832.01	-769.62	40°05'23.060"N	104°44'24.488"W	0.45	
12892.00	89.300	180.300	7415.18	5020.89	-5021.97	-770.28	40°05'21.183"N	104°44'24.497"W	0.38	
12987.00	90.700	181.200	7415.18	5115.88	-5116.96	-771.53	40°05'20.244"N	104°44'24.513"W	1.75	
13082.00	91.300	180.800	7413.52	5210.85	-5211.93	-773.18	40°05'19.306"N	104°44'24.534"W	0.76	
13176.00	91.500	181.200	7411.22	5304.80	-5305.89	-774.82	40°05'18.377"N	104°44'24.555"W	0.48	
13272.00	90.700	181.600	7409.38	5400.75	-5401.84	-777.17	40°05'17.429"N	104°44'24.585"W	0.93	
13366.00	91.400	181.000	7407.65	5494.71	-5495.80	-779.30	40°05'16.501"N	104°44'24.613"W	0.98	
13461.00	91.600	179.900	7405.17	5589.67	-5590.76	-780.05	40°05'15.562"N	104°44'24.622"W	1.18	
13514.00	92.200	180.200	7403.41	5642.64	-5643.73	-780.09	40°05'15.039"N	104°44'24.623"W	1.27	LAST BHI MWD+IFR SURVEYS
13565.00	92.200	180.200	7401.45	5693.60	-5694.70	-780.27	40°05'14.535"N	104°44'24.625"W	0.00	PROJECTION TO BIT



Actual Wellpath Report

BADDING 37N-25HZ AWP

Page 5 of 6



REFERENCE WELLPATH IDENTIFICATION

Operator	KERR-MCGEE OIL & GAS ONSHORE LP	Slot	SLOT#01 BADDING 37N-35HZ (350'FSL & 704'FEL, SEC.26)
Area	COLORADO	Well	BADDING 37N-35HZ
Field	WELD COUNTY (KERR MCGEE)	Wellbore	BADDING 37N-25HZ AWB
Facility	SEC.26-T2N-R66W		

HOLE & CASING SECTIONS - Ref Wellbore: BADDING 37N-25HZ AWB Ref Wellpath: BADDING 37N-25HZ AWP

String/Diameter	Start MD [ft]	End MD [ft]	Interval [ft]	Start TVD [ft]	End TVD [ft]	Start N/S [ft]	Start E/W [ft]	End N/S [ft]	End E/W [ft]
13.5in Open Hole	13.00	1338.00	1325.00	13.00	1337.97	0.00	0.00	3.44	-4.76
9.625in Casing Surface	13.00	1338.00	1325.00	13.00	1337.97	0.00	0.00	3.44	-4.76
8.75in Open Hole	1338.00	7887.00	6549.00	1337.97	7403.11	3.44	-4.76	-17.96	-777.87
7in Casing Intermediate	13.00	7870.00	7857.00	13.00	7402.21	0.00	0.00	-0.99	-778.42
6.125in Open Hole	7870.00	13565.00	5695.00	7402.21	7401.45	-0.99	-778.42	-5694.70	-780.27

TARGETS

Name	MD [ft]	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
BADDING SECTION 26 LINES		-4.00	0.00	0.00	3213324.01	1281285.67	40°06'10.811"N	104°44'14.586"W	polygon
BADDING SECTION 35 LINES		-4.00	0.00	0.00	3213324.01	1281285.67	40°06'10.811"N	104°44'14.586"W	polygon
BADDING 37N-35HZ BHL ON PLAT REV-1 (1'FSL & 1342'FEL, SEC.35)		7388.00	-5695.71	-629.02	3212744.02	1275585.00	40°05'14.525"N	104°44'22.679"W	point
BADDING 37N-35HZ LAND BOX		7396.00	0.00	0.00	3213324.01	1281285.67	40°06'10.811"N	104°44'14.586"W	polygon
BADDING 37N-35HZ BHL ON PLAT REV-2 (1'FSL & 1342'FEL, SEC.35)		7403.00	-5695.71	-629.02	3212744.02	1275585.00	40°05'14.525"N	104°44'22.679"W	point
BADDING 37N-35HZ BHL ON PLAT REV-3 (1'FSL & 1492'FEL, SEC.35)		7403.00	-5695.71	-779.02	3212594.03	1275583.71	40°05'14.525"N	104°44'24.609"W	point

WELLPATH COMPOSITION - Ref Wellbore: BADDING 37N-25HZ AWB Ref Wellpath: BADDING 37N-25HZ AWP

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
13.00	1248.00	Generic gyro - continuous (Standard)	MS ENERGY SERVICES GYRO SURVEYS <113-1248>	BADDING 37N-25HZ AWB
1248.00	7830.00	NaviTrak (MAGCORR,IFR)	BHI MWD+IFR SURVEYS 8 3/4" HOLE <1367-7830>	BADDING 37N-25HZ AWB
7830.00	13514.00	NaviTrak (MAGCORR,IFR)	BHI MWD+IFR SURVEYS 6 1/8" HOLE <7969-13514>	BADDING 37N-25HZ AWB
13514.00	13565.00	Blind Drilling (std)	Projection to bit	BADDING 37N-25HZ AWB



Actual Wellpath Report

BADDING 37N-25HZ AWP

Page 6 of 6



REFERENCE WELLPATH IDENTIFICATION			
Operator	KERR-MCGEE OIL & GAS ONSHORE LP	Slot	SLOT#01 BADDING 37N-35HZ (350'FSL & 704'FEL, SEC.26)
Area	COLORADO	Well	BADDING 37N-35HZ
Field	WELD COUNTY (KERR MCGEE)	Wellbore	BADDING 37N-25HZ AWB
Facility	SEC.26-T2N-R66W		

WELLPATH COMMENTS				
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Comment
13.00	0.000	241.060	13.00	TIE-ON
113.00	0.430	241.060	113.00	BEGIN GYRO SURVEYS
1248.00	0.610	266.780	1247.97	TIE-INTO GYROS
1367.00	0.300	218.800	1366.97	BEGIN BHI MWD+IFR SURVEYS
7870.00	86.570	178.006	7402.21	7" CASING POINT
13514.00	92.200	180.200	7403.41	LAST BHI MWD+IFR SURVEYS
13565.00	92.200	180.200	7401.45	PROJECTION TO BIT