
Schlumberger
Wireline Log Data
Well Name: Stratigraphic Test Well
Field: Exploration Area
Location: Offshore Basin
Country: Unknown
Service: Schlumberger
Run Number: 1
Date: 1985
Depth Datum: Kelly Bushing
Elevation: 25 m
Permanent Datum: Mean Sea Level
Log Measured From: Kelly Bushing
Drilling Measured From: Kelly Bushing
Casing Driller: 13.375 in @ 1200 m
Bit Size: 12.25 in
Type Fluid in Hole: Water Based Mud
Density: 1.20 g/cm3
Viscosity: 45 s
Fluid Loss: 8 cm3/30min
Source of Sample: Flowline
Rm @ Measured Temp: 0.25 ohmm @ 85 degC
Rmf @ Measured Temp: 0.20 ohmm @ 85 degC
Rmc @ Measured Temp: 0.30 ohmm @ 85 degC
Rm @ BHT: 0.18 ohmm @ 120 degC
Time Since Circulation: 12 hr
Max Recorded Temp: 120 degC
Equipment Number: 5
Location: Offshore
Recorded By: Schlumberger
Witnessed By: Company Representative
Schlumberger
Wireline Log Data
Well Name: Stratigraphic Test Well
Field: Exploration Area
Location: Offshore Basin
Country: Unknown
Service: Schlumberger
Run Number: 1
Date: 1985
Depth Datum: Kelly Bushing
Elevation: 25 m
Permanent Datum: Mean Sea Level
Log Measured From: Kelly Bushing
Drilling Measured From: Kelly Bushing
Casing Driller: 13.375 in @ 1200 m
Bit Size: 12.25 in
Type Fluid in Hole: Water Based Mud
Density: 1.20 g/cm3
Viscosity: 45 s
Fluid Loss: 8 cm3/30min
Source of Sample: Flowline
Rm @ Measured Temp: 0.25 ohmm @ 85 degC
Rmf @ Measured Temp: 0.20 ohmm @ 85 degC
Rmc @ Measured Temp: 0.30 ohmm @ 85 degC
Rm @ BHT: 0.18 ohmm @ 120 degC
Time Since Circulation: 12 hr
Max Recorded Temp: 120 degC
Equipment Number: 5
Location: Offshore
Recorded By: Schlumberger
Witnessed By: Company Representative




14550
14600
14650
14700
14750
14800
14850
14900
14950
15000
15050
15100
15150
15200
15250
15300
15350
15400
15450
15500
15550
15600
15650
15700
15750
15800
15850
15900
15950
16000
MemGamma
0.0
150.0
300.0
ROP
0.0
250.0
500.0