

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 (303)894-2100 Fax:(303)894-2109



FOR OGCC USE ONLY

RECEIVED
4/11/2014

SITE INVESTIGATION AND REMEDIATION WORKPLAN

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. Form 27 is intended to be used whenever possible. Additional documentation will be required when large volumes of soil and groundwater have been impacted or involve large facilities with multiple source areas. See Rule 910. Attach as many pages as needed to fully describe the proposed work.

CAUSE OF CONDITION BEING INVESTIGATED AND REMEDIATED

Spill or Release Plug & Abandon Central Facility Closure Site/Facility Closure Other (describe): Pit Closure _____

OGCC Operator Number: 96155	Contact Name and Telephone:
Name of Operator: Whiting Oil and Gas Corporation	William Lambert
Address: 1700 Broadway, Suite 2300	No: 303-837-4238
City: Denver	Fax: 720-644-3637
API Number: 05-103-11037	County: Rio Blanco #103
Facility Name: _____	Facility Number: 335892
Well Name: Boies	Well Number: C-5F-E3
Location: (QtrQtr, Sec, Twp, Rng, Meridian): NESW, 5, 3S, 98W, 6th	Latitude: 39.821200 Longitude: -108.420300

TECHNICAL CONDITIONS

Type of Waste Causing Impact (crude oil, condensate, produced water, etc): NA

Site Conditions: Is location within a sensitive area (according to Rule 901e)? Y N If yes, attach evaluation.

Adjacent land use (cultivated, irrigated, dry land farming, industrial, residential, etc.): Rangeland

Soil type, if not previously identified on Form 2A or Federal Surface Use Plan: Hagga loam and Glendive fine sandy loam

Potential receptors (water wells within 1/4 mi, surface waters, etc.): Black Sulphur Creek ~374 feet

Description of Impact (if previously provided, refer to that form or document):

Impacted Media (check):	Extent of Impact:	How Determined:
<input type="checkbox"/>	Soils	_____
<input type="checkbox"/>	Vegetation	_____
<input type="checkbox"/>	Groundwater	_____
<input type="checkbox"/>	Surface Water	_____

REMEDIATION WORKPLAN

Describe initial action taken (if previously provided, refer to that form or document):

See work plan associated with Remediation Number 7933.

Describe how source is to be removed:

N/A. Pit bottom analytical indicates no further action is needed (see attached Completion Report).

Describe how remediation of existing impacts is to be accomplished, including removal and disposal at an injection well or licensed facility, land treatment on site, removal of impacted groundwater, insitu bioremediation, burning of oily vegetation, etc.:

N/A. Pit bottom analytical indicates no further action is needed (see attached Completion Report).

FORM
27
Rev 6/99

State of Colorado
Oil and Gas Conservation Commission
1120 Lincoln Street, Suite 801, Denver, Colorado 80203
(303)894-2100 Fax:(303)894-2109



Page 2

REMEDIATION WORKPLAN (Cont.)

Tracking Number: _____
Name of Operator: _____
OGCC Operator No: _____
Received Date: _____
Well Name & No: _____
Facility Name & No: 335892

OGCC Employee:

If groundwater has been impacted, describe proposed monitoring plan (# of wells or sample points, sampling schedule, analytical methods, etc.):

N/A

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing. Use additional sheet for description if required.

N/A. The pits had been reclaimed during the summer of 2012. The sampling event did not disturb the reclamation.

Attach samples and analytical results taken to verify remediation of impacts. Show locations of samples on an onsite schematic or drawing.

Is further site investigation required? Y N If yes, describe:

N/A. Pit bottom analytical indicates no further action is needed (see attached Completion Report).

Final disposition of E&P waste (landtreated and disposed onsite, name of licensed disposal facility, recycling, reuse, etc.):

N/A. No waste was generated during the sampling event.

IMPLEMENTATION SCHEDULE

Date Site Investigation Began: <u>11/11/13</u>	Date Site Investigation Completed: <u>11/11/13</u>	Date Remediation Plan Submitted: <u>4/12/13</u>
Remediation Start Date: <u>11/11/13</u>	Anticipated Completion Date: <u>11/11/13</u>	Actual Completion Date: <u>11/11/13</u>

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: William Lambert

Signed: William J. Lambert

Title: Environmental Professional II

Date: 3/21/2014

OGCC Approved: William Lambert

Title: EPS Date: 4/8/14



InterTech

March, 2014

**NOTICE OF COMPLETION REPORT
BOIES C-5F-E3 PIT
T3S R98W Section 5
Rio Blanco County, Colorado**

Prepared For:



Whiting Oil and Gas Corporation
1700 Broadway, Suite 2300
Denver, CO 80290

Prepared By:



InterTech Environmental & Engineering, LLC
743 Horizon Court, Suite 110
Grand Junction, Colorado 81506

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
1.0 - INTRODUCTION	2
1.1 - Site Description	2
2.0 - PIT CLOSURE SAMPLING EVENT	2
2.1 - Visual Observation of Soil Aliquots	2
2.2 - PID Screening	2
2.3 - Sample Collection	3
3.0 - ANALYTICAL RESULTS AND INTERPRETATION	3
3.1 - Analytical Interpretation.....	4

LIST OF APPENDICES

Appendix

A - Figures

B - Laboratory Analytical Report

EXECUTIVE SUMMARY

On November 11, 2013, activities associated with the closure sampling of the pit located on the Boies C-5F-E3 (C5) well pad site, Remediation Number 7933, were initiated. Nine Whiting Oil and Gas Corporation (Whiting) drilling, reserve and production pits, including Boies C5 pit, were reclaimed during the summer of 2012. According to Whiting, the pits were constructed but not all were used. The lining materials were removed and the pits were backfilled; however, confirmation sampling from the bottom of the pits was not conducted at the time of closure.

Soil sample aliquots were collected from three (3) locations at the bottom of the C5 pit. Soils were collected using a track mounted drill rig to bore through the fill material. One pit bottom confirmation sample, consisting of the three (3) aliquots, was submitted to ALS Laboratories (ALS) for analysis of Colorado Oil and Gas Conservation Commission (COGCC) Table 910-1 analytes.

Analytical results received from the laboratory for the confirmation sample revealed concentrations of all 910-1 constituent to be within the allowable concentrations set by COGCC, except arsenic. A summary of the constituent exceeding regulatory concentrations is as follows:

Constituent	Units	Standard	Result
Arsenic	mg/kg	0.39	4.1

It is requested that background arsenic concentrations be taken into consideration for the completion of the pit closure. This request is in accordance with and pertaining to footnote 1 to the Table 910-1 of the COGCC 900 series Rule.

1.0 - INTRODUCTION

This document was prepared to describe the procedures and protocol used for the closure sampling of the pit at the C5 pad site. The practices used are as described in the Whiting Pit Closure Work Plan, approved by COGCC and assigned Remediation Number 7933. The report provides the documentation necessary to demonstrate a comprehensive and diligent sampling of the pit. Samples were obtained as described and in accordance with all appropriate County, State and Federal rules and regulations.

1.1 - Site Description

The C5 pad site is located in the SE1/4 of the NW1/4 of Section 5 of Township 3 South and Range 98 West in Rio Blanco County, Colorado. The coordinates for the site are:

API/Facility ID	Northing	Easting
05-103-11037	4411097	720789

The well pad is situated on non-crop rangelands and Hagga loam and Glendive fine sandy soils. Receiving waters include the perennial flowing Black Sulphur Creek. The estimated distance to the receiving waters is approximately 374 feet. Vegetation consists of sagebrush and grassland communities. See Figure 1 for a Site Vicinity map (Appendix A).

2.0 - PIT CLOSURE SAMPLING EVENT

Whiting records indicate that the nine (9) pits were reclaimed during the summer of 2012. Closure practices included removal of the liner material and backfill; however, did not include confirmation samples being collected from the pit bottom.

The soils investigation was completed as described in the Whiting Oil & Gas Pit Closure Work Plan and further described below.

2.1 - Visual Observation of Soil Aliquots

All soils were observed for any visual indication of hydrocarbon impact. The following was noted from the soil aliquots collected from the C5 pit.

Pit	Aliquot Location Within Pit	Aliquot Depth (feet below surface)	Soil Observation(s)
C5	Northeast	6	Brown, no odor
	Middle	6	Brown, no odor
	Southwest	6	Brown, no odor

2.2 - PID Screening

Using a RAE Systems Photoionization Detector (PID), calibrated daily with Isobutylene per manufacturer's recommendations, the three (3) aliquots were screened for Volatile Organic Compounds (VOCs). If the PID reading was above 100 parts per million (ppm) or visual screening indicated sub-soils had been impacted, the suspect aliquot was submitted separately to the laboratory for analysis of Table 910-1 constituents. All aliquots with PID readings below 100 ppm were combined and submitted as one (1) composite sample.

Aliquot PID readings are as follows:

Pit	Aliquot Location Within Pit	PID Reading (ppm)
C5	Northeast	0.2
	Middle	0.6
	Southwest	0.4

2.3 - Sample Collection

The C5 pit was approximately 40 feet by 100 feet. Whiting estimated the pit to be six (6) feet in depth. Using a track mounted drill rig, flight augers bored through the fill material until native soil was reached. Pit bottom soil samples were collected from three (3) locations along the axis of the pit with a two (2) foot split spoon.

The sampled material was field screened, as described above, composited and then placed into laboratory specified sample containers. The samples were labeled with unique sample identification, sampler's name, date collected and the time of collection. Samples were then placed into a cooler with ice to cool to four (4) degrees ($^{\circ}$) to preserve sample integrity. Samples were submitted to ALS laboratory via overnight courier for analysis of contaminants listed in COGCC Table 910-1.

All pertinent site and sampling activity information were recorded, in print, in a dedicated field notebook. Site conditions and sampling locations were recorded on a site plan, plotted relative to a known reference point or located by means of a handheld Global Positioning System (GPS) device, and photographed.

The sample name and aliquot coordinates are as follows:

Sample ID	Aliquot ID	Easting	Northing
WOG_C_5_PB_6	1 (northeast)	720786	4411134
	2 (middle)	720781	4411128
	3 (southwest)	720773	4411120

3.0 - ANALYTICAL RESULTS AND INTERPRETATION

Confirmation sample analytical showed that the C5 pit bottom sample to be below COGCC Table 910-1 standards for all constituents, except arsenic. A summary of parameters for the pit bottom sample is as follows and a copy of the laboratory report is included in Appendix B:

Constituent	Table 910-1 Standard	Units	Results
Organic Compounds in Soil			
TPH - DRO			29
TPH - GRO			ND
TPH – Total	500	mg/kg	29
Benzene	0.17	mg/kg	ND
Toluene	85	mg/kg	ND
Ethylbenzene	100	mg/kg	ND
Xylenes, Total	175	mg/kg	ND
Acenaphthene	1,000	mg/kg	ND
Anthracene	1,000	mg/kg	ND
Benzo(a)anthracene	0.22	mg/kg	ND
Benzo(b)fluoranthene	0.22	mg/kg	ND
Benzo(k)fluoranthene	2.2	mg/kg	ND
Benzo(a)pyrene	0.022	mg/kg	ND
Chrysene	22	mg/kg	ND
Dibenzo(a,h)anthracene	0.022	mg/kg	ND
Fluoranthene	1,000	mg/kg	ND
Fluorene	1,000	mg/kg	ND
Indeno(1,2,3-cd)pyrene	0.22	mg/kg	ND
Naphthalene	23	mg/kg	ND
Pyrene	1,000	mg/kg	ND
Inorganics in Soil			
Electrical Conductivity	<4 or 2 x background	mmhos/cm	4.0
Sodium Adsorption Ratio	<12	unitless	7.8
pH	6-9	unitless	8.3
Metals in Soil			
Arsenic	0.39	mg/kg	4.1
Barium	15,000	mg/kg	400
Cadmium	70	mg/kg	ND
Chromium, Hexavalent	23	mg/kg	ND
Chromium, Trivalent	120,000	mg/kg	39
Copper	3,100	mg/kg	15
Lead	400	mg/kg	14
Mercury	23	mg/kg	0.024
Nickel	1,600	mg/kg	18
Selenium	390	mg/kg	ND
Silver	390	mg/kg	ND
Zinc	23,000	mg/kg	56
ND - Non Detect			
Exceeds COGCC Table 910-1 Standard			

3.1 - Analytical Interpretation

As illustrated above, the analytical results show the pit bottom soils meet COGCC Table 910-1 standards with the exception of arsenic. Arsenic exceeds the allowable concentrations in Table

910-1; however, a study of the Boies Ranch area, completed in July 2011, revealed a mean background concentration of 6.4 mg/kg and a maximum value of 10.0 mg/kg. Background arsenic samples were not collected during the time of the pit closure as an area wide study had been completed in 2011. The study area included representative samples from areas near the C5 pit. Analytical results from the study are shown below and a map depicting the sampling locations is included in Appendix A.


Location	Sample ID	Sample Date	Constituent	Result	Unit	
Boies_Ranch	SO_Boies_Background_Sect_1_1	7/27/2011	Arsenic, Total	10.0	mg/kg	
	SO_Boies_Background_Sect_1_2			5.0*		
	SO_Boies_Background_Sect_2_1			5.0*		
	SO_Boies_Background_Sect_2_2			8.0		
	SO_Boies_Background_Sect_2_3			5.0*		
	SO_Boies_Background_Sect_3_1			5.0		
	SO_Boies_Background_Sect_3_2			6.0		
	SO_Boies_Background_Sect_3_3			6.0		
	SO_Boies_Background_Sect_3_4			8.0		
				Mean Value	6.4 mg/kg	
				Highest Reported Value	10.0 mg/kg	

*In instances where the laboratory indicated the constituent results were non-detect (ND), the Practical Quantitation Level (PQL) was used for the results value.

It is requested that background arsenic concentrations be taken into consideration for the completion of the pit closure. This request is in accordance with and pertaining to footnote 1 to the Table 910-1 of the COGCC 900 series Rule.



InterTech



APPENDIX A

Figures



Whiting Petroleum Corporation

**Boies C-5F-E3
Pad C-5
Sec 5, T3S R98W**

December 5, 2012


Explanation:

- Whiting Well Location
- Pit Bottom
- Pit Perimeter



0 50 100
Feet

1:1,500





Whiting Petroleum Corporation

**Boies C-5F-E3
Pad C-5 Sample Locations
Sec 5, T3S R98W**

December 20, 2013

Explanation:

Whiting Well Location

Sample Location



0 110 220

Feet

1:2,000



Whiting Petroleum Corporation

**Boies C-5F-E3
Pad C-5 Setback Map
Sec 5, T3S R98W**

December 20, 2013


Explanation:


- Whiting Well Location
- Setback Distance



0 0.25 0.5 Miles

1:24,000







InterTech



APPENDIX B

Laboratory Analytical Report



22-Nov-2013

Jana Sanders
InterTech
743 Horizon Court, Suite 110
Grand Junction, CO 81506

Re: **WOG-Boies Ranch Pits 11.11.13**

Work Order: **1311701**

Dear Jana,

ALS Environmental received 5 samples on 13-Nov-2013 10:00 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

Sample results are compliant with NELAP standard requirements and QC results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 30.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Ann Preston".

Electronically approved by: Ann Preston

Ann Preston
Project Manager



Certificate No: MN 532786

Report of Laboratory Analysis

ADDRESS 3352 128th Avenue Holland, Michigan 49424-9263 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Work Order: 1311701

Work Order Sample Summary

Lab Samp ID	Client Sample ID	Matrix	Tag Number	Collection Date	Date Received	Hold
1311701-01	WOG_C_5_PB_6	Soil		11/11/2013 13:20	11/13/2013 10:00	<input type="checkbox"/>
1311701-02	WOG_28_P_3_PB_20	Soil		11/11/2013 15:15	11/13/2013 10:00	<input type="checkbox"/>
1311701-03	WOG_320_NW_PB_10	Soil		11/11/2013 16:20	11/13/2013 10:00	<input type="checkbox"/>
1311701-04	WOG_320_SE_PB_10	Soil		11/11/2013 16:50	11/13/2013 10:00	<input type="checkbox"/>
1311701-05	WOG_28_P_3_14	Soil		11/11/2013 15:00	11/13/2013 10:00	<input type="checkbox"/>

Client: InterTech**Project:** WOG-Boies Ranch Pits 11.11.13**Work Order:** 1311701**Case Narrative**

Batch 53318, Method SVO_8270_S, Sample 1311701-05B: Surrogate recovery out of control due to matrix interference.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
WorkOrder: 1311701

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
% of sample	Percent of Sample
mg/Kg-dry	Milligrams per Kilogram Dry Weight
mg/L	Milligrams per Liter
mmhos/cm @25°C	Millimhos-Centimeter at 25 Degrees Celcius
none	
s.u.	Standard Units

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_C_5_PB_6
Collection Date: 11/11/2013 01:20 PM

Work Order: 1311701
Lab ID: 1311701-01
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M			
DRO (C10-C28)	29		5.6	mg/Kg-dry	1	11/15/2013 05:33 PM
Surr: 4-Terphenyl-d14	59.1		39-115	%REC	1	11/15/2013 05:33 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			
GRO (C6-C10)	ND		3.4	mg/Kg-dry	1	11/14/2013 08:35 PM
Surr: Toluene-d8	106		50-150	%REC	1	11/14/2013 08:35 PM
MERCURY BY CVAA			SW7471			
Mercury	0.024		0.017	mg/Kg-dry	1	11/15/2013 04:41 PM
METALS BY ICP-MS			SW6020A			
Arsenic	4.1		2.3	mg/Kg-dry	5	11/19/2013 04:52 PM
Barium	400		2.3	mg/Kg-dry	5	11/19/2013 04:52 PM
Cadmium	ND		0.93	mg/Kg-dry	5	11/19/2013 04:52 PM
Chromium	39		2.3	mg/Kg-dry	5	11/19/2013 04:52 PM
Copper	15		2.3	mg/Kg-dry	5	11/19/2013 04:52 PM
Lead	14		2.3	mg/Kg-dry	5	11/20/2013 03:12 PM
Nickel	18		2.3	mg/Kg-dry	5	11/19/2013 04:52 PM
Selenium	ND		2.3	mg/Kg-dry	5	11/19/2013 04:52 PM
Silver	ND		2.3	mg/Kg-dry	5	11/19/2013 04:52 PM
Zinc	56		4.7	mg/Kg-dry	5	11/19/2013 04:52 PM
SOLUBLE CATIONS FOR SAR			SW6020A			
Calcium	140		10	mg/L	20	11/20/2013 07:47 AM
Magnesium	77		4.0	mg/L	20	11/20/2013 07:47 AM
Sodium	460		4.0	mg/L	20	11/20/2013 07:47 AM
SODIUM ADSORPTION RATIO			USDA H60 METHO			
Sodium Adsorption Ratio	7.8		0.010	none	1	11/18/2013
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			
Acenaphthene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Anthracene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Benzo(a)anthracene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Benzo(a)pyrene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Benzo(b)fluoranthene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Benzo(k)fluoranthene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Chrysene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Dibenzo(a,h)anthracene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Fluoranthene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Fluorene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Indeno(1,2,3-cd)pyrene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 22-Nov-13

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_C_5_PB_6
Collection Date: 11/11/2013 01:20 PM

Work Order: 1311701
Lab ID: 1311701-01
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Naphthalene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Pyrene	ND		0.0089	mg/Kg-dry	1	11/15/2013 09:45 PM
Surr: 2-Fluorobiphenyl	89.0		12-100	%REC	1	11/15/2013 09:45 PM
Surr: 4-Terphenyl-d14	97.6		25-137	%REC	1	11/15/2013 09:45 PM
Surr: Nitrobenzene-d5	86.0		37-107	%REC	1	11/15/2013 09:45 PM
VOLATILE ORGANIC COMPOUNDS			SW8260B		Prep Date: 11/14/2013	Analyst: RS
Benzene	ND		0.040	mg/Kg-dry	1	11/20/2013 03:22 AM
Ethylbenzene	ND		0.040	mg/Kg-dry	1	11/20/2013 03:22 AM
m,p-Xylene	ND		0.080	mg/Kg-dry	1	11/20/2013 03:22 AM
o-Xylene	ND		0.040	mg/Kg-dry	1	11/20/2013 03:22 AM
Toluene	ND		0.040	mg/Kg-dry	1	11/20/2013 03:22 AM
Xylenes, Total	ND		0.12	mg/Kg-dry	1	11/20/2013 03:22 AM
Surr: 1,2-Dichloroethane-d4	102		70-130	%REC	1	11/20/2013 03:22 AM
Surr: 4-Bromofluorobenzene	99.9		70-130	%REC	1	11/20/2013 03:22 AM
Surr: Dibromofluoromethane	87.4		70-130	%REC	1	11/20/2013 03:22 AM
Surr: Toluene-d8	99.6		70-130	%REC	1	11/20/2013 03:22 AM
ELECTRICAL CONDUCTIVITY (SAR)			USDA H60 METHO		Prep Date: 11/19/2013	Analyst: JB
Electrical Conductivity @ Saturation	4.0		0.050	mmhos/cm @2	10	11/19/2013 05:30 PM
CHROMIUM, TRIVALENT			CALCULATION			Analyst: MB
Chromium, Trivalent	39		0.67	mg/Kg-dry	1	11/21/2013 09:30 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 11/14/2013	Analyst: MB
Chromium, Hexavalent	ND		0.68	mg/Kg-dry	1	11/15/2013 03:30 PM
MOISTURE			A2540 G			Analyst: MEB
Moisture	25		0.050	% of sample	1	11/15/2013 05:45 PM
PH			SW9045D		Prep Date: 11/15/2013	Analyst: JB
pH	8.3			s.u.	1	11/15/2013 03:00 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_28_P_3_PB_20
Collection Date: 11/11/2013 03:15 PM

Work Order: 1311701
Lab ID: 1311701-02
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M			
DRO (C10-C28)	26		5.2	mg/Kg-dry	1	11/15/2013 06:33 PM
Surr: 4-Terphenyl-d14	51.3		39-115	%REC	1	11/15/2013 06:33 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			
GRO (C6-C10)	ND		3.2	mg/Kg-dry	1	11/14/2013 07:48 PM
Surr: Toluene-d8	102		50-150	%REC	1	11/14/2013 07:48 PM
MERCURY BY CVAA			SW7471			
Mercury	0.015		0.014	mg/Kg-dry	1	11/15/2013 04:50 PM
METALS BY ICP-MS			SW6020A			
Arsenic	5.0		2.0	mg/Kg-dry	5	11/19/2013 05:05 PM
Barium	310		2.0	mg/Kg-dry	5	11/19/2013 05:05 PM
Cadmium	ND		0.81	mg/Kg-dry	5	11/19/2013 05:05 PM
Chromium	30		2.0	mg/Kg-dry	5	11/19/2013 05:05 PM
Copper	11		2.0	mg/Kg-dry	5	11/19/2013 05:05 PM
Lead	15		2.0	mg/Kg-dry	5	11/20/2013 03:18 PM
Nickel	16		2.0	mg/Kg-dry	5	11/19/2013 05:05 PM
Selenium	ND		2.0	mg/Kg-dry	5	11/19/2013 05:05 PM
Silver	ND		2.0	mg/Kg-dry	5	11/19/2013 05:05 PM
Zinc	51		4.0	mg/Kg-dry	5	11/19/2013 05:05 PM
SOLUBLE CATIONS FOR SAR			SW6020A			
Calcium	29		10	mg/L	20	11/20/2013 07:53 AM
Magnesium	31		4.0	mg/L	20	11/20/2013 07:53 AM
Sodium	160		4.0	mg/L	20	11/20/2013 07:53 AM
SODIUM ADSORPTION RATIO			USDA H60 METHO			
Sodium Adsorption Ratio	4.9		0.010	none	1	11/18/2013
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			
Acenaphthene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Anthracene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Benzo(a)anthracene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Benzo(a)pyrene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Benzo(b)fluoranthene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Benzo(k)fluoranthene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Chrysene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Dibenzo(a,h)anthracene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Fluoranthene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Fluorene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Indeno(1,2,3-cd)pyrene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_28_P_3_PB_20
Collection Date: 11/11/2013 03:15 PM

Work Order: 1311701
Lab ID: 1311701-02
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Naphthalene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Pyrene	ND		0.0083	mg/Kg-dry	1	11/15/2013 10:16 PM
Surr: 2-Fluorobiphenyl	81.8		12-100	%REC	1	11/15/2013 10:16 PM
Surr: 4-Terphenyl-d14	88.8		25-137	%REC	1	11/15/2013 10:16 PM
Surr: Nitrobenzene-d5	71.0		37-107	%REC	1	11/15/2013 10:16 PM
VOLATILE ORGANIC COMPOUNDS			SW8260B		Prep Date: 11/14/2013	Analyst: BG
Benzene	ND		0.038	mg/Kg-dry	1	11/20/2013 06:01 AM
Ethylbenzene	ND		0.038	mg/Kg-dry	1	11/20/2013 06:01 AM
m,p-Xylene	ND		0.076	mg/Kg-dry	1	11/20/2013 06:01 AM
o-Xylene	ND		0.038	mg/Kg-dry	1	11/20/2013 06:01 AM
Toluene	ND		0.038	mg/Kg-dry	1	11/20/2013 06:01 AM
Xylenes, Total	ND		0.11	mg/Kg-dry	1	11/20/2013 06:01 AM
Surr: 1,2-Dichloroethane-d4	95.8		70-130	%REC	1	11/20/2013 06:01 AM
Surr: 4-Bromofluorobenzene	101		70-130	%REC	1	11/20/2013 06:01 AM
Surr: Dibromofluoromethane	91.8		70-130	%REC	1	11/20/2013 06:01 AM
Surr: Toluene-d8	98.0		70-130	%REC	1	11/20/2013 06:01 AM
ELECTRICAL CONDUCTIVITY (SAR)			USDA H60 METHO		Prep Date: 11/19/2013	Analyst: JB
Electrical Conductivity @ Saturation	1.2		0.050	mmhos/cm @2	10	11/19/2013 05:30 PM
CHROMIUM, TRIVALENT			CALCULATION			Analyst: MB
Chromium, Trivalent	30		0.63	mg/Kg-dry	1	11/21/2013 09:30 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 11/14/2013	Analyst: MB
Chromium, Hexavalent	ND		0.62	mg/Kg-dry	1	11/15/2013 03:30 PM
MOISTURE			A2540 G			Analyst: MEB
Moisture	21		0.050	% of sample	1	11/15/2013 05:45 PM
PH			SW9045D		Prep Date: 11/15/2013	Analyst: JB
pH	8.6		s.u.		1	11/15/2013 03:00 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_320_NW_PB_10
Collection Date: 11/11/2013 04:20 PM

Work Order: 1311701
Lab ID: 1311701-03
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M			
DRO (C10-C28)	23		4.8	mg/Kg-dry	1	11/15/2013 08:02 PM
Surr: 4-Terphenyl-d14	57.5		39-115	%REC	1	11/15/2013 08:02 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			
GRO (C6-C10)	ND		2.9	mg/Kg-dry	1	11/14/2013 08:11 PM
Surr: Toluene-d8	108		50-150	%REC	1	11/14/2013 08:11 PM
MERCURY BY CVAA			SW7471			
Mercury	ND		0.016	mg/Kg-dry	1	11/15/2013 04:52 PM
METALS BY ICP-MS			SW6020A			
Arsenic	4.4		2.3	mg/Kg-dry	5	11/19/2013 05:11 PM
Barium	280		2.3	mg/Kg-dry	5	11/19/2013 05:11 PM
Cadmium	ND		0.90	mg/Kg-dry	5	11/19/2013 05:11 PM
Chromium	26		2.3	mg/Kg-dry	5	11/19/2013 05:11 PM
Copper	12		2.3	mg/Kg-dry	5	11/19/2013 05:11 PM
Lead	15		2.3	mg/Kg-dry	5	11/20/2013 03:24 PM
Nickel	14		2.3	mg/Kg-dry	5	11/19/2013 05:11 PM
Selenium	ND		2.3	mg/Kg-dry	5	11/19/2013 05:11 PM
Silver	ND		2.3	mg/Kg-dry	5	11/19/2013 05:11 PM
Zinc	53		4.5	mg/Kg-dry	5	11/19/2013 05:11 PM
SOLUBLE CATIONS FOR SAR			SW6020A			
Calcium	570		10	mg/L	20	11/20/2013 07:59 AM
Magnesium	220		4.0	mg/L	20	11/20/2013 07:59 AM
Sodium	1,600		4.0	mg/L	20	11/20/2013 07:59 AM
SODIUM ADSORPTION RATIO			USDA H60 METHO			
Sodium Adsorption Ratio	14		0.010	none	1	11/18/2013
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			
Acenaphthene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Anthracene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Benzo(a)anthracene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Benzo(a)pyrene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Benzo(b)fluoranthene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Benzo(k)fluoranthene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Chrysene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Dibenzo(a,h)anthracene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Fluoranthene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Fluorene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Indeno(1,2,3-cd)pyrene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group USA, Corp

Date: 22-Nov-13

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_320_NW_PB_10
Collection Date: 11/11/2013 04:20 PM

Work Order: 1311701
Lab ID: 1311701-03
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Naphthalene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Pyrene	ND		0.0076	mg/Kg-dry	1	11/15/2013 10:48 PM
Surr: 2-Fluorobiphenyl	71.4		12-100	%REC	1	11/15/2013 10:48 PM
Surr: 4-Terphenyl-d14	92.7		25-137	%REC	1	11/15/2013 10:48 PM
Surr: Nitrobenzene-d5	70.5		37-107	%REC	1	11/15/2013 10:48 PM
VOLATILE ORGANIC COMPOUNDS			SW8260B		Prep Date: 11/14/2013	Analyst: RS
Benzene	ND		0.035	mg/Kg-dry	1	11/20/2013 03:46 AM
Ethylbenzene	ND		0.035	mg/Kg-dry	1	11/20/2013 03:46 AM
m,p-Xylene	ND		0.070	mg/Kg-dry	1	11/20/2013 03:46 AM
o-Xylene	ND		0.035	mg/Kg-dry	1	11/20/2013 03:46 AM
Toluene	ND		0.035	mg/Kg-dry	1	11/20/2013 03:46 AM
Xylenes, Total	ND		0.10	mg/Kg-dry	1	11/20/2013 03:46 AM
Surr: 1,2-Dichloroethane-d4	104		70-130	%REC	1	11/20/2013 03:46 AM
Surr: 4-Bromofluorobenzene	99.2		70-130	%REC	1	11/20/2013 03:46 AM
Surr: Dibromofluoromethane	84.2		70-130	%REC	1	11/20/2013 03:46 AM
Surr: Toluene-d8	99.4		70-130	%REC	1	11/20/2013 03:46 AM
ELECTRICAL CONDUCTIVITY (SAR)			USDA H60 METHO		Prep Date: 11/19/2013	Analyst: JB
Electrical Conductivity @ Saturation	12		0.050	mmhos/cm @2	10	11/19/2013 05:30 PM
CHROMIUM, TRIVALENT			CALCULATION			Analyst: MB
Chromium, Trivalent	26		0.58	mg/Kg-dry	1	11/21/2013 09:30 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 11/14/2013	Analyst: MB
Chromium, Hexavalent	ND		0.57	mg/Kg-dry	1	11/15/2013 03:30 PM
MOISTURE			A2540 G			Analyst: MEB
Moisture	14		0.050	% of sample	1	11/15/2013 05:45 PM
PH			SW9045D		Prep Date: 11/15/2013	Analyst: JB
pH	7.4			s.u.	1	11/15/2013 03:00 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_320_SE_PB_10
Collection Date: 11/11/2013 04:50 PM

Work Order: 1311701
Lab ID: 1311701-04
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M			
DRO (C10-C28)	430		4.9	mg/Kg-dry	1	11/15/2013 07:02 PM
Surr: 4-Terphenyl-d14	66.8		39-115	%REC	1	11/15/2013 07:02 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			
GRO (C6-C10)	23		3.0	mg/Kg-dry	1	11/14/2013 08:58 PM
Surr: Toluene-d8	106		50-150	%REC	1	11/14/2013 08:58 PM
MERCURY BY CVAA			SW7471			
Mercury	0.027		0.020	mg/Kg-dry	1	11/15/2013 04:54 PM
METALS BY ICP-MS			SW6020A			
Arsenic	3.8		2.1	mg/Kg-dry	5	11/19/2013 05:29 PM
Barium	3,200		11	mg/Kg-dry	25	11/20/2013 03:30 PM
Cadmium	ND		0.86	mg/Kg-dry	5	11/19/2013 05:29 PM
Chromium	28		2.1	mg/Kg-dry	5	11/19/2013 05:29 PM
Copper	12		2.1	mg/Kg-dry	5	11/19/2013 05:29 PM
Lead	17		11	mg/Kg-dry	25	11/20/2013 03:30 PM
Nickel	14		2.1	mg/Kg-dry	5	11/19/2013 05:29 PM
Selenium	ND		2.1	mg/Kg-dry	5	11/19/2013 05:29 PM
Silver	ND		2.1	mg/Kg-dry	5	11/19/2013 05:29 PM
Zinc	51		4.3	mg/Kg-dry	5	11/19/2013 05:29 PM
SOLUBLE CATIONS FOR SAR			SW6020A			
Calcium	590		10	mg/L	20	11/20/2013 08:05 AM
Magnesium	170		4.0	mg/L	20	11/20/2013 08:05 AM
Sodium	2,100		4.0	mg/L	20	11/20/2013 08:05 AM
SODIUM ADSORPTION RATIO			USDA H60 METHO			
Sodium Adsorption Ratio	19		0.010	none	1	11/18/2013
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			
Acenaphthene	ND		0.16	mg/Kg-dry	20	11/19/2013 11:23 AM
Anthracene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Benzo(a)anthracene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Benzo(a)pyrene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Benzo(b)fluoranthene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Benzo(k)fluoranthene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Chrysene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Dibenzo(a,h)anthracene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Fluoranthene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Fluorene	ND		0.16	mg/Kg-dry	20	11/19/2013 11:23 AM
Indeno(1,2,3-cd)pyrene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_320_SE_PB_10
Collection Date: 11/11/2013 04:50 PM

Work Order: 1311701
Lab ID: 1311701-04
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Naphthalene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Pyrene	ND		0.0079	mg/Kg-dry	1	11/15/2013 11:20 PM
Surr: 2-Fluorobiphenyl	76.0		12-100	%REC	20	11/19/2013 11:23 AM
Surr: 4-Terphenyl-d14	100		25-137	%REC	1	11/15/2013 11:20 PM
Surr: Nitrobenzene-d5	58.0		37-107	%REC	20	11/19/2013 11:23 AM
VOLATILE ORGANIC COMPOUNDS			SW8260B		Prep Date: 11/14/2013	Analyst: RS
Benzene	ND		0.036	mg/Kg-dry	1	11/20/2013 04:11 AM
Ethylbenzene	ND		0.036	mg/Kg-dry	1	11/20/2013 04:11 AM
m,p-Xylene	ND		0.073	mg/Kg-dry	1	11/20/2013 04:11 AM
o-Xylene	ND		0.036	mg/Kg-dry	1	11/20/2013 04:11 AM
Toluene	ND		0.036	mg/Kg-dry	1	11/20/2013 04:11 AM
Xylenes, Total	ND		0.11	mg/Kg-dry	1	11/20/2013 04:11 AM
Surr: 1,2-Dichloroethane-d4	102		70-130	%REC	1	11/20/2013 04:11 AM
Surr: 4-Bromofluorobenzene	101		70-130	%REC	1	11/20/2013 04:11 AM
Surr: Dibromofluoromethane	83.2		70-130	%REC	1	11/20/2013 04:11 AM
Surr: Toluene-d8	99.4		70-130	%REC	1	11/20/2013 04:11 AM
ELECTRICAL CONDUCTIVITY (SAR)			USDA H60 METHO		Prep Date: 11/19/2013	Analyst: JB
Electrical Conductivity @ Saturation	14		0.050	mmhos/cm @2	10	11/19/2013 05:30 PM
CHROMIUM, TRIVALENT			CALCULATION			Analyst: MB
Chromium, Trivalent	28		0.61	mg/Kg-dry	1	11/21/2013 09:30 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 11/14/2013	Analyst: MB
Chromium, Hexavalent	ND		0.60	mg/Kg-dry	1	11/15/2013 03:30 PM
MOISTURE			A2540 G			Analyst: MEB
Moisture	18		0.050	% of sample	1	11/15/2013 05:45 PM
PH			SW9045D		Prep Date: 11/15/2013	Analyst: JB
pH	7.6			s.u.	1	11/15/2013 03:00 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_28_P_3_14
Collection Date: 11/11/2013 03:00 PM

Work Order: 1311701
Lab ID: 1311701-05
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID			SW8015M			
DRO (C10-C28)	530		4.8	mg/Kg-dry	1	11/15/2013 07:33 PM
Surr: 4-Terphenyl-d14	86.0		39-115	%REC	1	11/15/2013 07:33 PM
GASOLINE RANGE ORGANICS BY GC-FID			SW8015			
GRO (C6-C10)	48		3.0	mg/Kg-dry	1	11/14/2013 09:22 PM
Surr: Toluene-d8	104		50-150	%REC	1	11/14/2013 09:22 PM
MERCURY BY CVAA			SW7471			
Mercury	0.019		0.015	mg/Kg-dry	1	11/15/2013 04:56 PM
METALS BY ICP-MS			SW6020A			
Arsenic	5.2		2.2	mg/Kg-dry	5	11/19/2013 05:35 PM
Barium	2,300		11	mg/Kg-dry	25	11/20/2013 03:36 PM
Cadmium	ND		0.86	mg/Kg-dry	5	11/19/2013 05:35 PM
Chromium	45		2.2	mg/Kg-dry	5	11/19/2013 05:35 PM
Copper	13		2.2	mg/Kg-dry	5	11/19/2013 05:35 PM
Lead	17		11	mg/Kg-dry	25	11/20/2013 03:36 PM
Nickel	17		2.2	mg/Kg-dry	5	11/19/2013 05:35 PM
Selenium	ND		2.2	mg/Kg-dry	5	11/19/2013 05:35 PM
Silver	ND		2.2	mg/Kg-dry	5	11/19/2013 05:35 PM
Zinc	54		4.3	mg/Kg-dry	5	11/19/2013 05:35 PM
SOLUBLE CATIONS FOR SAR			SW6020A			
Calcium	140		10	mg/L	20	11/20/2013 08:10 AM
Magnesium	75		4.0	mg/L	20	11/20/2013 08:10 AM
Sodium	570		4.0	mg/L	20	11/20/2013 08:10 AM
SODIUM ADSORPTION RATIO			USDA H60 METHO			
Sodium Adsorption Ratio	9.7		0.010	none	1	11/18/2013
SEMI-VOLATILE ORGANIC COMPOUNDS			SW8270			
Acenaphthene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Anthracene	0.021		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Benzo(a)anthracene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Benzo(a)pyrene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Benzo(b)fluoranthene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Benzo(k)fluoranthene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Chrysene	0.019		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Dibenzo(a,h)anthracene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Fluoranthene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Fluorene	0.11		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Indeno(1,2,3-cd)pyrene	ND		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech
Project: WOG-Boies Ranch Pits 11.11.13
Sample ID: WOG_28_P_3_14
Collection Date: 11/11/2013 03:00 PM

Work Order: 1311701
Lab ID: 1311701-05
Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Naphthalene	ND		0.15	mg/Kg-dry	20	11/19/2013 11:55 AM
Pyrene	0.018		0.0077	mg/Kg-dry	1	11/15/2013 11:52 PM
Surr: 2-Fluorobiphenyl	79.6		12-100	%REC	1	11/15/2013 11:52 PM
Surr: 4-Terphenyl-d14	95.3		25-137	%REC	1	11/15/2013 11:52 PM
Surr: Nitrobenzene-d5	32.0	S	37-107	%REC	20	11/19/2013 11:55 AM
VOLATILE ORGANIC COMPOUNDS			SW8260B		Prep Date: 11/14/2013	Analyst: RS
Benzene	ND		0.036	mg/Kg-dry	1	11/20/2013 04:36 AM
Ethylbenzene	0.078		0.036	mg/Kg-dry	1	11/20/2013 04:36 AM
m,p-Xylene	0.33		0.072	mg/Kg-dry	1	11/20/2013 04:36 AM
o-Xylene	ND		0.036	mg/Kg-dry	1	11/20/2013 04:36 AM
Toluene	ND		0.036	mg/Kg-dry	1	11/20/2013 04:36 AM
Xylenes, Total	0.37		0.11	mg/Kg-dry	1	11/20/2013 04:36 AM
Surr: 1,2-Dichloroethane-d4	103		70-130	%REC	1	11/20/2013 04:36 AM
Surr: 4-Bromofluorobenzene	105		70-130	%REC	1	11/20/2013 04:36 AM
Surr: Dibromofluoromethane	82.3		70-130	%REC	1	11/20/2013 04:36 AM
Surr: Toluene-d8	103		70-130	%REC	1	11/20/2013 04:36 AM
ELECTRICAL CONDUCTIVITY (SAR)			USDA H60 METHO		Prep Date: 11/19/2013	Analyst: JB
Electrical Conductivity @ Saturation	4.4		0.050	mmhos/cm @2	10	11/19/2013 05:30 PM
CHROMIUM, TRIVALENT			CALCULATION			Analyst: MB
Chromium, Trivalent	45		0.60	mg/Kg-dry	1	11/21/2013 09:30 AM
CHROMIUM, HEXAVALENT			SW7196A		Prep Date: 11/14/2013	Analyst: MB
Chromium, Hexavalent	ND		0.58	mg/Kg-dry	1	11/15/2013 03:30 PM
MOISTURE			A2540 G			Analyst: MEB
Moisture	16		0.050	% of sample	1	11/15/2013 05:45 PM
PH			SW9045D		Prep Date: 11/15/2013	Analyst: JB
pH	7.6			s.u.	1	11/15/2013 03:00 PM

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: InterTech

Work Order: 1311701

Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: 53319

Instrument ID **GC8**Method: **SW8015M**

MBLK			Sample ID: DBLKS1-53319-53319			Units: mg/Kg		Analysis Date: 11/15/2013 03:33 PM		
Client ID:		Run ID: GC8_131115A		SeqNo: 2541318		Prep Date: 11/15/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	ND	4.2								
Surr: 4-Terphenyl-d14	0.9783	0	1.667		0	58.7	39-115	0		

LCS			Sample ID: DLCSS1-53319-53319			Units: mg/Kg		Analysis Date: 11/15/2013 04:03 PM		
Client ID:		Run ID: GC8_131115A		SeqNo: 2541320		Prep Date: 11/15/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	134.8	4.2	166.7		0	80.9	49-124	0		
Surr: 4-Terphenyl-d14	1.038	0	1.667		0	62.3	39-115	0		

MS			Sample ID: 1311701-01B MS			Units: mg/Kg		Analysis Date: 11/15/2013 04:33 PM		
Client ID: WOG_C_5_PB_6		Run ID: GC8_131115A		SeqNo: 2541321		Prep Date: 11/15/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	286.5	8.1	323	21.33	82.1	49-130		0		
Surr: 4-Terphenyl-d14	2.095	0	3.23	0	64.8	39-115		0		

MSD			Sample ID: 1311701-01B MSD			Units: mg/Kg		Analysis Date: 11/15/2013 05:03 PM		
Client ID: WOG_C_5_PB_6		Run ID: GC8_131115A		SeqNo: 2541322		Prep Date: 11/15/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
DRO (C10-C28)	283.9	8.2	328.7	21.33	79.9	49-130	286.5	0.899	30	
Surr: 4-Terphenyl-d14	2.176	0	3.287	0	66.2	39-115	2.095	3.83	30	

The following samples were analyzed in this batch:

1311701-01B	1311701-02B	1311701-03B
1311701-04B	1311701-05B	

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53295** Instrument ID **GC10** Method: **SW8015**

MLK	Sample ID: MLK-53295-53295				Units: µg/Kg		Analysis Date: 11/14/2013 02:42 PM		
Client ID:	Run ID: GC10_131114A				SeqNo: 2538860		Prep Date: 11/14/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
GRO (C6-C10)	ND	2,500							
Surr: Toluene-d8	5464	0	5000		0	109	50-150	0	
LCS	Sample ID: LCS-53295-53295				Units: µg/Kg		Analysis Date: 11/14/2013 01:31 PM		
Client ID:	Run ID: GC10_131114A				SeqNo: 2538859		Prep Date: 11/14/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
GRO (C6-C10)	493200	2,500	500000		0	98.6	70-130	0	
Surr: Toluene-d8	5667	0	5000		0	113	50-150	0	
MS	Sample ID: 1311540-03A MS				Units: µg/Kg		Analysis Date: 11/14/2013 11:52 PM		
Client ID:	Run ID: GC10_131114A				SeqNo: 2538874		Prep Date: 11/14/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
GRO (C6-C10)	485300	2,500	500000		0	97.1	70-130	0	
Surr: Toluene-d8	5665	0	5000		0	113	50-150	0	
MSD	Sample ID: 1311540-03A MSD				Units: µg/Kg		Analysis Date: 11/15/2013 12:15 PM		
Client ID:	Run ID: GC10_131114A				SeqNo: 2538875		Prep Date: 11/14/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
GRO (C6-C10)	457200	2,500	500000		0	91.4	70-130	485300	5.97 30
Surr: Toluene-d8	5426	0	5000		0	109	50-150	5665	4.32 30

The following samples were analyzed in this batch:

1311701-01A	1311701-02A	1311701-03A
1311701-04A	1311701-05A	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53274** Instrument ID **HG1** Method: **SW7471**

MBLK		Sample ID: MBLK-53274-53274			Units: mg/Kg		Analysis Date: 11/15/2013 03:52 PM			
Client ID:		Run ID: HG1_131115A			SeqNo: 2540480		Prep Date: 11/15/2013		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Mercury		0.001167	0.020						J	
LCS		Sample ID: LCS-53274-53274			Units: mg/Kg		Analysis Date: 11/15/2013 03:54 PM			
Client ID:		Run ID: HG1_131115A			SeqNo: 2540481		Prep Date: 11/15/2013		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Mercury		0.1728	0.020	0.1665	0	104	80-120	0		
MS		Sample ID: 1311526-11BMS			Units: mg/Kg		Analysis Date: 11/15/2013 04:23 PM			
Client ID:		Run ID: HG1_131115A			SeqNo: 2540495		Prep Date: 11/15/2013		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Mercury		0.1463	0.013	0.1106	0.03146	104	75-125	0		
MSD		Sample ID: 1311526-11BMSD			Units: mg/Kg		Analysis Date: 11/15/2013 04:25 PM			
Client ID:		Run ID: HG1_131115A			SeqNo: 2540496		Prep Date: 11/15/2013		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Mercury		0.1492	0.014	0.1142	0.03146	103	75-125	0.1463	1.93	35

The following samples were analyzed in this batch:

1311701-01B	1311701-02B	1311701-03B
1311701-04B	1311701-05B	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53357** Instrument ID **ICPMS2** Method: **SW6020A**

DUP	Sample ID: 1311782-01CDUP				Units: mg/L		Analysis Date: 11/20/2013 08:22 A			
Client ID:	Run ID: ICPMS2_131118A			SeqNo: 2546467		Prep Date: 11/19/2013		DF: 20		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Calcium	125.6	10	0	0	0	0-0	118	6.22		
Magnesium	49.46	4.0	0	0	0	0-0	45.2	9		
Sodium	770.8	4.0	0	0	0	0-0	727.4	5.79		

DUP	Sample ID: 1311782-01CDUP				Units: none		Analysis Date: 11/18/2013			
Client ID:	Run ID: SAR_131118B			SeqNo: 2547303		Prep Date: 11/19/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Sodium Adsorption Ratio	14.75	0.010	0	0	0		14.44	2.12	50	

The following samples were analyzed in this batch: | 1311701-01C 1311701-02C 1311701-03C
 | 1311701-04C 1311701-05C

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53419** Instrument ID **ICPMS1** Method: **SW6020A**

MBLK		Sample ID: MBLK-53419-53419			Units: mg/Kg		Analysis Date: 11/19/2013 08:29 A		
Client ID:		Run ID: ICPMS1_131118A			SeqNo: 2544317		Prep Date: 11/18/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
Arsenic		ND	0.25						
Barium		ND	0.25						
Cadmium		ND	0.10						
Chromium		ND	0.25						
Copper		0.0765	0.25						J
Nickel		ND	0.25						
Selenium		ND	0.25						
Silver		ND	0.25						
Zinc		0.1017	0.50						J

MBLK		Sample ID: MBLK-53419-53419			Units: mg/Kg		Analysis Date: 11/19/2013 04:03 PM		
Client ID:		Run ID: ICPMS1_131119A			SeqNo: 2545176		Prep Date: 11/18/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
Lead		0.001528	0.25						J

LCS		Sample ID: LCS-53419-53419			Units: mg/Kg		Analysis Date: 11/19/2013 08:35 A		
Client ID:		Run ID: ICPMS1_131118A			SeqNo: 2544319		Prep Date: 11/18/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
Arsenic		4.345	0.25	5	0	86.9	80-120	0	
Barium		4.572	0.25	5	0	91.4	80-120	0	
Cadmium		4.429	0.10	5	0	88.6	80-120	0	
Chromium		5.275	0.25	5	0	106	80-120	0	
Copper		5.125	0.25	5	0	102	80-120	0	
Nickel		5.085	0.25	5	0	102	80-120	0	
Selenium		4.124	0.25	5	0	82.5	80-120	0	
Silver		4.988	0.25	5	0	99.8	80-120	0	
Zinc		4.558	0.50	5	0	91.2	80-120	0	

LCS		Sample ID: LCS-53419-53419			Units: mg/Kg		Analysis Date: 11/19/2013 04:09 PM		
Client ID:		Run ID: ICPMS1_131119A			SeqNo: 2545177		Prep Date: 11/18/2013		DF: 1
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual
Lead		5.175	0.25	5	0	104	80-120	0	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: 53419 Instrument ID ICPMS1 Method: SW6020A

MS	Sample ID: 1311748-06AMS					Units: mg/Kg		Analysis Date: 11/19/2013 07:47 PM		
Client ID:	Run ID: ICPMS1_131119A			SeqNo: 2545665		Prep Date: 11/18/2013		DF: 5		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	29.27	2.0	7.924	16.4	162	75-125		0		S

MS	Sample ID: 1311748-06AMS					Units: mg/Kg		Analysis Date: 11/20/2013 03:48 PM		
Client ID:	Run ID: ICPMS1_131120A			SeqNo: 2547145		Prep Date: 11/18/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	8.558	0.40	7.924	2.03	82.4	75-125		0		
Cadmium	7.546	0.16	7.924	0.09984	94	75-125		0		
Copper	9.968	0.40	7.924	3.114	86.5	75-125		0		
Lead	13.85	0.40	7.924	4.482	118	75-125		0		
Nickel	12.18	0.40	7.924	5.127	89	75-125		0		
Selenium	6.4	0.40	7.924	0.2672	77.4	75-125		0		
Silver	8.201	0.40	7.924	0.008625	103	75-125		0		
Zinc	26.69	0.79	7.924	17.48	116	75-125		0		

MS	Sample ID: 1311748-06AMS					Units: mg/Kg		Analysis Date: 11/20/2013 06:03 PM		
Client ID:	Run ID: ICPMS1_131120A			SeqNo: 2547555		Prep Date: 11/18/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chromium	14.83	0.40	7.924	5.975	112	75-125		0		

MSD	Sample ID: 1311748-06AMSD					Units: mg/Kg		Analysis Date: 11/19/2013 07:53 PM		
Client ID:	Run ID: ICPMS1_131119A			SeqNo: 2545666		Prep Date: 11/18/2013		DF: 5		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Barium	27.82	2.0	8.078	16.4	141	75-125		29.27	5.11	25

MSD	Sample ID: 1311748-06AMSD					Units: mg/Kg		Analysis Date: 11/20/2013 03:54 PM		
Client ID:	Run ID: ICPMS1_131120A			SeqNo: 2547146		Prep Date: 11/18/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	8.498	0.40	8.078	2.03	80.1	75-125		8.558	0.707	25
Cadmium	7.685	0.16	8.078	0.09984	93.9	75-125		7.546	1.83	25
Copper	9.733	0.40	8.078	3.114	81.9	75-125		9.968	2.38	25
Lead	12.63	0.40	8.078	4.482	101	75-125		13.85	9.2	25
Nickel	11.86	0.40	8.078	5.127	83.3	75-125		12.18	2.67	25
Selenium	6.372	0.40	8.078	0.2672	75.6	75-125		6.4	0.448	25
Silver	8.271	0.40	8.078	0.008625	102	75-125		8.201	0.852	25
Zinc	24.91	0.81	8.078	17.48	92	75-125		26.69	6.89	25

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53419** Instrument ID **ICPMS1** Method: **SW6020A**

MSD	Sample ID: 1311748-06AMSD			Units: mg/Kg			Analysis Date: 11/20/2013 06:09 PM			
Client ID:	Run ID: ICPMS1_131120A			SeqNo: 2547556			Prep Date: 11/18/2013			DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chromium	12.86	0.40	8.078	5.975	85.2	75-125	14.83	14.2	25	

The following samples were analyzed in this batch:

1311701-01B	1311701-02B	1311701-03B
1311701-04B	1311701-05B	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

QC Page: 7 of 15

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53318** Instrument ID **SVMS4** Method: **SW8270**

MBLK	Sample ID: SBLKS1-53318-53318			Units: µg/Kg			Analysis Date: 11/15/2013 03:41 PM			
Client ID:	Run ID: SVMS4_131115A			SeqNo: 2541621			Prep Date: 11/15/2013			DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Acenaphthene	ND	6.7								
Anthracene	ND	6.7								
Benzo(a)anthracene	ND	6.7								
Benzo(a)pyrene	ND	6.7								
Benzo(b)fluoranthene	ND	6.7								
Benzo(k)fluoranthene	ND	6.7								
Chrysene	ND	6.7								
Dibenzo(a,h)anthracene	ND	6.7								
Fluoranthene	ND	6.7								
Fluorene	ND	6.7								
Indeno(1,2,3-cd)pyrene	ND	6.7								
Naphthalene	ND	6.7								
Pyrene	ND	6.7								
Surr: 2-Fluorobiphenyl	1398	0	1667	0	83.9	12-100	0			
Surr: 4-Terphenyl-d14	1658	0	1667	0	99.5	25-137	0			
Surr: Nitrobenzene-d5	1363	0	1667	0	81.8	37-107	0			

LCS	Sample ID: SLCSS1-53318-53318			Units: µg/Kg			Analysis Date: 11/15/2013 03:01 PM			
Client ID:	Run ID: SVMS4_131115A			SeqNo: 2541620			Prep Date: 11/15/2013			DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Acenaphthene	562	6.7	666.7	0	84.3	45-110	0			
Anthracene	631.3	6.7	666.7	0	94.7	55-105	0			
Benzo(a)anthracene	680	6.7	666.7	0	102	50-110	0			
Benzo(a)pyrene	614.7	6.7	666.7	0	92.2	50-110	0			
Benzo(b)fluoranthene	611	6.7	666.7	0	91.6	45-115	0			
Benzo(k)fluoranthene	603.7	6.7	666.7	0	90.5	45-115	0			
Chrysene	639.3	6.7	666.7	0	95.9	55-110	0			
Dibenzo(a,h)anthracene	675.3	6.7	666.7	0	101	40-125	0			
Fluoranthene	657.7	6.7	666.7	0	98.6	55-115	0			
Fluorene	596	6.7	666.7	0	89.4	50-110	0			
Indeno(1,2,3-cd)pyrene	691.7	6.7	666.7	0	104	40-120	0			
Naphthalene	538.3	6.7	666.7	0	80.7	40-105	0			
Pyrene	590	6.7	666.7	0	88.5	45-125	0			
Surr: 2-Fluorobiphenyl	1417	0	1667	0	85	12-100	0			
Surr: 4-Terphenyl-d14	1612	0	1667	0	96.7	25-137	0			
Surr: Nitrobenzene-d5	1391	0	1667	0	83.5	37-107	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53318** Instrument ID **SVMS4** Method: **SW8270**

MS	Sample ID: 1311751-04B MS				Units: µg/Kg		Analysis Date: 11/15/2013 04:58 PM			
Client ID:	Run ID: SVMS4_131115A			SeqNo: 2541622		Prep Date: 11/15/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Acenaphthene	1548	19	1866	0	82.9	45-110		0		
Anthracene	1714	19	1866	0	91.8	55-105		0		
Benzo(a)anthracene	1796	19	1866	0	96.2	50-110		0		
Benzo(a)pyrene	1662	19	1866	0	89	50-110		0		
Benzo(b)fluoranthene	1615	19	1866	0	86.5	45-115		0		
Benzo(k)fluoranthene	1678	19	1866	0	89.9	45-115		0		
Chrysene	1688	19	1866	0	90.4	55-110		0		
Dibenzo(a,h)anthracene	1772	19	1866	0	94.9	40-125		0		
Fluoranthene	1889	19	1866	0	101	55-115		0		
Fluorene	1623	19	1866	0	86.9	50-110		0		
Indeno(1,2,3-cd)pyrene	1800	19	1866	0	96.4	40-120		0		
Naphthalene	1440	19	1866	0	77.1	40-105		0		
Pyrene	1660	19	1866	0	88.9	45-125		0		
Surr: 2-Fluorobiphenyl	3806	0	4665	0	81.6	12-100		0		
Surr: 4-Terphenyl-d14	4560	0	4665	0	97.7	25-137		0		
Surr: Nitrobenzene-d5	3760	0	4665	0	80.6	37-107		0		

MSD	Sample ID: 1311751-04B MSD				Units: µg/Kg		Analysis Date: 11/15/2013 05:30 PM			
Client ID:	Run ID: SVMS4_131115A			SeqNo: 2541623		Prep Date: 11/15/2013		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Acenaphthene	1555	19	1886	0	82.4	45-110	1548	0.455	30	
Anthracene	1745	19	1886	0	92.5	55-105	1714	1.82	30	
Benzo(a)anthracene	1860	19	1886	0	98.6	50-110	1796	3.52	30	
Benzo(a)pyrene	1734	19	1886	0	91.9	50-110	1662	4.26	30	
Benzo(b)fluoranthene	1695	19	1886	0	89.9	45-115	1615	4.86	30	
Benzo(k)fluoranthene	1740	19	1886	0	92.2	45-115	1678	3.58	30	
Chrysene	1738	19	1886	0	92.1	55-110	1688	2.92	30	
Dibenzo(a,h)anthracene	1833	19	1886	0	97.2	40-125	1772	3.4	30	
Fluoranthene	1936	19	1886	0	103	55-115	1889	2.43	30	
Fluorene	1639	19	1886	0	86.9	50-110	1623	1	30	
Indeno(1,2,3-cd)pyrene	1874	19	1886	0	99.3	40-120	1800	4.02	30	
Naphthalene	1430	19	1886	0	75.8	40-105	1440	0.639	30	
Pyrene	1687	19	1886	0	89.4	45-125	1660	1.62	30	
Surr: 2-Fluorobiphenyl	3864	0	4715	0	82	12-100	3806	1.52	40	
Surr: 4-Terphenyl-d14	4700	0	4715	0	99.7	25-137	4560	3.03	40	
Surr: Nitrobenzene-d5	3806	0	4715	0	80.7	37-107	3760	1.21	40	

The following samples were analyzed in this batch:

1311701-01B	1311701-02B	1311701-03B
1311701-04B	1311701-05B	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53312** Instrument ID **VMS8** Method: **SW8260B**

MLK		Sample ID: MLK-53312-53312			Units: µg/Kg		Analysis Date: 11/16/2013 09:35 PM			
Client ID:		Run ID: VMS8_131116A			SeqNo: 2541313		Prep Date: 11/14/2013		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	ND	30								
Ethylbenzene	ND	30								
m,p-Xylene	29	60								J
o-Xylene	ND	30								
Toluene	ND	30								
Xylenes, Total	ND	90								
<i>Surr: 1,2-Dichloroethane-d4</i>	933.5	0	1000	0	93.4	70-130	0	0		
<i>Surr: 4-Bromofluorobenzene</i>	1006	0	1000	0	101	70-130	0	0		
<i>Surr: Dibromofluoromethane</i>	950	0	1000	0	95	70-130	0	0		
<i>Surr: Toluene-d8</i>	1056	0	1000	0	106	70-130	0	0		

LCS		Sample ID: LCS-53312-53312			Units: µg/Kg		Analysis Date: 11/16/2013 05:55 PM			
Client ID:		Run ID: VMS8_131116A			SeqNo: 2541302		Prep Date: 11/14/2013		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	972.5	30	1000	0	97.2	75-125	0	0		
Ethylbenzene	966	30	1000	0	96.6	75-125	0	0		
m,p-Xylene	1929	60	2000	0	96.4	80-125	0	0		
o-Xylene	962.5	30	1000	0	96.2	75-125	0	0		
Toluene	935	30	1000	0	93.5	70-125	0	0		
Xylenes, Total	2892	90	3000	0	96.4	75-125	0	0		
<i>Surr: 1,2-Dichloroethane-d4</i>	919	0	1000	0	91.9	70-130	0	0		
<i>Surr: 4-Bromofluorobenzene</i>	1026	0	1000	0	103	70-130	0	0		
<i>Surr: Dibromofluoromethane</i>	966	0	1000	0	96.6	70-130	0	0		
<i>Surr: Toluene-d8</i>	1038	0	1000	0	104	70-130	0	0		

MS		Sample ID: 1311701-02A MS			Units: µg/Kg		Analysis Date: 11/20/2013 08:53 A			
Client ID: WOG_28_P_3_PB_20		Run ID: VMS5_131119B			SeqNo: 2546396		Prep Date: 11/14/2013		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	931.5	30	1000	0	93.2	75-125	0	0		
Ethylbenzene	950.5	30	1000	0	95	75-125	0	0		
m,p-Xylene	1926	60	2000	0	96.3	80-125	0	0		
o-Xylene	972	30	1000	0	97.2	75-125	0	0		
Toluene	939.5	30	1000	0	94	70-125	0	0		
Xylenes, Total	2898	90	3000	0	96.6	75-125	0	0		
<i>Surr: 1,2-Dichloroethane-d4</i>	939	0	1000	0	93.9	70-130	0	0		
<i>Surr: 4-Bromofluorobenzene</i>	1028	0	1000	0	103	70-130	0	0		
<i>Surr: Dibromofluoromethane</i>	948.5	0	1000	0	94.8	70-130	0	0		
<i>Surr: Toluene-d8</i>	982.5	0	1000	0	98.2	70-130	0	0		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53312** Instrument ID **VMS8** Method: **SW8260B**

MSD		Sample ID: 1311701-02A MSD			Units: µg/Kg		Analysis Date: 11/20/2013 09:17 A			
Client ID: WOG_28_P_3_PB_20		Run ID: VMS5_131119B			SeqNo: 2546397		Prep Date: 11/14/2013		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	926	30	1000	0	92.6	75-125	931.5	0.592	30	
Ethylbenzene	941.5	30	1000	0	94.2	75-125	950.5	0.951	30	
m,p-Xylene	1904	60	2000	0	95.2	80-125	1926	1.17	30	
o-Xylene	967.5	30	1000	0	96.8	75-125	972	0.464	30	
Toluene	929.5	30	1000	0	93	70-125	939.5	1.07	30	
Xylenes, Total	2872	90	3000	0	95.7	75-125	2898	0.936	30	
<i>Surr: 1,2-Dichloroethane-d4</i>	948	0	1000	0	94.8	70-130	939	0.954	30	
<i>Surr: 4-Bromofluorobenzene</i>	1003	0	1000	0	100	70-130	1028	2.41	30	
<i>Surr: Dibromofluoromethane</i>	941.5	0	1000	0	94.2	70-130	948.5	0.741	30	
<i>Surr: Toluene-d8</i>	966.5	0	1000	0	96.6	70-130	982.5	1.64	30	

The following samples were analyzed in this batch:

1311701-01A	1311701-02A	1311701-03A
1311701-04A	1311701-05A	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

QC Page: 11 of 15

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53354** Instrument ID **WETCHEM** Method: **SW9045D**

LCS		Sample ID: LCS-53354-53354			Units: s.u.			Analysis Date: 11/15/2013 03:00 PM		
Client ID:		Run ID: WETCHEM_131115N			SeqNo: 2540254		Prep Date: 11/15/2013		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
pH	3.99	0	4	0	99.8	90-110	0			
DUP		Sample ID: 1311682-01B DUP			Units: s.u.			Analysis Date: 11/15/2013 03:00 PM		
Client ID:		Run ID: WETCHEM_131115N			SeqNo: 2540256		Prep Date: 11/15/2013		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
pH	8.53	0	0	0	0	0-0	8.6	0.817	20	
DUP		Sample ID: 1311784-01B DUP			Units: s.u.			Analysis Date: 11/15/2013 03:00 PM		
Client ID:		Run ID: WETCHEM_131115N			SeqNo: 2540267		Prep Date: 11/15/2013		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
pH	8.34	0	0	0	0	0-0	8.36	0.24	20	

The following samples were analyzed in this batch:

1311701-01B	1311701-02B	1311701-03B
1311701-04B	1311701-05B	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

QC Page: 12 of 15

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53357** Instrument ID **WETCHEM** Method: **USDA H60 Metho**

DUP	Sample ID: 1311782-01C DUP			Units: mmhos/cm @25°		Analysis Date: 11/19/2013 05:30 PM			
Client ID:	Run ID: WETCHEM_131119K			SeqNo: 2545429		Prep Date: 11/19/2013		DF: 10	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD Limit	Qual
Electrical Conductivity @ Saturation	5.24	0.050	0	0	0		4.98	5.09	50

The following samples were analyzed in this batch:

1311701-01C	1311701-02C	1311701-03C
1311701-04C	1311701-05C	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

QC Page: 13 of 15

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: **53360** Instrument ID **WETCHEM** Method: **SW7196A**

MLBK		Sample ID: MLBK-53360-53360			Units: mg/Kg			Analysis Date: 11/15/2013 03:30 PM		
Client ID:		Run ID: WETCHEM_1311150			SeqNo: 2540320			Prep Date: 11/14/2013 DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chromium, Hexavalent	ND	0.50								
LCS		Sample ID: LCS-53360-53360			Units: mg/Kg			Analysis Date: 11/15/2013 03:30 PM		
Client ID:		Run ID: WETCHEM_1311150			SeqNo: 2540319			Prep Date: 11/14/2013 DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chromium, Hexavalent	1.98	0.50	2	0	99	80-120	0			
MS		Sample ID: 1311682-01B MS			Units: mg/Kg			Analysis Date: 11/15/2013 03:30 PM		
Client ID:		Run ID: WETCHEM_1311150			SeqNo: 2540304			Prep Date: 11/14/2013 DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chromium, Hexavalent	ND	0.49	1.961	0.1059	-5.4	75-125	0			S
MS		Sample ID: 1311682-01B MSI			Units: mg/Kg			Analysis Date: 11/15/2013 03:30 PM		
Client ID:		Run ID: WETCHEM_1311150			SeqNo: 2540306			Prep Date: 11/14/2013 DF: 100		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chromium, Hexavalent	892.5	50	1181	0.1059	75.5	75-125	0			
MSD		Sample ID: 1311682-01B MSD			Units: mg/Kg			Analysis Date: 11/15/2013 03:30 PM		
Client ID:		Run ID: WETCHEM_1311150			SeqNo: 2540305			Prep Date: 11/14/2013 DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chromium, Hexavalent	ND	0.51	2.033	0.1059	-5.21	75-125	892.5	0	20	S

The following samples were analyzed in this batch:

1311701-01B	1311701-02B	1311701-03B
1311701-04B	1311701-05B	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

QC Page: 14 of 15

Client: InterTech
Work Order: 1311701
Project: WOG-Boies Ranch Pits 11.11.13

QC BATCH REPORT

Batch ID: R130713 Instrument ID **MOIST** Method: **A2540 G**

MBLK		Sample ID: WBLKS-R130713			Units: % of sample		Analysis Date: 11/15/2013 05:45 PM			
Client ID:		Run ID: MOIST_131115C			SeqNo: 2542322		Prep Date:		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Moisture		ND		0.050						
LCS		Sample ID: LCS-R130713			Units: % of sample		Analysis Date: 11/15/2013 05:45 PM			
Client ID:		Run ID: MOIST_131115C			SeqNo: 2542318		Prep Date:		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Moisture		100	0.050	100	0	100	99.5-100.5	0		
DUP		Sample ID: 1311701-01B DUP			Units: % of sample		Analysis Date: 11/15/2013 05:45 PM			
Client ID: WOG_C_5_PB_6		Run ID: MOIST_131115C			SeqNo: 2542298		Prep Date:		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Moisture		24.76	0.050	0	0	0	0-0	25.39	2.51	20
DUP		Sample ID: 1311734-03A DUP			Units: % of sample		Analysis Date: 11/15/2013 05:45 PM			
Client ID:		Run ID: MOIST_131115C			SeqNo: 2542307		Prep Date:		DF: 1	
Analyte		Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD Limit Qual	
Moisture		47.46	0.050	0	0	0	0-0	47.08	0.804	20

The following samples were analyzed in this batch:

1311701-01B	1311701-02B	1311701-03B
1311701-04B	1311701-05B	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

QC Page: 15 of 15

ALS Group USA, Corp

Sample Receipt Checklist

Client Name: INTERTECH

Date/Time Received: 13-Nov-13 10:00

Work Order: 1311701

Received by: DS

Checklist completed by <u>Diane Shaw</u> eSignature	13-Nov-13 Date	Reviewed by: <u>Ann Preston</u> eSignature	15-Nov-13 Date
--	-------------------	---	-------------------

Matrices: Soil

Carrier name: FedEx

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample(s) received on ice?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<u>5.0 c</u>		
Cooler(s)/Kit(s):	<u></u>		
Date/Time sample(s) sent to storage:	<u>11/13/2013 2:55:35 PM</u>		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input checked="" type="checkbox"/>
pH adjusted by:	<u>-</u>		

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

CorrectiveAction:

ANALYTICAL SUMMARY REPORT

August 06, 2011

Whiting Petroleum Corporation
2500 County Road 26
Rifle, CO 81641

Workorder No.: G11070820 Quote ID: G228 - COGCC Table 910-1 for Soil - Normal TAT

Project Name: Soil_Sampling

Energy Laboratories Inc. Gillette WY received the following 9 samples for Whiting Petroleum Corporation on 07/28/2011 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
G11070820-001	SO_Boies_Background_S ect_1_1	07/27/11 10:00	07/28/11	Soil	Metals by ICP/ICPMS, Total Cations, sat. paste Saturated Paste Electrical Conductivity Mercury in Solid by CVAA Diesel Range Organics Gasoline Range Organics Saturated Paste pH Digestion, Total Metals Digestion, Mercury by CVAA Saturated Paste Extraction Sodium Adsorption Ratio Volatile Organic Compounds - Short List
G11070820-002	SO_Boies_Background_S ect_1_2	07/27/11 10:30	07/28/11	Soil	Same As Above
G11070820-003	SO_Boies_Background_S ect_2_1	07/27/11 11:30	07/28/11	Soil	Same As Above
G11070820-004	SO_Boies_Background_S ect_2_2	07/27/11 11:00	07/28/11	Soil	Same As Above
G11070820-005	SO_Boies_Background_S ect_2_3	07/27/11 11:45	07/28/11	Soil	Same As Above
G11070820-006	SO_Boies_Background_S ect_3_1	07/27/11 12:00	07/28/11	Soil	Same As Above
G11070820-007	SO_Boies_Background_S ect_3_2	07/27/11 12:15	07/28/11	Soil	Same As Above
G11070820-008	SO_Boies_Background_S ect_3_3	07/27/11 13:00	07/28/11	Soil	Same As Above
G11070820-009	SO_Boies_Background_S ect_3_4	07/27/11 13:20	07/28/11	Soil	Same As Above

This report was prepared by Energy Laboratories, Inc., 400 W. Boxelder Rd., Gillette, WY 82718. As appropriate, any exceptions or problems with the analyses are noted in the Laboratory Analytical Report, the QA/QC Summary Report, or the Case Narrative.

If you have any questions regarding these tests results, please call.

Report Approved By:

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_1_1
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-001

Report Date: 08/06/11
Collection Date: 07/27/11 10:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192838

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/01/11 15:39 / eli-b
Total Purgeable Hydrocarbons	ND	mg/kg	2.0		SW8015B	08/01/11 15:39 / eli-b
Surrogate: Trifluorotoluene	98.0	%REC	70-130		SW8015B	08/01/11 15:39 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene. - Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	ND	mg/kg	10		SW8015B	08/02/11 15:45 / eli-b
Total Extractable Hydrocarbons	31	mg/kg	10		SW8015B	08/02/11 15:45 / eli-b
Surrogate: o-Terphenyl	98.0	%REC	50-150		SW8015B	08/02/11 15:45 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28. - Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/29/11 19:06 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/29/11 19:06 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/29/11 19:06 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/29/11 19:06 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/29/11 19:06 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/29/11 19:06 / eli-b
Surrogate: Dibromofluoromethane	100	%REC	70-132		SW8260B	07/29/11 19:06 / eli-b
Surrogate: 1,2-Dichloroethane-d4	84.0	%REC	60-136		SW8260B	07/29/11 19:06 / eli-b
Surrogate: Toluene-d8	104	%REC	75-138		SW8260B	07/29/11 19:06 / eli-b
Surrogate: p-Bromofluorobenzene	110	%REC	78-160		SW8260B	07/29/11 19:06 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	1.13	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:44 / eli-h
pH, sat. paste	7.6	s.u.	0.1		ASAM10-3.2	08/02/11 07:51 / eli-h
Calcium, sat. paste	7.13	meq/L	0.05		SW6010B	08/03/11 13:00 / eli-h
Magnesium, sat. paste	2.29	meq/L	0.08		SW6010B	08/03/11 13:00 / eli-h
Sodium, sat. paste	1.69	meq/L	0.04		SW6010B	08/03/11 13:00 / eli-h
Sodium Adsorption Ratio (SAR)	0.8	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	10	mg/kg	5		SW6010B	08/02/11 14:37 / eli-h
Barium	321	mg/kg	5		SW6010B	08/02/11 14:37 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 14:37 / eli-h
Chromium	35	mg/kg	5		SW6010B	08/02/11 14:37 / eli-h
Copper	11	mg/kg	5		SW6010B	08/02/11 14:37 / eli-h
Lead	12	mg/kg	5		SW6010B	08/03/11 12:35 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 09:50 / eli-h
Nickel	15	mg/kg	5		SW6010B	08/02/11 14:37 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 14:37 / eli-h

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID SO_Boies_Background_Sect_1_1
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-001

Report Date: 08/06/11
Collection Date: 07/27/11 10:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192838

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
----------	--------	-------	----	-----------	--------	--------------------

METALS, TOTAL

Silver	ND	mg/kg	5		SW6010B	08/03/11 15:31 / eli-h
Zinc	42	mg/kg	5		SW6010B	08/02/11 14:37 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_1_2
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-002

Report Date: 08/06/11
Collection Date: 07/27/11 10:30
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192839

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/01/11 16:14 / eli-b
Total Purgeable Hydrocarbons	ND	mg/kg	2.0		SW8015B	08/01/11 16:14 / eli-b
Surrogate: Trifluorotoluene	96.0	%REC	70-130		SW8015B	08/01/11 16:14 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.						
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	ND	mg/kg	10		SW8015B	08/02/11 04:42 / eli-b
Total Extractable Hydrocarbons	10	mg/kg	10		SW8015B	08/02/11 04:42 / eli-b
Surrogate: o-Terphenyl	104	%REC	50-150		SW8015B	08/02/11 04:42 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28.						
- Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/29/11 19:33 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/29/11 19:33 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/29/11 19:33 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/29/11 19:33 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/29/11 19:33 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/29/11 19:33 / eli-b
Surrogate: Dibromofluoromethane	99.0	%REC	70-132		SW8260B	07/29/11 19:33 / eli-b
Surrogate: 1,2-Dichloroethane-d4	86.0	%REC	60-136		SW8260B	07/29/11 19:33 / eli-b
Surrogate: Toluene-d8	103	%REC	75-138		SW8260B	07/29/11 19:33 / eli-b
Surrogate: p-Bromofluorobenzene	109	%REC	78-160		SW8260B	07/29/11 19:33 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.51	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:45 / eli-h
pH, sat. paste	7.5	s.u.	0.1		ASAM10-3.2	08/02/11 07:52 / eli-h
Calcium, sat. paste	3.90	meq/L	0.05		SW6010B	08/03/11 13:03 / eli-h
Magnesium, sat. paste	0.73	meq/L	0.08		SW6010B	08/03/11 13:03 / eli-h
Sodium, sat. paste	1.13	meq/L	0.04		SW6010B	08/03/11 13:03 / eli-h
Sodium Adsorption Ratio (SAR)	0.7	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	ND	mg/kg	5		SW6010B	08/03/11 12:39 / eli-h
Barium	189	mg/kg	5		SW6010B	08/02/11 14:40 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 14:40 / eli-h
Chromium	29	mg/kg	5		SW6010B	08/02/11 14:40 / eli-h
Copper	13	mg/kg	5		SW6010B	08/02/11 14:40 / eli-h
Lead	14	mg/kg	5		SW6010B	08/03/11 12:39 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 09:52 / eli-h
Nickel	13	mg/kg	5		SW6010B	08/02/11 14:40 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 14:40 / eli-h

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_1_2
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-002

Report Date: 08/06/11
Collection Date: 07/27/11 10:30
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192839

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
----------	--------	-------	----	-----------	--------	--------------------

METALS, TOTAL

Silver	ND	mg/kg	5		SW6010B	08/03/11 15:34 / eli-h
Zinc	48	mg/kg	5		SW6010B	08/02/11 14:40 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_2_1
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-003

Report Date: 08/06/11
Collection Date: 07/27/11 11:30
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192840

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/01/11 16:50 / eli-b
Total Purgeable Hydrocarbons	ND	mg/kg	2.0		SW8015B	08/01/11 16:50 / eli-b
Surrogate: Trifluorotoluene	96.0	%REC	70-130		SW8015B	08/01/11 16:50 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene. - Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	ND	mg/kg	10		SW8015B	08/02/11 23:29 / eli-b
Total Extractable Hydrocarbons	53	mg/kg	10		SW8015B	08/02/11 23:29 / eli-b
Surrogate: o-Terphenyl	101	%REC	50-150		SW8015B	08/02/11 23:29 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28. - Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/29/11 19:59 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/29/11 19:59 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/29/11 19:59 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/29/11 19:59 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/29/11 19:59 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/29/11 19:59 / eli-b
Surrogate: Dibromofluoromethane	93.0	%REC	70-132		SW8260B	07/29/11 19:59 / eli-b
Surrogate: 1,2-Dichloroethane-d4	80.0	%REC	60-136		SW8260B	07/29/11 19:59 / eli-b
Surrogate: Toluene-d8	100	%REC	75-138		SW8260B	07/29/11 19:59 / eli-b
Surrogate: p-Bromofluorobenzene	106	%REC	78-160		SW8260B	07/29/11 19:59 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.70	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:45 / eli-h
pH, sat. paste	7.6	s.u.	0.1		ASAM10-3.2	08/02/11 07:52 / eli-h
Calcium, sat. paste	4.30	meq/L	0.05		SW6010B	08/03/11 13:06 / eli-h
Magnesium, sat. paste	1.65	meq/L	0.08		SW6010B	08/03/11 13:06 / eli-h
Sodium, sat. paste	1.40	meq/L	0.04		SW6010B	08/03/11 13:06 / eli-h
Sodium Adsorption Ratio (SAR)	0.8	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	ND	mg/kg	5		SW6010B	08/03/11 12:43 / eli-h
Barium	343	mg/kg	5		SW6010B	08/02/11 14:44 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 14:44 / eli-h
Chromium	36	mg/kg	5		SW6010B	08/02/11 14:44 / eli-h
Copper	13	mg/kg	5		SW6010B	08/02/11 14:44 / eli-h
Lead	14	mg/kg	5		SW6010B	08/03/11 12:43 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 09:54 / eli-h
Nickel	17	mg/kg	5		SW6010B	08/02/11 14:44 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 14:44 / eli-h

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_2_1
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-003

Report Date: 08/06/11
Collection Date: 07/27/11 11:30
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192840

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
----------	--------	-------	----	-----------	--------	--------------------

METALS, TOTAL

Silver	ND	mg/kg	5		SW6010B	08/03/11 15:37 / eli-h
Zinc	48	mg/kg	5		SW6010B	08/02/11 14:44 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_2_2
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-004

Report Date: 08/06/11
Collection Date: 07/27/11 11:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192841

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/01/11 20:22 / eli-b
Total Purgeable Hydrocarbons	ND	mg/kg	2.0		SW8015B	08/01/11 20:22 / eli-b
Surrogate: Trifluorotoluene	98.0	%REC	70-130		SW8015B	08/01/11 20:22 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene. - Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	ND	mg/kg	10		SW8015B	08/02/11 05:32 / eli-b
Total Extractable Hydrocarbons	45	mg/kg	10		SW8015B	08/02/11 05:32 / eli-b
Surrogate: o-Terphenyl	108	%REC	50-150		SW8015B	08/02/11 05:32 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28. - Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/29/11 20:26 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/29/11 20:26 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/29/11 20:26 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/29/11 20:26 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/29/11 20:26 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/29/11 20:26 / eli-b
Surrogate: Dibromofluoromethane	109	%REC	70-132		SW8260B	07/29/11 20:26 / eli-b
Surrogate: 1,2-Dichloroethane-d4	95.0	%REC	60-136		SW8260B	07/29/11 20:26 / eli-b
Surrogate: Toluene-d8	116	%REC	75-138		SW8260B	07/29/11 20:26 / eli-b
Surrogate: p-Bromofluorobenzene	123	%REC	78-160		SW8260B	07/29/11 20:26 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.85	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:46 / eli-h
pH, sat. paste	7.6	s.u.	0.1		ASAM10-3.2	08/02/11 07:53 / eli-h
Calcium, sat. paste	5.84	meq/L	0.05		SW6010B	08/03/11 13:09 / eli-h
Magnesium, sat. paste	1.23	meq/L	0.08		SW6010B	08/03/11 13:09 / eli-h
Sodium, sat. paste	2.12	meq/L	0.04		SW6010B	08/03/11 13:09 / eli-h
Sodium Adsorption Ratio (SAR)	1.1	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	8	mg/kg	5		SW6010B	08/02/11 14:48 / eli-h
Barium	267	mg/kg	5		SW6010B	08/02/11 14:48 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 14:48 / eli-h
Chromium	39	mg/kg	5		SW6010B	08/02/11 14:48 / eli-h
Copper	16	mg/kg	5		SW6010B	08/02/11 14:48 / eli-h
Lead	14	mg/kg	5		SW6010B	08/03/11 12:47 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 10:04 / eli-h
Nickel	18	mg/kg	5		SW6010B	08/02/11 14:48 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 14:48 / eli-h

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_2_2
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-004

Report Date: 08/06/11
Collection Date: 07/27/11 11:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192841

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
----------	--------	-------	----	-----------	--------	--------------------

METALS, TOTAL

Silver	ND	mg/kg	5		SW6010B	08/03/11 15:40 / eli-h
Zinc	53	mg/kg	5		SW6010B	08/02/11 14:48 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_2_3
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-005

Report Date: 08/06/11
Collection Date: 07/27/11 11:45
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192842

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/01/11 19:11 / eli-b
Total Purgeable Hydrocarbons	ND	mg/kg	2.0		SW8015B	08/01/11 19:11 / eli-b
Surrogate: Trifluorotoluene	91.0	%REC	70-130		SW8015B	08/01/11 19:11 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene. - Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	ND	mg/kg	10		SW8015B	08/02/11 20:58 / eli-b
Total Extractable Hydrocarbons	25	mg/kg	10		SW8015B	08/02/11 20:58 / eli-b
Surrogate: o-Terphenyl	106	%REC	50-150		SW8015B	08/02/11 20:58 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28. - Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/29/11 23:04 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/29/11 23:04 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/29/11 23:04 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/29/11 23:04 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/29/11 23:04 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/29/11 23:04 / eli-b
Surrogate: Dibromofluoromethane	100	%REC	70-132		SW8260B	07/29/11 23:04 / eli-b
Surrogate: 1,2-Dichloroethane-d4	84.0	%REC	60-136		SW8260B	07/29/11 23:04 / eli-b
Surrogate: Toluene-d8	110	%REC	75-138		SW8260B	07/29/11 23:04 / eli-b
Surrogate: p-Bromofluorobenzene	120	%REC	78-160		SW8260B	07/29/11 23:04 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.56	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:47 / eli-h
pH, sat. paste	7.6	s.u.	0.1		ASAM10-3.2	08/02/11 07:53 / eli-h
Calcium, sat. paste	4.34	meq/L	0.05		SW6010B	08/03/11 13:12 / eli-h
Magnesium, sat. paste	0.89	meq/L	0.08		SW6010B	08/03/11 13:12 / eli-h
Sodium, sat. paste	0.65	meq/L	0.04		SW6010B	08/03/11 13:12 / eli-h
Sodium Adsorption Ratio (SAR)	0.4	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	ND	mg/kg	5		SW6010B	08/03/11 12:58 / eli-h
Barium	201	mg/kg	5		SW6010B	08/02/11 14:51 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 14:51 / eli-h
Chromium	32	mg/kg	5		SW6010B	08/02/11 14:51 / eli-h
Copper	14	mg/kg	5		SW6010B	08/02/11 14:51 / eli-h
Lead	13	mg/kg	5		SW6010B	08/03/11 12:58 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 10:06 / eli-h
Nickel	15	mg/kg	5		SW6010B	08/02/11 14:51 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 14:51 / eli-h

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_2_3
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-005

Report Date: 08/06/11
Collection Date: 07/27/11 11:45
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192842

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
METALS, TOTAL						
Silver	ND	mg/kg	5		SW6010B	08/03/11 15:43 / eli-h
Zinc	47	mg/kg	5		SW6010B	08/02/11 14:51 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_1
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-006

Report Date: 08/06/11
Collection Date: 07/27/11 12:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192843

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/01/11 21:32 / eli-b
Total Purgeable Hydrocarbons	1.8	mg/kg	2.0	J	SW8015B	08/01/11 21:32 / eli-b
Surr: Trifluorotoluene	100	%REC	70-130		SW8015B	08/01/11 21:32 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene. - Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	11	mg/kg	10		SW8015B	08/02/11 17:31 / eli-b
Total Extractable Hydrocarbons	55	mg/kg	10		SW8015B	08/02/11 17:31 / eli-b
Surr: o-Terphenyl	99.0	%REC	50-150		SW8015B	08/02/11 17:31 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28. - Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/29/11 23:31 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/29/11 23:31 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/29/11 23:31 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/29/11 23:31 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/29/11 23:31 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/29/11 23:31 / eli-b
Surr: Dibromofluoromethane	128	%REC	70-132		SW8260B	07/29/11 23:31 / eli-b
Surr: 1,2-Dichloroethane-d4	105	%REC	60-136		SW8260B	07/29/11 23:31 / eli-b
Surr: Toluene-d8	140	%REC	75-138	S	SW8260B	07/29/11 23:31 / eli-b
Surr: p-Bromofluorobenzene	151	%REC	78-160		SW8260B	07/29/11 23:31 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.65	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:47 / eli-h
pH, sat. paste	7.7	s.u.	0.1		ASAM10-3.2	08/02/11 07:54 / eli-h
Calcium, sat. paste	4.72	meq/L	0.05		SW6010B	08/03/11 13:15 / eli-h
Magnesium, sat. paste	1.94	meq/L	0.08		SW6010B	08/03/11 13:15 / eli-h
Sodium, sat. paste	1.05	meq/L	0.04		SW6010B	08/03/11 13:15 / eli-h
Sodium Adsorption Ratio (SAR)	0.6	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	5	mg/kg	5		SW6010B	08/03/11 13:02 / eli-h
Barium	382	mg/kg	5		SW6010B	08/02/11 14:55 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 14:55 / eli-h
Chromium	37	mg/kg	5		SW6010B	08/02/11 14:55 / eli-h
Copper	23	mg/kg	5		SW6010B	08/02/11 14:55 / eli-h
Lead	14	mg/kg	5		SW6010B	08/03/11 13:02 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 10:16 / eli-h
Nickel	19	mg/kg	5		SW6010B	08/02/11 14:55 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 14:55 / eli-h

Report Definitions:	RL - Analyte reporting limit.	MCL - Maximum contaminant level.
	QCL - Quality control limit.	ND - Not detected at the reporting limit.
	D - RL increased due to sample matrix.	J - Estimated value. The analyte was present but less than the reporting limit.
	S - Spike recovery outside of advisory limits.	

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_1
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-006

Report Date: 08/06/11
Collection Date: 07/27/11 12:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192843

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
METALS, TOTAL						
Silver	ND	mg/kg	5		SW6010B	08/03/11 15:52 / eli-h
Zinc	63	mg/kg	5		SW6010B	08/02/11 14:55 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_2
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-007

Report Date: 08/06/11
Collection Date: 07/27/11 12:15
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192844

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/01/11 18:01 / eli-b
Total Purgeable Hydrocarbons	3.3	mg/kg	2.0		SW8015B	08/01/11 18:01 / eli-b
Surr: Trifluorotoluene	82.0	%REC	70-130		SW8015B	08/01/11 18:01 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.						
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	ND	mg/kg	10		SW8015B	08/02/11 22:39 / eli-b
Total Extractable Hydrocarbons	50	mg/kg	10		SW8015B	08/02/11 22:39 / eli-b
Surr: o-Terphenyl	103	%REC	50-150		SW8015B	08/02/11 22:39 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28.						
- Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/29/11 23:57 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/29/11 23:57 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/29/11 23:57 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/29/11 23:57 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/29/11 23:57 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/29/11 23:57 / eli-b
Surr: Dibromofluoromethane	111	%REC	70-132		SW8260B	07/29/11 23:57 / eli-b
Surr: 1,2-Dichloroethane-d4	98.0	%REC	60-136		SW8260B	07/29/11 23:57 / eli-b
Surr: Toluene-d8	114	%REC	75-138		SW8260B	07/29/11 23:57 / eli-b
Surr: p-Bromofluorobenzene	124	%REC	78-160		SW8260B	07/29/11 23:57 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.82	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:48 / eli-h
pH, sat. paste	7.8	s.u.	0.1		ASAM10-3.2	08/02/11 07:55 / eli-h
Calcium, sat. paste	5.94	meq/L	0.05		SW6010B	08/03/11 13:24 / eli-h
Magnesium, sat. paste	1.57	meq/L	0.08		SW6010B	08/03/11 13:24 / eli-h
Sodium, sat. paste	2.30	meq/L	0.04		SW6010B	08/03/11 13:24 / eli-h
Sodium Adsorption Ratio (SAR)	1.2	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	6	mg/kg	5		SW6010B	08/03/11 13:06 / eli-h
Barium	354	mg/kg	5		SW6010B	08/02/11 14:59 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 14:59 / eli-h
Chromium	29	mg/kg	5		SW6010B	08/02/11 14:59 / eli-h
Copper	14	mg/kg	5		SW6010B	08/02/11 14:59 / eli-h
Lead	14	mg/kg	5		SW6010B	08/03/11 13:06 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 10:18 / eli-h
Nickel	16	mg/kg	5		SW6010B	08/02/11 14:59 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 14:59 / eli-h

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_2
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-007

Report Date: 08/06/11
Collection Date: 07/27/11 12:15
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192844

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
METALS, TOTAL						
Silver	ND	mg/kg	5		SW6010B	08/03/11 15:55 / eli-h
Zinc	46	mg/kg	5		SW6010B	08/02/11 14:59 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_3
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-008

Report Date: 08/06/11
Collection Date: 07/27/11 13:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192845

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/02/11 02:15 / eli-b
Total Purgeable Hydrocarbons	ND	mg/kg	2.0		SW8015B	08/02/11 02:15 / eli-b
Surrogate: Trifluorotoluene	82.0	%REC	70-130		SW8015B	08/02/11 02:15 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.						
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	ND	mg/kg	10		SW8015B	08/02/11 09:44 / eli-b
Total Extractable Hydrocarbons	20	mg/kg	10		SW8015B	08/02/11 09:44 / eli-b
Surrogate: o-Terphenyl	103	%REC	50-150		SW8015B	08/02/11 09:44 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28.						
- Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/30/11 00:23 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/30/11 00:23 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/30/11 00:23 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/30/11 00:23 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/30/11 00:23 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/30/11 00:23 / eli-b
Surrogate: Dibromofluoromethane	91.0	%REC	70-132		SW8260B	07/30/11 00:23 / eli-b
Surrogate: 1,2-Dichloroethane-d4	76.0	%REC	60-136		SW8260B	07/30/11 00:23 / eli-b
Surrogate: Toluene-d8	100	%REC	75-138		SW8260B	07/30/11 00:23 / eli-b
Surrogate: p-Bromofluorobenzene	109	%REC	78-160		SW8260B	07/30/11 00:23 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.49	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:48 / eli-h
pH, sat. paste	7.9	s.u.	0.1		ASAM10-3.2	08/02/11 07:55 / eli-h
Calcium, sat. paste	1.73	meq/L	0.05		SW6010B	08/03/11 13:27 / eli-h
Magnesium, sat. paste	0.83	meq/L	0.08		SW6010B	08/03/11 13:27 / eli-h
Sodium, sat. paste	2.74	meq/L	0.04		SW6010B	08/03/11 13:27 / eli-h
Sodium Adsorption Ratio (SAR)	2.4	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	6	mg/kg	5		SW6010B	08/03/11 13:10 / eli-h
Barium	305	mg/kg	5		SW6010B	08/02/11 15:02 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 15:02 / eli-h
Chromium	33	mg/kg	5		SW6010B	08/02/11 15:02 / eli-h
Copper	17	mg/kg	5		SW6010B	08/02/11 15:02 / eli-h
Lead	12	mg/kg	5		SW6010B	08/03/11 13:10 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 10:21 / eli-h
Nickel	18	mg/kg	5		SW6010B	08/02/11 15:02 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 15:02 / eli-h

Report Definitions: RL - Analyte reporting limit.
MCL - Maximum contaminant level.
QCL - Quality control limit.
ND - Not detected at the reporting limit.
D - RL increased due to sample matrix.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_3
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-008

Report Date: 08/06/11
Collection Date: 07/27/11 13:00
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192845

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
METALS, TOTAL						
Silver	ND	mg/kg	5		SW6010B	08/03/11 15:58 / eli-h
Zinc	54	mg/kg	5		SW6010B	08/02/11 15:02 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_4
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-009

Report Date: 08/06/11
Collection Date: 07/27/11 13:20
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192846

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
PETROLEUM HYDROCARBONS-VOLATILE						
Gasoline Range Organics (GRO)	ND	mg/kg	2.0		SW8015B	08/02/11 03:25 / eli-b
Total Purgeable Hydrocarbons	18	mg/kg	2.0		SW8015B	08/02/11 03:25 / eli-b
Surr: Trifluorotoluene	96.0	%REC	70-130		SW8015B	08/02/11 03:25 / eli-b
- Note 1: Gasoline Range Organics(GRO) are defined as all hydrocarbons eluting between 2-Methylpentane and 1,2,4-Trimethylbenzene.						
- Note 2: Total Purgeable Hydrocarbons are defined as the total hydrocarbon responses regardless of elution time.						
PETROLEUM HYDROCARBONS-SEMI-VOLATILE						
Diesel Range Organics (DRO)	21	mg/kg	10		SW8015B	08/02/11 10:35 / eli-b
Total Extractable Hydrocarbons	52	mg/kg	10		SW8015B	08/02/11 10:35 / eli-b
Surr: o-Terphenyl	94.0	%REC	50-150		SW8015B	08/02/11 10:35 / eli-b
- Note 1: Diesel Range Organics are defined as all hydrocarbons eluting between C10 and C28.						
- Note 2: Total Extractable Hydrocarbons are defined as the total hydrocarbon response regardless of elution time.						
VOLATILE ORGANIC COMPOUNDS						
Benzene	ND	mg/kg	0.20		SW8260B	07/30/11 00:50 / eli-b
Ethylbenzene	ND	mg/kg	0.20		SW8260B	07/30/11 00:50 / eli-b
Toluene	ND	mg/kg	0.20		SW8260B	07/30/11 00:50 / eli-b
m+p-Xylenes	ND	mg/kg	0.20		SW8260B	07/30/11 00:50 / eli-b
o-Xylene	ND	mg/kg	0.20		SW8260B	07/30/11 00:50 / eli-b
Xylenes, Total	ND	mg/kg	0.20		SW8260B	07/30/11 00:50 / eli-b
Surr: Dibromofluoromethane	92.0	%REC	70-132		SW8260B	07/30/11 00:50 / eli-b
Surr: 1,2-Dichloroethane-d4	81.0	%REC	60-136		SW8260B	07/30/11 00:50 / eli-b
Surr: Toluene-d8	95.0	%REC	75-138		SW8260B	07/30/11 00:50 / eli-b
Surr: p-Bromofluorobenzene	106	%REC	78-160		SW8260B	07/30/11 00:50 / eli-b
SATURATED PASTE						
Conductivity, sat. paste	0.38	mmhos/cm	0.05	D	ASAM10-3	08/02/11 09:49 / eli-h
pH, sat. paste	7.8	s.u.	0.1		ASAM10-3.2	08/02/11 07:56 / eli-h
Calcium, sat. paste	2.67	meq/L	0.05		SW6010B	08/03/11 13:31 / eli-h
Magnesium, sat. paste	0.84	meq/L	0.08		SW6010B	08/03/11 13:31 / eli-h
Sodium, sat. paste	0.70	meq/L	0.04		SW6010B	08/03/11 13:31 / eli-h
Sodium Adsorption Ratio (SAR)	0.5	unitless	0.1		USDA20b	08/03/11 10:49 / eli-h
METALS, TOTAL						
Arsenic	8	mg/kg	5		SW6010B	08/02/11 15:13 / eli-h
Barium	245	mg/kg	5		SW6010B	08/02/11 15:13 / eli-h
Cadmium	ND	mg/kg	1		SW6010B	08/02/11 15:13 / eli-h
Chromium	28	mg/kg	5		SW6010B	08/02/11 15:13 / eli-h
Copper	14	mg/kg	5		SW6010B	08/02/11 15:13 / eli-h
Lead	11	mg/kg	5		SW6010B	08/03/11 13:15 / eli-h
Mercury	ND	mg/kg	0.5		SW7471A	08/02/11 10:23 / eli-h
Nickel	16	mg/kg	5		SW6010B	08/02/11 15:13 / eli-h
Selenium	ND	mg/kg	5		SW6010B	08/02/11 15:13 / eli-h

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.
D - RL increased due to sample matrix.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.

LABORATORY ANALYTICAL REPORT

Prepared by Gillette, WY Branch

Client: Whiting Petroleum Corporation
Site Name: Boies_Ranch
Project: Soil_Sampling
Client Sample ID: SO_Boies_Background_Sect_3_4
Location:
Samp FRQ/Type: SP
Lab ID: G11070820-009

Report Date: 08/06/11
Collection Date: 07/27/11 13:20
Date Received: 07/28/11
Sampled By: Scott Gustin
Matrix: Soil
Tracking Number: 192846

Analyses	Result	Units	RL	Qualifier	Method	Analysis Date / By
METALS, TOTAL						
Silver	ND	mg/kg	5		SW6010B	08/03/11 16:01 / eli-h
Zinc	47	mg/kg	5		SW6010B	08/02/11 15:13 / eli-h

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.

Workorder Receipt Checklist



Whiting Petroleum Corporation

G11070820

Login completed by: Misty Voegele

Date Received: 7/28/2011

Reviewed by: BL2000\kruff

Received by: mav

Reviewed Date: 7/28/2011

Carrier FedEx
name:

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature:	16.0 °C From Field		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Contact and Corrective Action Comments:

None

Chain of Custody and Analytical Request Record

Page _____ of _____

PLEASE PRINT (Provide as much information as possible.)

Company Name: <i>Whiting Petroleum Corp.</i>		Project Name, PWS, Permit, Etc. <i>Boies-Ranch / Baseline Soils</i>		Sample Origin State:		EPA/State Compliance: Yes <input type="checkbox"/> No <input type="checkbox"/>	
Report Mail Address: <i>InterTech</i>		Contact Name: Phone/Fax: <i>Scott Gustin 910-263-8679</i>		Email: <i>sgustin@chmsinc.com</i>		Sampler: (Please Print)	
Invoice Address: <i>InterTech</i>		Invoice Contact & Phone:		Purchase Order:		Quote/Bottle Order:	
Special Report/Formats:		Number of Containers Sample Type: AW SVB O DW Air Water Soils/Solids Vegetation Bioassay Other DW - Drinking Water	ANALYSIS REQUESTED			→ Contact ELI prior to RUSH sample submittal for charges and scheduling – See Instruction Page R U S H Standard Turnaround (TAT) SEE ATTACHED	Shipped by: <i>5025</i> Cooler ID(s): Comments: Receipt Temp <i>16.8 °C</i> On Ice: <input checked="" type="checkbox"/> Custody Seal On Bottle <input checked="" type="checkbox"/> On Cooler <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> Signature Match <input checked="" type="checkbox"/> <i>1070820</i>
<input type="checkbox"/> DW <input type="checkbox"/> POTW/WWTP <input type="checkbox"/> State: _____ <input type="checkbox"/> Other: _____			<input type="checkbox"/> EDD/EDT (Electronic Data) Format: _____ <input type="checkbox"/> LEVEL IV <input type="checkbox"/> NELAC				
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date	Collection Time	MATRIX				
1 <i>SO-Boies-Bckgrnd Sect 1-1</i>	<i>7/27/11</i>	<i>1000</i>	<i>4 Soils</i>	<input checked="" type="checkbox"/>			
2 <i>SO-Boies-Bckgrnd Sect 1-2</i>		<i>1030</i>		<input checked="" type="checkbox"/>			
3 <i>SO-Boies-Bckgrnd Sect 2-1</i>		<i>1130</i>		<input checked="" type="checkbox"/>			
4 <i>SO-Boies-Bckgrnd Sect 2-2</i>		<i>1100</i>		<input checked="" type="checkbox"/>			
5 <i>SO-Boies-Bckgrnd Sect 2-3</i>		<i>1145</i>		<input checked="" type="checkbox"/>			
6 <i>SO-Boies-Bckgrnd Sect 3-1</i>		<i>1200</i>		<input checked="" type="checkbox"/>			
7 <i>SO-Boies-Bckgrnd Sect 3-2</i>		<i>1215</i>		<input checked="" type="checkbox"/>			
8 <i>SO-Boies-Bckgrnd Sect 3-3</i>		<i>1300</i>		<input checked="" type="checkbox"/>			
9 <i>SO-Boies-Bckgrnd Sect 3-4</i>		<i>1320</i>		<input checked="" type="checkbox"/>			
10 <i>SO-Boies-Bckgrnd Sect</i>							
LABORATORY USE ONLY							
Custody Record MUST be Signed	Relinquished by (print): <i>Scott Gustin</i>	Date/Time: <i>7/27/11 1700</i>	Signature: <i>Scott Gustin</i>	Received by (print):	Date/Time:	Signature:	
	Relinquished by (print):	Date/Time:	Signature:	Received by (print):	Date/Time:	Signature:	
				Received by Laboratory:	Date/Time:	Signature:	
Sample Disposal: Return to Client: _____	Lab Disposal:	<i>1070820</i> <i>1000</i>					

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested.

This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, and links.

11070820

Modified Table 910-1

Organic Compounds in Soil

TPH (total volatile and extractable petroleum hydrocarbons)

VOCs

Benzene

Toluene

Ethylbenzene

Xylenes (Total)

Metals

Arsenic

Barium

Cadmium

Chromium (III)

Copper

Lead (inorganic)

Mercury

Nickel (soluble salts)

Selenium

Silver

Zinc

Physical Parameters

Electrical Conductivity (EC)

Sodium Adsorption Ratio (SAR)

pH