



DRILLING COMPANY, INC.

WICHITA, KANSAS

Proposed Plugging of Wellbore

	<p>15sk. Plug at surface</p> <p>13-3/8" csg set @ 486'. Cmt w/460 sks. 550' Perf & pump 100 sks leave 100' in casing TOC @ 550'</p> <p>TOC @ 1450'.</p> <p>40 sk. plug from 1750' to 1550' in casing 8-5/8" csg set at 1733' - cmt w/100 sks.</p> <p>40 sk. plug from 2600' to 2400' in casing 3104' DV Tool cmt w/150 sks.</p> <p>3830' Top of cmt from Perf & Pump.</p> <p>Set CIBP @ 4090' w/2 sks cmt. Perfs @ 4140' - 4186' (TA)</p> <p>4200' - Perf & Pump 175 sks., then squeeze 150 sks. 4290' - Base of cmt from squeeze. Top of Cement at 4530'.</p> <p>Put 2 sks cement on CIBP CIBP set @ 5280'. Perfs @ 5298' - 5380' (D&A).</p> <p>CIBP set @ 5422' w/2 sks cmt. Perfs @ 5438' - 5442' (D&A).</p> <p>CIBP set @ 5443' w/2 sks cmt. Perfs @ 5446' - 5454' (D&A).</p> <p>5-1/2", 15.5# csg set at 5498'. Cmt w/210 sks.</p>	<p>Date: 3/27/2014</p> <p>Well Name: Gerweck #1-4</p> <p>Location: NW NW 4-13S-44W 660' FNL & 660' FWL</p> <p>County: Cheyenne</p> <p>State: Colorado</p> <p>API: 05-017-07772</p> <p>KB: 4272'</p> <p>GL: 4261'</p> <p>Spud Date: 4/2/2014</p>																																				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">LOG TOPS:</th> <th style="text-align: left;">DEPTH:</th> </tr> </thead> <tbody> <tr><td>Anhydrite</td><td>3084</td></tr> <tr><td>B/Anhydrite</td><td>3124</td></tr> <tr><td>Shawnee</td><td>4127</td></tr> <tr><td>Heebner Shale</td><td>4320</td></tr> <tr><td>Lansing</td><td>4360</td></tr> <tr><td>Stark Shale</td><td>4595</td></tr> <tr><td>B/KC</td><td>4694</td></tr> <tr><td>Marmaton</td><td>4717</td></tr> <tr><td>Ft. Scott</td><td>4798</td></tr> <tr><td>Cherokee Shale</td><td>4857</td></tr> <tr><td>Atoka</td><td>5003</td></tr> <tr><td>Morrow Shale</td><td>5125</td></tr> <tr><td>Keyes</td><td>5234</td></tr> <tr><td>Miss-St. Louis</td><td>5281</td></tr> <tr><td>Spergen</td><td>5382</td></tr> <tr><td>RTD</td><td>5500</td></tr> <tr><td>LTD</td><td>5499</td></tr> </tbody> </table>	LOG TOPS:	DEPTH:	Anhydrite	3084	B/Anhydrite	3124	Shawnee	4127	Heebner Shale	4320	Lansing	4360	Stark Shale	4595	B/KC	4694	Marmaton	4717	Ft. Scott	4798	Cherokee Shale	4857	Atoka	5003	Morrow Shale	5125	Keyes	5234	Miss-St. Louis	5281	Spergen	5382	RTD	5500	LTD	5499
LOG TOPS:	DEPTH:																																					
Anhydrite	3084																																					
B/Anhydrite	3124																																					
Shawnee	4127																																					
Heebner Shale	4320																																					
Lansing	4360																																					
Stark Shale	4595																																					
B/KC	4694																																					
Marmaton	4717																																					
Ft. Scott	4798																																					
Cherokee Shale	4857																																					
Atoka	5003																																					
Morrow Shale	5125																																					
Keyes	5234																																					
Miss-St. Louis	5281																																					
Spergen	5382																																					
RTD	5500																																					
LTD	5499																																					