

Coalview 602-63-1HN
Coalview 602-64-1HN

T4N-R65W 6th p.m.
Sec. 1: E2SE4
Weld County, CO

Weld County, Colorado, Southern Part

47—Olney fine sandy loam, 1 to 3 percent slopes

Map Unit Setting

Elevation: 4,600 to 5,200 feet
Mean annual precipitation: 11 to 15 inches
Mean annual air temperature: 46 to 54 degrees F
Frost-free period: 125 to 175 days

Map Unit Composition

Olney and similar soils: 85 percent
Minor components: 15 percent

Description of Olney

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Mixed deposit outwash

Properties and qualities

Slope: 1 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water
(Ksat): Moderately high to high (0.57 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline (0.0 to 2.0 mmhos/cm)
Available water capacity: Moderate (about 7.0 inches)

Interpretive groups

Farmland classification: Prime farmland if irrigated and the product of
I (soil erodibility) x C (climate factor) does not exceed 60
Land capability classification (irrigated): 3e
Land capability (nonirrigated): 4c
Hydrologic Soil Group: B
Ecological site: Sandy Plains (R067BY024CO)

Typical profile

0 to 10 inches: Fine sandy loam
10 to 20 inches: Sandy clay loam
20 to 25 inches: Sandy clay loam
25 to 60 inches: Fine sandy loam

Minor Components

Zigweid

Percent of map unit: 10 percent

Vona

Percent of map unit: 5 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Southern Part

Survey Area Data: Version 12, Jan 3, 2014

Coalview 602-63-1HN
Coalview 602-64-1HN
T4N-R64W, 6th p.m.
Sec. 1: E2SE4
Weld County, CO

Weld County, Colorado, Southern Part

57—Renohill clay loam, 3 to 9 percent slopes

Map Unit Setting

Elevation: 4,850 to 5,200 feet
Mean annual precipitation: 11 to 16 inches
Mean annual air temperature: 46 to 48 degrees F
Frost-free period: 100 to 160 days

Map Unit Composition

Renohill and similar soils: 85 percent
Minor components: 13 percent

Description of Renohill

Setting

Landform: Hills, ridges
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Residuum weathered from shale

Properties and qualities

Slope: 3 to 9 percent
Depth to restrictive feature: 20 to 40 inches to paralithic bedrock
Drainage class: Well drained
Capacity of the most limiting layer to transmit water
(Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 5 percent
Available water capacity: Low (about 5.6 inches)

Interpretive groups

Farmland classification: Not prime farmland
Land capability classification (irrigated): 4e
Land capability (nonirrigated): 4e
Hydrologic Soil Group: C
Ecological site: Clayey Plains (R067BY042CO)

Typical profile

0 to 9 inches: Clay loam
9 to 32 inches: Clay loam
32 to 36 inches: Unweathered bedrock

Minor Components

Shingle

Percent of map unit: 8 percent

Ulm

Percent of map unit: 5 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Southern Part

Survey Area Data: Version 12, Jan 3, 2014