

FORM
6Rev
12/05

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400617221

Date Received:

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 53255

Contact Name: Naomi Azulai

Name of Operator: MARALEX RESOURCES, INC

Phone: (970) 5634000

Address: P O BOX 338

Fax: (970) 5634116

City: IGNACIO State: CO Zip: 81137

Email: naomi@maralexinc.com

For "Intent" 24 hour notice required,

Name: KELLERBY, SHAUN

Tel: (970) 285-7235

COGCC contact:

Email: shaun.kellerby@state.co.us

API Number 05-077-08314-00

Well Name: USA

Well Number: 1-17JC

Location: QtrQtr: SWNW Section: 17 Township: 9S Range: 98W Meridian: 6

County: MESA

Federal, Indian or State Lease Number: 35257

Field Name: BRONCO FLATS

Field Number: 7563

☒ Notice of Intent to Abandon☐ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.274700

Longitude: -108.358355

GPS Data:

Date of Measurement: 11/18/2010

PDOP Reading: 6.0

GPS Instrument Operator's Name: B.Brandeberry

Reason for Abandonment:

☐ Dry☒ Production for Sub-economic☐ Mechanical Problems☐ OtherCasing to be pulled: ☐ Yes☒ No

Estimated Depth:

Fish in Hole: ☐ Yes☒ No

If yes, explain details below

Wellbore has Uncemented Casing leaks: ☐ Yes☒ No

If yes, explain details below

Details:

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
DAKOTA	7026	7052	08/31/1984	BRIDGE PLUG	7005

Total: 1 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	12+1/4	8+5/8	24	201	200	201	0	CALC
1ST	7+7/8	4+1/2	10.5	7,455	200	7,455	6,750	CBL

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 260 with 16 sacks cmt on top. CIBP #2: Depth 2200 with 5 sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 6720 ft. with 25 sacks. Leave at least 100 ft. in casing 6700 CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set 10 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing Plugging Date: _____

*Wireline Contractor: _____ *Cementing Contractor: _____

Type of Cement and Additives Used: _____

Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☐ No *ATTACH JOB SUMMARY

Technical Detail/Comments:

4 1/2" x 8 5/8" annulus will be filled with cement from 260' to surface with 59 sacks (which were not included in the volume for the CIBP #1 on this form).
CIBP #2 set at 2200' has 5 sacks on top as designated on form and in addition has 10 sacks squeezed through perforations at 2183-2185' which were not included on the volumes on the forms since there was no appropriate field to enter the information.
These details are included on the attached plugging procedure and well bore diagrams.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Naomi Azulai

Title: Production Technician Date: _____ Email: naomi@maralexinc.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY: _____

Expiration Date: _____

Attachment Check List

Att Doc Num

Name

400617303	PROPOSED PLUGGING PROCEDURE
400617304	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)