

Weld County, Colorado, Northern Part

54—Platner loam, 0 to 3 percent slopes

Map Unit Setting

Elevation: 4,500 to 5,900 feet
Mean annual precipitation: 17 to 19 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 140 to 165 days

Map Unit Composition

Platner and similar soils: 80 percent
Minor components: 20 percent

Description of Platner

Setting

Landform: Stream terraces, plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous loamy alluvium

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water
(Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 10 percent
Maximum salinity: Nonsaline (0.0 to 2.0 mmhos/cm)
Available water capacity: Moderate (about 8.9 inches)

Interpretive groups

Farmland classification: Prime farmland if irrigated
Land capability classification (irrigated): 2e
Land capability (nonirrigated): 3e
Hydrologic Soil Group: C
Ecological site: Loamy Plains (R067BY002CO)

Typical profile

0 to 4 inches: Loam
4 to 24 inches: Clay
24 to 60 inches: Sandy loam

Minor Components

Ascalon

Percent of map unit: 8 percent

Manzanola

Percent of map unit: 6 percent

Nunn

Percent of map unit: 6 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Northern Part

Survey Area Data: Version 9, Dec 23, 2013