

**FORM INSP**  
Rev 05/11

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:  
06/06/2014

Document Number:  
675100003

Overall Inspection:  
SATISFACTORY

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>428571</u>	<u>428571</u>	<u>GRANAHAN, KYLE</u>	<input type="checkbox"/>	

**Operator Information:**

OGCC Operator Number: 10396

Name of Operator: SOUTHWESTERN ENERGY PRODUCTION COMPANY

Address: 2350 N SAM HOUSTON PKWY EAST #125

City: HOUSTON State: TX Zip: 77032

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Shaun Kellerby		shaun.kellerby@state.co.us	
Burke, Sean	501-339-7059	sean_burke@swn.com	Wants all inspection

**Compliance Summary:**

QtrQtr: LOT 9 Sec: 30 Twp: 6N Range: 90W

**Inspector Comment:**

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
428568	WELL	PR	10/07/2012	LO	081-07722	SIMOES 12-30	SI <input checked="" type="checkbox"/>

**Equipment:**

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: <u>2</u>	Electric Motors: _____
Gas or Diesel Mortors: <u>1</u>	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location**

**Signs/Marker:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	ACTION REQUIRED	Operator name not correct.	Install sign to comply with rule 210.	07/26/2014

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_



Group	User	Comment	Date
OGLA	kubeczko	<p><b>SITE SPECIFIC COAs:</b></p> <p>A closed loop system must be implemented during drilling (which operator has indicated on the Form 2A); or, if a drilling pit is constructed, it must be lined. All cuttings generated during drilling with oil based muds or high chloride/TDS mud must be kept in the lined drilling pit, or placed either in containers or on a lined/bermed portion of the well pad; prior to offsite disposal. The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.</p> <p>Reserve pit must be lined or a closed loop system must be implemented during drilling.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Flowback and stimulation fluids must be sent to tanks and/or filters before the fluids can be placed into any pipeline or pit. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p>	04/10/2012
OGLA	kubeczko	<p>Initiated/Completed OGLA Form 2A review on 04-10-12 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, lined pits/closed loop, moisture content cuttings, cuttings management, flowback to tanks, and tank berming COAs from operator on 04-10-12; received acknowledgement of COAs from operator on 04-10-12; passed by CPW on 04-16-12 with operator agreed to BMPs acceptable; passed OGLA Form 2A review on 04-18-12 by Dave Kubeczko; fluid containment, spill/release BMPs, lined pits/closed loop, moisture content cuttings, cuttings management, flowback to tanks, and tank berming COAs.</p>	04/10/2012

**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
Wildlife	1)Conduct oil and gas development activities outside the time period from December 1 through April 15 to minimize disturbance to Elk in their winter concentration area.  2)Restrict post-development well site visitations to between the hours of 10:00 a.m. and 3:00 p.m. and reduce well site visitations between December 1 and April 15 in elk winter range.  3)Establish company guidelines (policies) to minimize wildlife mortality from vehicle collisions on roads (post speed limits on private roads, conduct safety training, etc).  4)Gate single-purpose roads and restrict general public access to reduce traffic disruptions to wildlife if applicable on private roads.  5)Close and immediately reclaim all roads that are redundant, not used regularly, or have been abandoned to the maximum extent possible to minimize disturbance and habitat fragmentation.  6)Avoid aggressive non-native grasses and shrubs in elk habitat restoration.  7)Reclaim elk habitats with native shrubs, grasses, and forbs appropriate to the ecological site disturbed.  8)Reclaim site (interim and final) to match existing vegetation. CPW can assist the landowner and operator in recommending a site appropriate seed mix.  9)Establish bank stabilization, erosion control, and storm water management techniques for susceptible well pad cut and fill slopes.

**S/A/V:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

\_\_\_\_\_

**Facility**

Facility ID: 428568 Type: WELL API Number: 081-07722 Status: PR Insp. Status: SI

**Idle Well**

Purpose:  Shut In     Temporarily Abandoned    Reminder: EQUIPMENT ONSITE  
S/A/V: SATISFACTORY    CA Date: \_\_\_\_\_  
CA: \_\_\_\_\_  
Comment: Well was shut in temporarily while another well in the area was being fracked and is flowing back.

**Environmental**

**Spills/Releases:**

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_  
Comment: \_\_\_\_\_  
Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_  
Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_  
Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

Lat \_\_\_\_\_ Long \_\_\_\_\_  
DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_  
Comment: \_\_\_\_\_  
Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_  
Land Use: DRY LAND  
Comment: \_\_\_\_\_  
1003a. Debris removed? Pass CM \_\_\_\_\_ CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Waste Material Onsite? Pass CM \_\_\_\_\_ CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Unused or unneeded equipment onsite? Pass CM \_\_\_\_\_ CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Pit, cellars, rat holes and other bores closed? Pass CM \_\_\_\_\_ CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_ CA \_\_\_\_\_ CA Date \_\_\_\_\_  
Guy line anchors marked? Pass CM \_\_\_\_\_ CA \_\_\_\_\_ CA Date \_\_\_\_\_  
1003b. Area no longer in use? Pass Production areas stabilized ? \_\_\_\_\_

1003c. Compacted areas have been cross ripped? \_\_\_\_\_  
 1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_  
 Cuttings management: \_\_\_\_\_  
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_  
 Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_ P \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation \_\_\_\_\_ Fail \_\_\_\_\_

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: DRY LAND \_\_\_\_\_

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_ Well Release on Active Location  Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Waddles	Pass	Gravel	Pass	MHSP	Pass	secondary containment in use

S/A/V: SATISFACTOR \_\_\_\_\_ Corrective Date: \_\_\_\_\_  
 Y \_\_\_\_\_

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT

**Attached Documents**

Inspector Name: GRANAHAN, KYLE

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
675100018	Sign at entrance of location and wellhead	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3360068">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3360068</a>