

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400602681

Date Received:

05/12/2014

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Katie Kistner

Phone: (720) 9294317

Fax:

Email: katie.kistner@anadarko.com

5. API Number 05-123-38540-00

7. Well Name: PARAGON

8. Location: QtrQtr: SESE Section: 6 Township: 1N Range: 65W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 40C-31HZ

### Completed Interval

FORMATION: CODELL-FORT HAYS Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 04/19/2014 End Date: 04/24/2014 Date of First Production this formation: 05/03/2014

Perforations Top: 7834 Bottom: 14409 No. Holes: 0 Hole size: 0

Provide a brief summary of the formation treatment:

Open Hole: ☒

COMPLETED THROUGH AN OPEN HOLE LINER FROM 7834-14409.  
86873 BBL CROSSLINK GEL, 4361 BBL LINEAR GEL, 35527 BBL SLICKWATER, 126761 BBL TOTAL FLUID.  
8763466# 30/50 OTTAWA/ST. PETERS, 8763466# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 126761

Max pressure during treatment (psi): 7468

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.92

Total acid used in treatment (bbl): 0

Number of staged intervals: 40

Recycled water used in treatment (bbl): 0

Flowback volume recovered (bbl): 6970

Fresh water used in treatment (bbl): 126761

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 8763466

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on [FracFocus.org](http://FracFocus.org)

#### Test Information:

Date: 05/11/2014 Hours: 24 Bbl oil: 335 Mcf Gas: 486 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 335 Mcf Gas: 486 Bbl H2O: 0 GOR: 1451

Test Method: FLOWING Casing PSI: 1650 Tubing PSI: Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1205 API Gravity Oil: 48

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth:

\*\* Sacks cement on top:

\*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Katie Kistner

Title: Regulatory Analyst Date: 5/12/2014 Email: rscdjpostdrill@anadarko.com

### Attachment Check List

Att Doc Num Name

400602681 FORM 5A SUBMITTED

Total Attach: 1 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Completion is Ft Hays/Codell per operator. Ready to pass.	5/2/2014 1:49:38 PM
Permit	Codell perfs are above the top of the Codell. Otherwise ready to pass.	5/30/2014 2:30:14 PM

Total: 2 comment(s)