

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
06/16/2014

Document Number:
675100076

Overall Inspection:
SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>430108</u>	<u>430108</u>	<u>GRANAHAN, KYLE</u>	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number:	<u>10396</u>
Name of Operator:	<u>SOUTHWESTERN ENERGY PRODUCTION COMPANY</u>
Address:	<u>2350 N SAM HOUSTON PKWY EAST #125</u>
City:	<u>HOUSTON</u> State: <u>TX</u> Zip: <u>77032</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Kellerby, Shaun		shaun.kellerby@state.co.us	
Alan Rice		alan_rice@swn.com	

Compliance Summary:

QtrQtr: SE NE Sec: 11 Twp: 6N Range: 92W

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
430109	WELL	XX	08/31/2012	LO	081-07749	WELKER 42-11	DG <input checked="" type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: <u> </u>	Drilling Pits: <u> </u>	Wells: <u>1</u>	Production Pits: <u> </u>
Condensate Tanks: <u> </u>	Water Tanks: <u>1</u>	Separators: <u>2</u>	Electric Motors: <u> </u>
Gas or Diesel Mortors: <u>1</u>	Cavity Pumps: <u> </u>	LACT Unit: <u> </u>	Pump Jacks: <u>1</u>
Electric Generators: <u> </u>	Gas Pipeline: <u> </u>	Oil Pipeline: <u> </u>	Water Pipeline: <u> </u>
Gas Compressors: <u> </u>	VOC Combustor: <u> </u>	Oil Tanks: <u>2</u>	Dehydrator Units: <u> </u>
Multi-Well Pits: <u> </u>	Pigging Station: <u> </u>	Flare: <u> </u>	Fuel Tanks: <u> </u>

Location

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
DRILLING/RECOMP	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date:

Comment:

Corrective Action:

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Multiple Spills and Releases?

Fencing/:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY	Corral fence		

Venting:	
Yes/No	Comment

Flaring:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 430108

Site Preparation:

Lease Road Adeq.: SATISFACTORY Pads: SATISFACTORY Soil Stockpile: _____

S/AV: SATISFACT

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>A closed loop system must be implemented during drilling (which operator has indicated on the Form 2A); or, if a closed loop system drilling rig is not used/available, then an amended Form 2A will need to be submitted/approved to include a drilling pit, and a Form 15 Earthen Pit Permit will also need to be submitted/approved prior to construction of the pit (the drilling pit will be required to be lined, fenced, and netted). All cuttings generated during drilling with oil based muds or high chloride/TDS mud must be kept in containers, a lined/bermed portion of the well pad, or the lined drilling (if permitted and constructed) prior to offsite disposal. The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Notify the COGCC 48 hours prior to start of pad construction, pit liner installation (if applicable), rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as shown on the Proposed BMPs attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>The moisture content of any freshwater generated drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the freshwater generated drill cuttings are to be onsite, they must also meet the applicable standards of table 910-1.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p>	08/30/2012

S/A/V: SATISFACTORY

Comment:

Location looked good, stormwater BMP's in place and maintained. Talked about the requirements of having a bear proof dumpster on location and the importance of keeping hatches and lids shut.

CA:

Date:

Wildlife BMPs:

BMP Type	Comment
Site Specific	Quicksilver Resources Inc. is an original participating operator in the COGA Baseline Groundwater Quality Sampling Program and will follow the COGA program on this well.
Wildlife	1. Where oil and gas activities must occur in mule deer critical winter range, elk winter concentration area, and pronghorn antelope winter concentration areas, conduct these activities outside the time period from December 1 through April 15. 2. Restrict post-development well site visitations to between the hours of 10:00 a.m. and 3:00 p.m. from December 1 to April 15, to accommodate big game winter ranges. 3. Establish company guidelines to minimize wildlife mortality from vehicle collisions on roads. 4. Gate single purpose roads and restrict general public access to reduce traffic disruptions to wildlife. 5. Close and immediately reclaim all roads that are redundant, not used regularly, or have been abandoned to the maximum extent possible to minimize disturbance and habitat fragmentation. 6. Install and utilize bear-proof dumpsters and trash receptacles for all food-related trash on location, following COGCC Rule 1204 a-1.

S/A/V: SATISFACTORY **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Erosion BMPs	Present	Other BMPs	Present
BERMS	Yes		

S/A/V: SATISFACTORY

Corrective Action: _____ Date: _____

Comments: Erosion BMPs: _____

Other BMPs: _____

WADDLES	Yes		
---------	-----	--	--

S/A/V: SATISFACTORY

Corrective Action: _____ Date: _____

Comments: Erosion BMPs: _____

Other BMPs: _____

RETENTION PONDS	Yes		
-----------------	-----	--	--

S/A/V: SATISFACTORY

Corrective Action: _____ Date: _____

Comments: Erosion BMPs: _____

Other BMPs: _____

DITCHES	Yes		
---------	-----	--	--

S/A/V: SATISFACTORY

Corrective Action: _____ Date: _____

Comments: Erosion BMPs: _____

Other BMPs: _____

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:
 Name: _____ Address: _____
 Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:
 Landman Name: _____ Phone Number: _____
 Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____
 Request LGD Attendance: _____

LGD Contact Information:
 Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 430109 Type: WELL API Number: 081-07749 Status: XX Insp. Status: DG

Well Drilling

Rig: Rig Name: Precision Drilling Pusher/Rig Manager: Not available
 Permit Posted: SATISFACTORY Access Sign: SATISFACTORY

Well Control Equipment:
 Pipe Ram: _____ Blind Ram: _____ Hydril Type: _____
 Pressure Test BOP: _____ Test Pressure PSI: _____ Safety Plan: _____
YES

Drill Fluids Management:
 Lined Pit: _____ Unlined Pit: _____ Closed Loop: YES Semi-Closed Loop: _____
 Multi-Well: _____ Disposal Location: _____

Comment:
Rig was in process of rigging up, walked around location with Alan Rice - Senior Drilling Super for SEPCO. If all goes well, SEPCO hopes to spud near 6/20/2014.

Environmental

Spills/Releases:
 Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
 Comment: _____
 Corrective Action: _____ Date: _____
 Reportable: _____ GPS: Lat _____ Long _____
 Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:
 DWR Receipt Num: _____ Owner Name: _____ GPS: _____ Lat _____ Long _____

Field Parameters:

 Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: DRY LAND

Comment: _____

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: DRY LAND

Reminder: _____

Comment:

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment:

Corrective Action: Date _____

Overall Final Reclamation Well Release on Active Location Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment:

CA:

Pits: NO SURFACE INDICATION OF PIT