

From: Kiki.Lockett@oxy.com
To: Arthur.Koepsell@state.co.us
Subject: RE: Groundwater Sundry Notices 400629121, 400629131, 400629141, 400629179
Date: Friday, June 20, 2014 12:49:22 PM

Yes, I don't know why it was saving multiple copies, I tried to delete them duplicates. Please delete 400629193 and change 400629121, 400629131, 400629141, 400629179 from 1 to 4.

Thank you....

Thanks,

L. Kiki Lockett

Oxy Permian EOR | Regulatory Specialist | Office 713.215.7643 | Fax 713.985.4962 | Cell 832.829.9259 | Room #28.127 | kiki_lockett@oxy.com

Willard Unit(TX), Bravo Dome(NM), Sheep Mountain (CO), P5 Compliance(Inactive Wells TX), New Mexico Bonds

"The trick is in what one emphasizes. We either makes ourselves miserable, or we make ourselves happy. The amount of work is the same." Carlos Castaneda

From: Arthur Koepsell - DNR [<mailto:Arthur.Koepsell@state.co.us>]
Sent: Friday, June 20, 2014 1:42 PM
To: Lockett, Kiki
Subject: Groundwater Sundry Notices 400629121, 400629131, 400629141, 400629179

Kiki,

The number of exceptions requested on the above referenced Sundry Notices should be changed from 1 to 4. As discussed in a previous email an exception be requested for each sample that is not going to be collected under rule 609.

Document number 400629193 for the Sheep Mountain Init 8-15-D is a duplicate Sundry and should be deleted.

With you approval I will make the changes and deletions to Sundries.

Thanks,

Arthur

Arthur W. Koepsell, P.G.
Environmental Data Analyst



1120 Lincoln Street, Suite 801, Denver, CO 80203
arthur.koepsell@state.co.us | www.colorado.gov/cogcc