

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

06/23/2014

Document Number:

671101604

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	434986	434988	MONTOYA, JOHN	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 47120Name of Operator: KERR MCGEE OIL & GAS ONSHORE LPAddress: P O BOX 173779City: DENVER State: CO Zip: 80217-

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Avant, Paul	720-929-6475	Paul.Avant@anadarko.com	regulatory
Cocciolone, Ashley	720-929-6625	ashley.Cocciolone@anadarko.com	regulatory supervisor

Compliance Summary:QtrQtr: SESE Sec: 32 Twp: 2N Range: 65W**Inspector Comment:****Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
434986	WELL	DG	02/11/2014	LO	123-38404	DREILING 27C-32HZ	PR	<input checked="" type="checkbox"/>
434987	WELL	DG	02/11/2014	LO	123-38405	DREILING 27N-32HZ	PR	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>2</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: <u>3</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: <u>1</u>	Pump Jacks: <u>2</u>
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>4</u>	Oil Tanks: <u>3</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location**Signs/Marker:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
BATTERY	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Inspector Name: MONTOYA, JOHN

CONTAINERS	SATISFACTORY			
------------	--------------	--	--	--

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?

Fencing/:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK BATTERY	SATISFACTORY			
SEPARATOR	SATISFACTORY			
IGNITOR/COMBUST OR	SATISFACTORY			

Equipment:

Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Horizontal Heated Separator	2	SATISFACTORY			
Plunger Lift	2	SATISFACTORY			
Compressor	1	SATISFACTORY			
Ancillary equipment	1	SATISFACTORY	METHANOL PUMP		
LACT	1	SATISFACTORY			
Vertical Separator	2	SATISFACTORY			
Bird Protectors	6	SATISFACTORY			
Other	3	SATISFACTORY	500 BBL FRAC TANKS FOR PROD WATER		
VRU	1	SATISFACTORY			
Gas Meter Run	4	SATISFACTORY			

Inspector Name: MONTOYA, JOHN

Facilities:		<input type="checkbox"/> New Tank		Tank ID: _____	
Contents	#	Capacity	Type	SE GPS	
PRODUCED WATER	1	300 BBLS	PBV FIBERGLASS	,	
S/A/V:	SATISFACTORY		Comment: _____		
Corrective Action: _____				Corrective Date: _____	
Paint					
Condition	Adequate				
Other (Content) _____					
Other (Capacity) _____					
Other (Type) _____					
Berms					
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate	
Corrective Action				Corrective Date	
Comment					
Facilities:		<input type="checkbox"/> New Tank		Tank ID: _____	
Contents	#	Capacity	Type	SE GPS	
CRUDE OIL	3	300 BBLS	STEEL AST	40.054500, -104.407090	
S/A/V:	SATISFACTORY		Comment: _____		
Corrective Action: _____				Corrective Date: _____	
Paint					
Condition	Adequate				
Other (Content) _____					
Other (Capacity) _____					
Other (Type) _____					
Berms					
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate	
Corrective Action				Corrective Date	
Comment					
Venting:					
Yes/No		Comment			
NO					
Flaring:					
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date	
Ignitor/Combustor	SATISFACTORY				
Predrill					
Location ID: 434986					
Site Preparation:					
Lease Road Adeq.: _____		Pads: _____		Soil Stockpile: _____	

S/AV: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:**S/AV:** _____ **Comment:** _____**CA:** _____**Date:** _____**Wildlife BMPs:**

BMP Type	Comment
Construction	604c.(2).M. Fencing Requirements: The completed wellsites will be surrounded with a fence and gate with adequate lock. KMG personnel will monitor the wellsites regularly upon completion of the wells. Authorized representatives and/or KMG personnel shall be on-site during drilling and completion operations.
Drilling/Completion Operations	604c.(2).L. Drill Stem Tests: No drill stem tests will be performed without prior approval from the director.
General Housekeeping	604c.(2).N. Control of Fire Hazards: KMG and its contractors will employ best management practices during the drilling and production of its wells and facilities and will comply with appropriate COGCC rules concerning safety and fire. KMG will ensure that any material that might be deemed a fire hazard will be will remain no less than twenty-five (25) feet from the wellhead(s), tanks and separator(s).
Noise mitigation	604c.(2).A. Noise: Sound mitigation barriers (hay bales) will be placed along the north-eastern, eastern and south-western sides of the pad location to damper noise during drilling and completions to the nearby residences and to Weld County Roads 14 and 41. A natural tree wall exists along the south side of the location which will provide additional noise abatement. CR 41 is paved and we will not bring access in on CR14 to reduce impact.
Drilling/Completion Operations	604c.(2).J. BOPE for Well Servicing Operations: Blowout prevention equipment will be used on any servicing operations associated with this well. Backup stabbing valves will be used during any future servicing operations during reverse circulation. Valves shall be pressure tested before each well servicing operation using low-pressure air and high-pressure fluid.
Drilling/Completion Operations	604c.(2).Q. Guy Line Anchors: Should guy line anchors be left buried for future use, they shall be identified by a bright marker greater than four (4) feet high and no more than one (1) foot east of the guy line anchor.
Drilling/Completion Operations	604c.(2).H. BOPE: Our rigs at a minimum will have a double ram with blind and pipe ram; and annular preventer.
Drilling/Completion Operations	604c.(2).C. Green Completions: KMG will install Vapor Recovery Unit(s) (VRU's) to prevent uncontrolled venting of flash gas. Environmental Control Devices (ECD) will be used to control working and breathing vapor losses for oil and water tanks. Produced oil and gas will be piped off of location to minimize air pollution.
Planning	604c.(2).V. Development From Existing Well Pads: An existing pad was not available to utilize to develop these wells.
Construction	604c.(2).G. Berm Construction: A geosynthetic liner will be laid under the tanks on this location and a metal containment has been constructed.
Material Handling and Spill Prevention	604c.(2).K. Pit Level Indicators: KMG uses an Electronic Drilling Recorder (EDR) with pit level monitor(s) and alarm(s) for production rigs. Basic level gages are used on pits utilized for the surface rig.
Drilling/Completion Operations	604c.(2).E. Multiwell Pads: This 2A application is for a two-well pad.
Drilling/Completion Operations	604c.(2).O. Loadlines: All loadlines shall be bullplugged or capped.
Drilling/Completion Operations	604c.(2).I. BOPE Testing for Drilling Operations: Upon initial rig-up, BOPE's will be tested at a minimum of every 30-days.
Traffic control	604c.(2).D. Traffic Plan: If required by the local government, a traffic plan will be coordinated with the local jurisdiction prior to commencement of operations.

Inspector Name: MONTOYA, JOHN

Drilling/Completion Operations	604c.(2).U. Identification of Plugged and Abandoned Wells: Pursuant to rule 319.a.(5)., once the well has been plugged and abandoned, KMG will identify the location of the wellbore with a permanent monument that will detail the well name and date of plugging.
Construction	604c.(2).R. Tank Specifications: Condensate storage tanks will be designed, constructed and maintained in accordance with National Fire Protection Association (NFPA) Code 30 (2008 version). KMG will maintain written records to verify proper design, construction and maintenance. All records will be available for inspection by the Director.
Storm Water/Erosion Control	604c.(2).W. Site-specific Measures: KMG maintains a Stormwater Management Plan that assesses erosion control for every KMG operated location. This well pad will be added to this plan once construction begins. This plan is updated every fourteen (14) days and after any major weather event. No additional mitigation measures have been requested by the surface owner or surrounding owners of this location.
Drilling/Completion Operations	604c.(2).B. Closed Loop Drilling System: KMG will use a closed loop or "pitless" system for drilling and fluid management and will not construct a reserve pit.
Construction	604c.(2).S. Access Roads: KMG will utilize the lease access road from WCR 41 for drilling operations and maintenance equipment. The road will be properly constructed and maintained to accommodate for local emergency vehicle access.
General Housekeeping	604c.(2).P. Removal of Surface Trash: A commercial size trash bin for removing debris will be located on site. This bin will be for use by all parties affiliated with the operation.
Material Handling and Spill Prevention	604c.(2).F. Leak Detection Plan: Automation technology will be utilized at this facility. This technology includes the use of fluid level monitoring for the tanks and produced water sumps, high-level shut offs, and electronic sensors to monitor the interstitial space of double-walled produced water sumps. All automation is monitored by Kerr-McGee's Integrated Operations Center (IOC,) which is manned 24 hours per day, 7 days per week.
Drilling/Completion Operations	604c.(2).T. Well Site Cleared: The wellsite will be cleared of all non-essential equipment within ninety (90) days after all wells associated with the pad have been plugged and abandoned.

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 434986 Type: WELL API Number: 123-38404 Status: DG Insp. Status: PR

Producing Well

Comment: PR

Facility ID: 434987 Type: WELL API Number: 123-38405 Status: DG Insp. Status: PR

Producing Well

Comment: PR

Environmental**Spills/Releases:**

Type of Spill: Description: Estimated Spill Volume:

Comment:

Corrective Action: Date:

Reportable: GPS: Lat Long

Proximity to Surface Water: Depth to Ground Water:

Water Well:

DWR Receipt Num: Owner Name: GPS : Lat Long

Field Parameters:

Sample Location:

Emission Control Burner (ECB):

Comment:

Pilot: Wildlife Protection Devices (fired vessels):

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: IRRIGATED

Comment:

1003a. Debris removed? CM

CA CA Date

Waste Material Onsite? CM

CA CA Date

Unused or unneeded equipment onsite? CM

CA CA Date

Pit, cellars, rat holes and other bores closed? CM

CA CA Date

Guy line anchors removed? CM

CA CA Date

Guy line anchors marked? CM

CA _____

CA Date _____

1003b. Area no longer in use? _____

Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____

Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____

Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____

Recontoured _____

Perennial forage re-established _____

Non-Cropland

Top soil replaced _____

Recontoured _____

80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: _____

Date Final Reclamation Completed: _____

Final Land Use: IRRIGATED _____

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Compaction alleviation _____

Dust and erosion control _____

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Weeds present _____

Subsidence _____

Comment: _____

Corrective Action: _____

Date _____

Overall Final Reclamation _____

Well Release on Active Location ☐Multi-Well Location ☐**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: ☐ NO SURFACE INDICATION OF PIT

