

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

06/26/2014

Document Number:

675200141

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	427016	427016	CONKLIN, CURTIS	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 100322Name of Operator: NOBLE ENERGY INCAddress: 1625 BROADWAY STE 2200City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Kellerby, Shaun		shuan.kellerby@state.co.us	
Fallang, Tracey		tfallang@billbarrettcorp.com	All Inspections
Axelson, Aaron	970-230-0926	aaxelson@billbarrettcorp.com	Production Foreman
Hirtler, Christina	970-876-1959	chirtler@billbarrettcorp.com	All Inspections

Compliance Summary:QtrQtr: SWSW Sec: 30 Twp: 6S Range: 91W**Inspector Comment:****Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
427017	WELL	PR	09/07/2012	GW	045-21248	Scott 41C-36-692	PR
427024	WELL	DA	02/28/2012	GW	045-21249	Scott 43A-25-692	DA
427025	WELL	PR	07/25/2012	GW	045-21250	GGU 14A-30-691	PR
427026	WELL	PR	10/16/2012	GW	045-21251	Scott 44C-25-692	PR
427028	WELL	PR	08/15/2012	GW	045-21252	GGU 24C-30-691	PR
427030	WELL	PR	07/25/2012	GW	045-21253	GGU 11C-31-691	PR
427032	WELL	PR	10/02/2012	GW	045-21254	GGU 24B-30-691	PR
427033	WELL	PR	08/15/2012	GW	045-21255	GGU 14C-30-691	PR
427034	WELL	PR	07/25/2012	GW	045-21256	GGU 13B-30-691	PR
427037	WELL	PR	07/25/2012	GW	045-21257	GGU 13A-30-691	PR
427039	WELL	PR	09/07/2012	GW	045-21258	Scott 44A-25-692	PR
427040	WELL	PR	10/16/2012	GW	045-21259	Scott 43C-25-692	PR
427044	WELL	PR	08/15/2012	GW	045-21260	GGU 24A-30-691	PR

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: <u>1</u>	Wells: <u>13</u>	Production Pits: _____
Condensate Tanks: <u>8</u>	Water Tanks: <u>4</u>	Separators: <u>13</u>	Electric Motors: _____
Gas or Diesel Mortors: <u>1</u>	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>2</u>
Gas Compressors: <u>1</u>	VOC Combustor: <u>1</u>	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: <u>1</u>	Flare: _____	Fuel Tanks: _____

Location**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date
Access	SATISFACTORY			

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: _____

Comment: Nearest public road not listed on signs.

Corrective Action: _____

Good Housekeeping:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
OTHER	SATISFACTORY	Stormwater material stacked on location		

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?**Fencing/:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY	Panels		
LOCATION	SATISFACTORY	Wire fence		
SEPARATOR	SATISFACTORY	Wire Panels		

Equipment:

Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Emission Control Device	1	SATISFACTORY	Unable to determine if pilot was lit.		
Ancillary equipment	3	SATISFACTORY	2 on Containments 1 on trailer		
Bird Protectors	17	SATISFACTORY			
Plunger Lift	12	SATISFACTORY			
Deadman # & Marked	6	SATISFACTORY			

Inspector Name: CONKLIN, CURTIS

Horizontal Heated Separator	13	SATISFACTORY	In containment		
Gathering Line	1	SATISFACTORY			

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	4	500 BBLS	STEEL AST	,

S/A/V: SATISFACTORY	Comment:	
---------------------	----------	--

Corrective Action:		Corrective Date:	
--------------------	--	------------------	--

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action		Corrective Date	
-------------------	--	-----------------	--

Comment	Same
---------	------

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	6	500 BBLS	HEATED STEEL AST	39.492970,-107.603990

S/A/V: SATISFACTORY	Comment:	
---------------------	----------	--

Corrective Action:		Corrective Date:	
--------------------	--	------------------	--

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action		Corrective Date	
-------------------	--	-----------------	--

Comment	
---------	--

Venting:	
Yes/No	Comment
YES	Bradenhead valves open

Flaring:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 427016

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:**S/A/V:** _____ **Comment:** _____**CA:** _____ **Date:** _____**Wildlife BMPs:**

BMP Type	Comment
Wildlife	<p>BBC WILDLIFE BEST MANAGEMENT PRACTICES GENERAL WILDLIFE AND ENVIRONMENTAL PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Establish policies to protect wildlife (e.g., no poaching, no firearms, no dogs on location, no feeding of wildlife, etc.) • Promptly report spills that affect wildlife to the Water Quality Control Division of CDPHE and CDOW • Avoid location staging, refueling, and storage areas within 300 feet, of any reservoir, lake, wetland, or natural perennial or seasonal flowing stream or river. <p>INFRASTRUCTURE LAYOUT WILDLIFE PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Implementing fugitive dust control measures • Limit parking to disturbed areas as much as possible <p>DRILLING AND PRODUCTION OPERATION WILDLIFE PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multifunction contractors, where practicable. • Install exclusionary device to prevent bird and other wildlife access to equipment stacks, vents and openings. • Establish company guidelines to minimize wildlife mortality from vehicle collision on roads. <p>FLUID PIT/POND WILDLIFE PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Install and maintain adequate measures to exclude all types of wildlife (e.g., big game and birds) from all fluid pits/ponds with fencing, flagging and other appropriate exclusion measures). BBC currently installs 6' wildlife proof fences on all pits and freshwater ponds with free liquids. In addition, BBC will install bird netting over "inactive" pits with free liquids after 30 days of inactivity. <p>INVASIVE/NON-NATIVE VEGETATION CONTROL</p> <ul style="list-style-type: none"> • Educate employees and contractors about noxious and invasive weed issues. <p>RESTORATION, RECLAMATION AND ABANDONMENT</p> <ul style="list-style-type: none"> • Avoid aggressive non-native grasses and shrubs in mule deer and elk habitat restorations. • Revegetate with seed mixtures that are of the surface owner's preference that are compatible with both livestock and wildlife.

Storm Water/Erosion Control	<p>BBC STORM WATER AND SPILL CONTROL PRACTICES</p> <p>GENERAL</p> <ul style="list-style-type: none"> • Utilize diking and other forms of containment and diversions around tanks, drums, chemicals, liquids, pits, impoundments, or well pads • Use drip pans, sumps, or liners where appropriate • Limit the amount of land disturbed during construction of pad, access road, and facilities • Employ spill response plan (SPCC) for all facilities • Dispose properly offsite any wastes fluids and other materials <p>MATERIAL HANDLING, ACTIVITIES, PRACTICES AND STORM WATER DIVERSION</p> <ul style="list-style-type: none"> • Secondary containment of tanks, drums, and storage areas is mandatory to prohibit discharges to surface waters. A minimum of 110% capacity required of largest storage tank within a containment area • Material handling and spill prevention procedures and practices will be followed to help prohibit discharges to surface waters • Proper loading, and transportation procedures to be followed for all materials to and from locations <p>EROSION CONTROL</p> <ul style="list-style-type: none"> • Pad and access road to be designed to minimize erosion • Pad and access road to implement appropriate erosion control devices where necessary to minimize erosion • Routine inspections of sites and controls to be implemented with additions, repairs, and optimization to occur as necessary to minimize erosion <p>SELF INSPECTION, MAINTENANCE, AND HOUSEKEEPING</p> <ul style="list-style-type: none"> • All employees are trained in spill response, good housekeeping, material management practices, and procedures for equipment and container washing annually • Conduct internal storm water inspections per applicable stormwater regulations • Conduct routine informal inspections of all tanks and storage facilities at least weekly • All containment areas are to be inspected weekly or following a heavy rain event. • Any excessive precipitation accumulation within containment should be removed as appropriate and disposed of properly • All structural berms, dikes, and containment will be inspected periodically to ensure they are operating correctly <p>SPILL RESPONSE</p> <ul style="list-style-type: none"> • Spill response procedures as per the BBC field SPCC Plan <p>VEHICLE & LOCATION PROCEDURES</p> <ul style="list-style-type: none"> • Vehicles entering location are to be free of chemical, oil, mud, weeds, trash, and debris • Location to be treated to kill weeds and bladed when necessary <p>Bill Barrett Corp. – CDPHE Stormwater Permit Number: COR-039752</p>
-----------------------------	---

Storm Water/Erosion Control	<p>BBC STORM WATER AND SPILL CONTROL PRACTICES</p> <p>GENERAL</p> <ul style="list-style-type: none"> • Utilize diking and other forms of containment and diversions around tanks, drums, chemicals, liquids, pits, impoundments, or well pads • Use drip pans, sumps, or liners where appropriate • Limit the amount of land disturbed during construction of pad, access road, and facilities • Employ spill response plan (SPCC) for all facilities • Dispose properly offsite any wastes fluids and other materials <p>MATERIAL HANDLING, ACTIVITIES, PRACTICES AND STORM WATER DIVERSION</p> <ul style="list-style-type: none"> • Secondary containment of tanks, drums, and storage areas is mandatory to prohibit discharges to surface waters. A minimum of 110% capacity required of largest storage tank within a containment area • Material handling and spill prevention procedures and practices will be followed to help prohibit discharges to surface waters • Proper loading, and transportation procedures to be followed for all materials to and from locations <p>EROSION CONTROL</p> <ul style="list-style-type: none"> • Pad and access road to be designed to minimize erosion • Pad and access road to implement appropriate erosion control devices where necessary to minimize erosion • Routine inspections of sites and controls to be implemented with additions, repairs, and optimization to occur as necessary to minimize erosion <p>SELF INSPECTION, MAINTENANCE, AND HOUSEKEEPING</p> <ul style="list-style-type: none"> • All employees are trained in spill response, good housekeeping, material management practices, and procedures for equipment and container washing annually • Conduct internal storm water inspections per applicable stormwater regulations • Conduct routine informal inspections of all tanks and storage facilities at least weekly • All containment areas are to be inspected weekly or following a heavy rain event. • Any excessive precipitation accumulation within containment should be removed as appropriate and disposed of properly • All structural berms, dikes, and containment will be inspected periodically to ensure they are operating correctly <p>SPILL RESPONSE</p> <ul style="list-style-type: none"> • Spill response procedures as per the BBC field SPCC Plan <p>VEHICLE & LOCATION PROCEDURES</p> <ul style="list-style-type: none"> • Vehicles entering location are to be free of chemical, oil, mud, weeds, trash, and debris • Location to be treated to kill weeds and bladed when necessary <p>Bill Barrett Corp. – CDPHE Stormwater Permit Number: COR-039752</p>
-----------------------------	---

Drilling/Completion Operations	<p>BBC GENERAL PRACTICES NOTIFICATIONS</p> <ul style="list-style-type: none"> • Proper notifications required by COGCC regulations or policy memos will be adhered to TRENCHES/PITS/TEMPORARY FRAC TANKS • Unlined pits will not be constructed on fill material. • Drill cuttings from the wellbore will be directed into a lined and bermed surface containment. Any free liquids accumulated in the containment would be removed as soon as practicable. • Drilling pits utilized for completion operations will be permitted (if applicable) and lined, operated in accordance with COGCC regulations, specifically Rule 903 and Rule 904. All permitted pits (Form 15) will be closed per Rule 905 and non-permitted drilling pits would be closed in accordance with Rule 1003. • Drilling pits used for completion will be fenced with appropriate wildlife mesh on the bottom portion. Appropriate netting will be installed within 30 days of the pit becoming inactive. • Flowback and stimulation fluids from the wells being completed will be sent to tanks and/or filters to allow the sand to settle out before the fluids are placed into the pit for reuse or disposal at a BBC SWD facility. • All flowback water will be confined to the lined completion pit or storage tanks for a period not to exceed ninety days and will be recycled for re-use, piped or trucked offsite to one of the approved disposal facilities below. Flowback sands stored on location will be remediated and buried on location or hauled to a state approved disposal facility. <ul style="list-style-type: none"> o Circle B Land 33A-35-692SWD, API# 05-045-18493, UIC# 159277 o GGU Rodreick #21B-31-691 SWD, API# 05-045-13803, UIC# 159176 o Specialty #13A-28-692 SWD, API# 05-045-14054, UIC# 159212 o Scott 41D-36-692 SWD, API# 05-045-11169, UIC# 159159 • Temporary frac tanks installed on location will have proper secondary containment according to SPCC regulations such as either putting a perimeter berm around location or around the frac tanks.
Drilling/Completion Operations	<p>BBC GENERAL PRACTICES NOTIFICATIONS</p> <ul style="list-style-type: none"> • Proper notifications required by COGCC regulations or policy memos will be adhered to TRENCHES/PITS/TEMPORARY FRAC TANKS • Unlined pits will not be constructed on fill material. • Drill cuttings from the wellbore will be directed into a lined and bermed surface containments. Any free liquids accumulated in the containment would be removed as soon as practicable. • Drilling pits utilized for completion operations will be permitted (if applicable) and lined, operated in accordance with COGCC regulations, specifically Rule 903 and Rule 904. All permitted pits (Form 15) will be closed per Rule 905 and non-permitted drilling pits would be closed in accordance with Rule 1003. • Drilling pits used for completion will be fenced with appropriate wildlife mesh on the bottom portion. Appropriate netting will be installed within 30 days of the pit becoming inactive. • Flowback and stimulation fluids from the wells being completed will be sent to tanks and/or filters to allow the sand to settle out before the fluids are placed into the pit for reuse or disposal at a BBC SWD facility. • All flowback water will be confined to the lined completion pit or storage tanks for a period not to exceed ninety days and will be recycled for re-use, piped or trucked offsite to one of the approved disposal facilities below. Flowback sands stored on location will be remediated and buried on location or hauled to a state approved disposal facility. <ul style="list-style-type: none"> o Circle B Land 33A-35-692SWD, API# 05-045-18493, UIC# 159277 o GGU Rodreick #21B-31-691 SWD, API# 05-045-13803, UIC# 159176 o Specialty #13A-28-692 SWD, API# 05-045-14054, UIC# 159212 o Scott 41D-36-692 SWD, API# 05-045-11169, UIC# 159159 • Temporary frac tanks installed on location will have proper secondary containment according to SPCC regulations such as either putting a perimeter berm around location or around the frac tanks. <p>Date</p>

Wildlife	<p>BBC WILDLIFE BEST MANAGEMENT PRACTICES</p> <p>GENERAL WILDLIFE AND ENVIRONMENTAL PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Establish policies to protect wildlife (e.g., no poaching, no firearms, no dogs on location, no feeding of wildlife, etc.) • Promptly report spills that affect wildlife to the Water Quality Control Division of CDPHE and CDOW • Avoid location staging, refueling, and storage areas within 300 feet, of any reservoir, lake, wetland, or natural perennial or seasonal flowing stream or river. • Bear-proof dumpsters and trash receptacles for food-related trash at all facilities that generate such trash will be installed and utilized. <p>INFRASTRUCTURE LAYOUT WILDLIFE PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Implementing fugitive dust control measures • Limit parking to disturbed areas as much as possible <p>DRILLING AND PRODUCTION OPERATION WILDLIFE PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multifunction contractors, where practicable. • Install exclusionary device to prevent bird and other wildlife access to equipment stacks, vents and openings. • Establish company guidelines to minimize wildlife mortality from vehicle collision on roads. <p>FLUID PIT/POND WILDLIFE PROTECTION MEASURES</p> <ul style="list-style-type: none"> • Install and maintain adequate measures to exclude all types of wildlife (e.g., big game and birds) from all fluid pits/ponds with fencing, flagging and other appropriate exclusion measures). BBC currently installs 6' wildlife proof fences on all pits and freshwater ponds with free liquids. In addition, BBC will install bird netting over "inactive" pits with free liquids after 30 days of inactivity. <p>INVASIVE/NON-NATIVE VEGETATION CONTROL</p> <ul style="list-style-type: none"> • Educate employees and contractors about noxious and invasive weed issues. <p>RESTORATION, RECLAMATION AND ABANDONMENT</p> <ul style="list-style-type: none"> • Avoid aggressive non-native grasses and shrubs in mule deer and elk habitat restorations. • Revegetate with seed mixtures that are of the surface owner's preference that are compatible with both livestock and wildlife.
----------	---

S/A/V: _____ **Comment:** Bird Protection in place.

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

--

Summary of Operator Response to Landowner Issues:

--

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

--

Facility

Facility ID:	427025	Type:	WELL	API Number:	045-21250	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427026	Type:	WELL	API Number:	045-21251	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427028	Type:	WELL	API Number:	045-21252	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427030	Type:	WELL	API Number:	045-21253	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427032	Type:	WELL	API Number:	045-21254	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427033	Type:	WELL	API Number:	045-21255	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427034	Type:	WELL	API Number:	045-21256	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427037	Type:	WELL	API Number:	045-21257	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427039	Type:	WELL	API Number:	045-21258	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427040	Type:	WELL	API Number:	045-21259	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
Facility ID:	427044	Type:	WELL	API Number:	045-21260	Status:	PR	Insp. Status:	PR
<u>Producing Well</u>									
Comment:	PR								
<u>Environmental</u>									
Spills/Releases:									

Inspector Name: CONKLIN, CURTIS

Type of Spill: _____	Description: _____	Estimated Spill Volume: _____
Comment: _____		
Corrective Action: _____		Date: _____
Reportable: _____	GPS: Lat _____	Long _____
Proximity to Surface Water: _____	Depth to Ground Water: _____	

Water Well:		Lat _____	Long _____
DWR Receipt Num: _____	Owner Name: _____	GPS : _____	_____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____
Comment: _____
Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:	
Date Interim Reclamation Started: _____	Date Interim Reclamation Completed: _____
Land Use: RANGELAND	
Comment: _____	

1003a.	Debris removed? _____	CM _____	CA _____	CA Date _____
	Waste Material Onsite? _____	CM _____	CA _____	CA Date _____
	Unused or unneeded equipment onsite? _____	CM _____	CA _____	CA Date _____
	Pit, cellars, rat holes and other bores closed? _____	CM _____	CA _____	CA Date _____
	Guy line anchors removed? _____	CM _____	CA _____	CA Date _____
	Guy line anchors marked? _____	CM _____	CA _____	CA Date _____

1003b. Area no longer in use? _____	Production areas stabilized ? _____
-------------------------------------	-------------------------------------

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____	Subsidence over on drill pit? _____
-----------------------------------	-------------------------------------

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____	Segregated soils have been replaced? _____
--	--

RESTORATION AND REVEGETATION

Cropland

Inspector Name: CONKLIN, CURTIS

Top soil replaced _____

Recontoured _____

Perennial forage re-established _____

Non-Cropland

Top soil replaced _____

Recontoured _____

80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____

Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Compaction alleviation _____

Dust and erosion control _____

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Weeds present _____

Subsidence _____

Comment: _____

Corrective Action: _____

Date _____

Overall Final Reclamation _____

Well Release on Active Location ☐

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Berms	Pass	Compaction	Pass	MHSP	Pass	
Compaction	Pass	Ditches	Pass			
Slope Roughening	Pass					
Seeding	Pass					
Ditches	Pass	Gravel	Pass			
Gravel	Pass					

S/A/V: SATISFACTOR
Y

Corrective Date: _____

Comment: _____

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date
Stormwater material stacked on location.	conklinc	06/26/2014