

DISCLAIMER

All data, information, and reports provided by Mud Logging Services are for informational purposes only. While we strive to ensure the accuracy and reliability of the data presented, we make no warranties or guarantees regarding its completeness, accuracy, or suitability for any particular purpose. Mud Logging Services shall not be liable for any errors or omissions in the data, or for any losses or damages arising from the use of this data. Users are responsible for verifying the data and making their own decisions based on it.

Arrows Under Ground Mud Logging PVT. Limited
Mud Logging Unit
Powered by Arrows Under Ground Technology

Operator:	
Contractor:	
Rig Name:	
Well Name:	
Location:	
Field:	
Block:	
Country:	
Spud Date:	
Completion Date:	
Permit Number:	
API Number:	

Total Depth (MD)	ft	Max Gas	units
Total Depth (TVD)	ft	Max ROP	ft/hr
Max Mud Weight	sg	Max Pump Pressure	psi
Max Chlorides	mg/l	Max Flow Out	%

Mud Logging Unit

Arrows Under Ground Mud Logging PVT. Limited





0	Gamma Ray (GAPI)	200	
0	SP (mV)	200	
6	Caliper (in)	16	
TBHV (ft3)		ABHV (ft3)	
0.2	Deep Resistivity (Ohm-m)	2000	
0.2	Shallow Resistivity (Ohm-m)	2000	
0.2	Medium Resistivity (Ohm-m)	2000	
0.2	Rt (Ohm-m)	2000	

Database File: 13553.db
Dataset Pathname: pass2
Presentation Format: dil
Dataset Creation: Tue May 13 13:34:30 2014 by Log 0
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	200	
0	SP (mV)	200	
6	Caliper (in)	16	
TBHV (ft3)		ABHV (ft3)	
0.2	Deep Resistivity (Ohm-m)	2000	
0.2	Shallow Resistivity (Ohm-m)	2000	
0.2	Medium Resistivity (Ohm-m)	2000	
0.2	Rt (Ohm-m)	2000	



0	Gamma Ray (GAPI)	200	
0	SP (mV)	200	
6	Caliper (in)	16	
TBHV (ft3)		ABHV (ft3)	
0.2	Deep Resistivity (Ohm-m)	2000	
0.2	Shallow Resistivity (Ohm-m)	2000	
0.2	Medium Resistivity (Ohm-m)	2000	
0.2	Rt (Ohm-m)	2000	

Calibration Report

Database File: 13553.db
Dataset Pathname: pass1
Dataset Creation: Tue May 13 12:53:12 2014 by Log 0

Dual Induction Calibration Report

Serial-Model: 1011-PSI
Surface Cal Performed:

Loop:	Readings Air	Readings Loop	References Air	References Loop		Results m	Results b
Deep	0.000	1.000	0.000	1.000	mmho/m	0.510	-28.000
Medium	0.000	1.000	0.000	1.000	mmho/m	0.440	-28.000

Compensated Density Calibration Report

Serial-Model: 998-PSI
Master Calibration Performed: Mon Apr 21 14:34:15 2014

Master Calibration

	Density		Far Detector		Near Detector	
Magnesium	1.750	g/cc	7210.00	cps	9816.00	cps
Aluminum	2.690	g/cc	1326.00	cps	6231.00	cps

	Size		Reading
Small Ring		in	
Medium Ring		in	
Large Ring		in	

Compensated Neutron Calibration Report

Serial Number: 826
Tool Model: PSI

CALIBRATION

	Detector	Readings		Target		Normalization
Short Space		1.00	cps	1.00	cps	1.9000
Long Space		1.00	cps	1.00	cps	2.0900

Gamma Ray Calibration Report

Serial Number: 939
Tool Model: PSI
Performed: Mon Apr 21 14:34:25 2014

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 0.6200 GAPI/cps