

[Print](#)[Close](#)

RE: Rig Skid Ma-State # 12 well API # 05-073-06586-00

From: **Diana Burn - DNR** (diana.burn@state.co.us)

Sent: Mon 6/30/14 10:22 AM

To: JACK FINCHAM (fincham4@msn.com); Dirk Sutphin - DNR (dirk.sutphin@state.co.us)

Please proceed as proposed – please submit APD by close of business today.

Thanks,

Diana

From: JACK FINCHAM [mailto:fincham4@msn.com]

Sent: Monday, June 30, 2014 10:14 AM

To: Diana Burn

Subject: Rig Skid Ma-State # 12 well API # 05-073-06586-00

Diana

Wiepking-Fullerton Energy, LLC (W-F), Operator is requesting approval to skid the rig approximately 50' Southeast and drill an unplanned well as replacement for the following well:

API # 05-073-06586-00

Ma-State # 12 well

T10S, RE56W

Sec. 24: SWSE

Lincoln County, Colorado

Current footages 660' FSL - 1980' FEL

Skid Rig to approximately 620' FSL - 1960' FEL , will have surveyed location information by end of business today

Explanation of situation that resulted in lost hole and plugging

6-27-2014 @ 10: 45AM, drill pipe became stuck in hole at 6312'. Jaring operation on fish failed.

back off @ 4414'. Left approximately 1898' of fish in hole including with one PCD drill bit, 19 drill collars (593') and 1305' of drill pipe.

- 2) Total depth reached in lost hole 6312'
- 3) 324' of Surface Casing with 175 sks cement in lost hole, refer to attached cement job receipt.
- 4) 6-29-2014 hole plugged with cement plugs at the following:
 - 4414' - 40 sks cement - Class A
 - 4050' - 40 sks cement - Class A
 - 388' - 50 sks cement Class A
 - 15 sks cement at top of surface casing - Class A
 - 5 sks cement rat hole
 - 5 sks cement mouse hole

Refer to cement job receipt

New well will be named:

Ma-State # 12X

T10S, R56W

Sec. 24: SWSE

approximate footages 620' FSL - 1960' FEL - will have surveyed lat / long and footages by end of business today

proposed depth 8400' - vertical well -same as lost hole

Proposed formations Mississippian - MSSP - same as lost hole

Pennsylvanian - PENN - same as lost hole

Set surface casing 300' with approximately 165 sks of cement

W-F, Operator, will submit within 24 hrs or end of business on 7-1-2014

Form 6 - Well Abandonment Repot lost hole Ma-State # 12

Form 2 - Application for Permit to Drill new well named Ma-State # 12X

Form 4 - Location of add new well and amend Form 2A for addition of Replacement Well named Ma-State # 12X

Upon review, requesting confirmation of verbal approval for rig skid by telephone conservation 6-30-2014

Thanks

Jack Fincham

Agent for W-F

303-906-3335

From: diana.burn@state.co.us
Date: Mon, 30 Jun 2014 08:12:22 -0600
Subject: Rig Skid Guidance Document
To: fincham4@msn.com