

Location: C6
13159 CR 39
Platteville, CO 80651

Persons Completing Report:
First Shift: *DeSye*
7-3 2nd Shift: *DeSye*
3-11 Third Shift: *KL*
11-7

In case of Emergency dial 911

Day / Weather	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Fill
Date / Time	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Cham
7:00 AM	4848	341044	2150	2150	11'	20'3"	23'7"	1'3"	1'4"	15'9"	52	Comments
9:00 AM	4895	241671	2150	2150	17'7"	20'4"	21'		M5	M5	52	10:37
11:00 AM	4820	842072	2150	2150	24'2"	20'5"	23'6"	16'1"	M5	1'2"	52	9:16
1:00 PM	4857	842448	2150	2150	25'2"	20'1"	15'6"	16'1"	M5	1'2"	52	5:11
3:00 PM	4811	842910	2150	2150	21'	20'4"	23'8"	16'1"	M5	1'3"	52	
5:00 PM	4811	843302	2150	2150	20'6"	20'1"	23'7"	16'1"	M5	1'3"	52	
7:00 PM	4753	843646	2150	2150	19'3"	20'4"	23'7"	16'1"	M5	1'3"	KL	
9:00 PM	4672	844001	2150	2150	21'9"	19'1"	23'1"	16'1"	M5	1'3"	KL	
11:00 PM	0	844221	1750	1750	19'9"	19'3"	21'8"	16'1"	M5	1'3"	KL	
1:00 AM	4760	844229	2000	2000	13'3"	20'3"	24'2"	16'1"	M5	1'3"	KL	
3:00 AM	4691	844602	2050	2050	10'8"	18'4"	24'3"	16'1"	M5	1'3"	KL	
5:00 AM	4691	845092	2050	2050	7'1"	20'3"	22'1"	16'1"	M5	1'3"	KL	

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--	-------------	-----------	----------------	-----------------------------

Heat and Road off @ 8:50, 8:50

Comments:

Location: C6
13159 CR 39
Platteville, CO 80651

Persons Completing Report:
First Shift: JCS
7-3 2nd Shift: JCS
3-11 Third Shift: JCS/KC
11-7

In case of Emergency dial 911

Day/Time	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Fill
Date 10-3-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Char
Time											Comments	Tir
7:00 AM	4682	849298	2100	2100	4'7"	18.5	23.9	15.2	6.3	7'		10:13
9:00 AM	4672	849851	2100	2100	17'4"	20.4	23.5	15.2	6.3	8.8"		
11:00 AM	4672	850231	2100	2100	24'9"	19.3	24.3	15.2	6.3	8.11"		
1:00 PM	4672	850430	2100	2100	24'9"	20.5	23.0	15.2	6.3	9.3"		
3:00 PM	4672	85055	2100	2100	24'6"	20.0	23.0	N-4E	9.5"	5.2		
5:00 PM	4617	851357	2100	2100	24'3"	20.4	24.1	13.8	16.3	1.1"		
7:00 PM	4603	851743	2100	2100	24'9"	20.4	22.5	13.8	16.3	1.1"		
9:00 PM	4603	852171	2100	2100	24'3"	20.5	23.4	13.8	16.3	1.1"		
11:00 PM	4654	852768	2100	2100	22.0	20.5	23.2	13.8	16.3	1.1"		
1:00 AM	4645	853111	2100	2100	17'	19.9	23	13.8	16.3	1.1"		
3:00 AM	4635	853425	2100	2100	17.2	20.4	22.4	13.8	16.3	1.1"		
5:00 AM	4626	853709	2100	2100	14.7	20.1	22.0	13.8	16.3	1.1"		

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--	-------------	-----------	----------------	-----------------------------

Heat on @ 4:30 pm
Heat off @ 10:34 pm

Comments:

Location: C6
13159 CR 39
Platteville, CO 80651

Persons Completing Report:
First Shift: Phil T. 733 2nd Shift: 3-11 Third Shift: 11-7
Hanson

In case of Emergency dial 911

Day Sat	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Fill
Date 10-5-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Chan
Time											Comments	Time
7:00 AM	4672	858507	2100	2100	11.1	20.3	23.2	1.4"	17"	8"	PO	4:34
9:00 AM	4589	859102	2100	2100	13.4"	19.1"	24.2"	16.1"	16.1"	10.13"	U.T	6:00
11:00 AM	4571	859504	2100	2100	25.1	11.2"	23.2	7.8"	16.1"	11.7"	U.T	
1:00 PM	4561	859863	2100	2100	25.3	19.8	18.9	16.8	16.1	MT	PO	
3:00 PM	4361	860246	2100	2100	24.6	20.4	22.8	16.8	16.1	2.6	PT	
5:00 PM	4552	860645	2100	2100	24.4"	20.4"	24.1	16.8	16.1	3.1	U.T	
7:00 PM	4961	860972	2100	2100	25.1	20.4"	23.2"	16.8"	16.1"	3.3"	17.5	
9:00 PM	4952	861350	2100	2100	24.4	20.5	23.4	16.8"	16.1"	3.3"	17.5	
11:00 PM	4943	861609	2100	2100	23.3	20.5	33.1	16.8"	16.1"	3.3"	17.5	
1:00 AM	4952	862274	2100	2100	14.4	18.7	23.5	16.8"	16.1"	3.3"	17.5	
3:00 AM	4972	862626	2100	2100	19.7	19.6	23.2	16.8"	16.1"	3.3"	17.5	
5:00 AM	4961	862967	2100	2100	13.7	20.4	22.7	16.8"	16.1"	3.4"	17.5	

Hazard Class	Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date	Corrected	Other items needed or noted
--------------	-------------	--------------	-------------------------------------	-------------	-----------	------	-----------	-----------------------------

Heater on @ 12:30pm @ 73°F
Heater off @ 1:00pm @ 73°F

Comments:

Location: C6
13159 CR 39
Platteville, CO 80651

Persons Completing Report:
First Shift: *P.H.I.* 7-3 2nd Shift: *P.H.I.* 3-11 Third Shift: *A/onso* 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Fill
<i>SUNDAY</i>												
Date <i>10-6-13</i>												
Time	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	Comments	Char
7:00 AM	4552	863070	2100	2100	13.6	20.4	22.5	16.8"	16.1"	3.8"	P.O.	4.05
9:00 AM	4441	863631	2100	2100	20.4"	20.4"	23.6"	16.8"	16.1"	5.8"	U.T.	
11:00 AM	4432	864000	2100	2100	23.7"	20.5"	23.1"	16.8"	16.1"	6.8"	U.T.	
1:00 PM	4422	864398	2100	2100	24.2	19.6	23.3	16.8"	16.1"	7.2"	P.O. RT	
3:00 PM	4293	864715	2100	2100	24.7	20.4	23.9	16.8"	16.1"	8.8"	P.O.	
5:00 PM	4302	865094	2100	2100	24.9"	19.6"	23.4"	14.8"	16.1"	8.8"	U.T.	
7:00 PM	4311	865457	2100	2100	24.7	20.5	23.6	14.8"	4.7"	8.10"	A.S.	
9:00 PM	4293	865794	2100	2100	24.3	18.8	24	precursor		8.10"	A.S.	
11:00 PM	4311	866240	2100	2100	20.7	15.8	24.1			8.10"	A.S.	
1:00 AM	4293	866537	2100	2100	18	20.4	23.8			8.10"	A.S.	
3:00 AM	4311	866918	2100	2100	15.6	20.4	22.3			8.10"	A.S.	
5:00 AM	4293	867285	2100	2100	12.7"	19.8"	22.3	4.8"	11.1"	8.10"	A.S.	

Hazard Class	Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
--------------	-------------	--------------	-------------------------------------	-------------	-----------	----------------	-----------------------------

Comments:

Location: C6
13159 CR 39
Platteville, CO 80651

Persons Completing Report:
First Shift: *Deese* 7-3
2nd Shift: *Deese* 3-11
Third Shift: *Atkinson* 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 10-8-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	4145	811644	2100	2100	16'8"	20'4"	23'14"	17'34"	6'7"	13'74"		4'39" 11:19 AM
9:00 AM	4145	872148	2100	2100	24'8"	20'5"	23'4"	16'3"	16'3"	13'74"		4'39" 11:19 AM
11:00 AM	4145	872478	2100	2100	24'6"	20'5"	23'94"	16'11"	16'34"	4'30"		4'30"
1:00 PM	4162	872455	2100	2100	21'8"	19'94"	22'8"	16'11"	16'34"	4'34"		4'34"
3:00 PM	4018	873140	2100	2100	14'8"	20'0"	24'11"	16'11"	16'34"	4'5"		4'5"
5:00 PM	4344	873561	2100	2100	20'7"	20'1"	22'94"	16'11"	6'6"	4'10"		4'10"
7:00 PM	4626	873831	2100	2100	19'2"	19'2"	24'3"	16'11"	6'0"	4'10"		4'10"
9:00 PM	4608	874184	2100	2100	18'8"	20'4"	23'94"	16'11"	6'6"	8'2"		8'2"
11:00 PM	4617	874610	2100	2100	19'8"	20'5"	22'7	16'11"	6'6"	8'2"		8'2"
1:00 AM	4608	874920	2100	2100	17'4"	18'9	24'2"	16'11"	6'6"	8'2"		8'2"
3:00 AM	4654	874632	2100	2100	13'6	18'1	24'3	16'11"	6'6"	8'2"		8'2"
5:00 AM	4608	875744	2100	2100	11'5"	20'1"	22'94"	16'11"	6'6"	9'		9'

Hazard Class Items Noted Loss control items noted standard or substandard Responsible Abatement Date Corrected Other items needed or noted

Comments:

Location: C6
 13159 CR 39
 Platteville, CO 80651

Persons Completing Report:
 First Shift: JESSIE
 7-312nd Shift: JESSIE
 3-11 Third Shift: HIC150
 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 10-21-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	4598	875928	2100	2100	4' 4"	18' 5"	24' 3"	16' 11"	6' 6"	9'		4:24 PM
9:00 AM	4608	876574	2100	2100	11' 3"	20' 0"	23' 9"		16' 10"			
11:00 AM	4589	876932	2100	2100	12'	19' 6"	23' 2"	16' 6"	16' 10"	1' 1"		
1:00 PM	4571	877331	2100	2100	17' 4"	19' 1"	23' 6"	16' 6"	6' 9"	2' 11"		
3:00 PM	0	877685	1800	1800	23'	18' 3"	21' 9"	16' 6"	6' 9"	3' 11"		
5:00 PM	0	877653	1700	1700	19' 6"	19' 1"	23' 6"	16' 6"	6' 9"	6' 6"		
7:00 PM	4457	877897	2000	2000	20' 7"	19' 8"	23' 2"	16' 6"	6' 9"	6' 6"		
9:00 PM	4469	878192	2000	2000	22' 9"	20' 5"	22' 9"	16' 6"	6' 9"	7' 5"		
11:00 PM	4506	878524	2000	2000	18' 3"	18' 6"	23' 3"	16' 6"	6' 9"	7' 5"		
1:00 AM	4515	878997	2000	2000	16' 7"	20' 3'	22' 3"	16' 6"	6' 9"	7' 5"		
3:00 AM	4496	879439	2000	2000	13' 2"	20' 3"	23' 2'	16' 6"	6' 9"	7' 5"		
5:00 AM	4504	879806	2000	2000	10' 6"	20' 3"	22' 8'		16' 8"	14' 3"		

Other items needed or noted
 Hicob on @ 10:35 AM 1020
 Hicob on @ 4:41 PM 1500

Comments:

Persons Completing Report:										Location: C6	
First Shift: Phil 7-3 2nd Shift										13159 CR 39 Platteville, CO 80651	
Third Shift:										3-11	
11-7											
In case of Emergency dial 911											
General Check or										Filter	
Comments										Changes	
Time											
Day	Friday										
Date	10-11-13	Flowmeter		Flowmeter		Chart		Discharge		System	
Time		Rate		Barrels		Pressure		Gauge		Tanks	
7:00 AM		4802		884384		2100		2100		12.9	
										20.4	
										23.5	
										31.6"	
										17'	
9:00 AM		4811		884942		2100		2100		19'	
										20'4"	
										23'4"	
										31.6"	
										17'	
11:00 AM		4811		885391		2100		2100		24'8"	
										20'6"	
										23'1"	
										31.6"	
										17'	
1:00 PM		4802		885+88		2100		2100		24'8"	
										20'6"	
										23'1"	
										31.6"	
										17'	
3:00 PM		4641		886173		2100		2100		24'5"	
										18.9	
										24.0	
										31.6"	
										17'	
5:00 PM		4534		886561		2100		2100		24.5	
										18.9	
										24.0	
										31.6"	
										17'	
7:00 PM		4534		887037		2100		2100		22.1	
										19.8	
										24.2	
										31.6"	
										17'	
9:00 PM		4532		887302		2100		2100		22.8	
										19.9	
										23.7	
										31.6"	
										17'	
11:00 PM		4524		887714		2100		2100		22.3	
										20.2	
										24.1	
										31.6"	
										17'	
1:00 AM		4552		888125		2100		2100		19.1	

Location: C6
13159 CR 39
Platteville, CO 80651

Persons Completing Report:
First Shift: Phil 7-3/2nd Shift: 3-11 Third Shift: Alonso 11-7

In case of Emergency dial 911

Day SAT	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Filter Change Time
Date 10-12-13												
Time												
7:00 AM	4552	888794	2100	2100	13.1	18.7	23.5	15.6	5.1	10.6	P.O. P.T.	10.45V
9:00 AM	4534	889611	2100	2100	22.4	20.4	22.8	15.6	5.1	11.7	V.T.	
11:00 AM	4543	889526	2100	2100	25.1	18.9	23.5	15.6	5.1	11.8	O.T.	
1:00 PM	4534	890342	2100	2100	24.3	20.5	23.3	15.6	5.1	11.8	P.O.	
3:00 PM	4543	890214	2100	2100	24.9	18.1	23.4	15.6	5.1	11.8	O.T.	
5:00 PM	4534	891106	2100	2100	24.6	18.1	23.8	15.6	5.1	11.9	V.T.	
7:00 PM	4543	891434	2100	2100	23.9	19.1	23.8	15.6	5.1	15.1	P.S.	
9:00 PM	4534	891829	2100	2100	24.9	20.4	22.8	14.1	16.8	1.9	P.S.	
11:00 PM	4552	892300	2100	2100	24.9	20.5	23.3	14.1	16.8	1.9	P.S.	
1:00 AM	4543	892658	2100	2100	23.2	20.1	24.2	14.1	16.8	1.9	P.S.	
3:00 AM	4534	893209	2100	2100	19.5	18.6	23.3	14.1	16.8	1.9	P.S.	
5:00 AM	4543	893394	2100	2100	18.1	18.7	22.9	14.1	16.8	1.9	P.S.	

Hazard Class	Items Noted	Loss control Items noted standard or substandard	Responsible	Abatement	Date Corrected
--------------	-------------	--	-------------	-----------	----------------

Other items needed or noted
Heat on @ 8:44pm @ 9
Heat off @ 4:01am @ 15C

Comments:

Location: C6
13159 CR 39
Platteville, CO 80651

Persons Completing Report:
First Shift: 7-312nd Shift 3-11 Third Shift: 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil
Date 10-14-23	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank
Time										
7:00 AM	4432	898063	2100	2100	4'7"	19'3"	23'3"	7'1"	16'4"	1'
9:00 AM	4413	898558	2100	2100	17'4"	20'4"	23'4"	7'9"	16'4"	2'1"
11:00 AM	4422	899246	2100	2100	25'1"	19'4"	23'4"	7'1"	16'4"	2'8"
1:00 PM	4413	899341	2100	2100	25'1"	19'4"	23'4"	7'6"	16'4"	3'1"
3:00 PM	4413	899291	2150	2150	23'2"	20'5"	23'3"	7'1"	16'4"	3'1"
5:00 PM	4422	900112	2100	2100	20'9"	19'2"	24'3"	7'1"	16'4"	3'1"
7:00 PM	4404	900529	2100	2100	24'1"	20'5"	23'3"	7'1"	5'1"	3'1"
9:00 PM	4404	900730	2100	2100	24'	18'8"	24'3"	7'1"	5'1"	3'1"
11:00 PM	4404	901117	2100	2100	21'9"	20'5"	23'6"	10'2"	5'1"	EM84
1:00 AM	4413	901824	2100	2100	16'7"	20'4"	23'6"	10'2"	5'1"	mt
3:00 AM	4432	901965	2100	2100	19'5"	20'3"	23'8"	10'2"	5'1"	mt
5:00 AM	4404	902252	2100	2100	12'1"	20'3"	23'3"	10'2"	5'1"	mt

Hazard Class	Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date Corrected

Other items needed or noted
Hect 4 Roll on @ 9:20P
Heat 4 Roll off @ 1:15AM

Comments:

Location: C6
 13159 CR 39
 Platteville, CO 80651

Persons Completing Report:
 First Shift: 7-3 2nd Shift: 3-11 Third Shift: 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 10-15-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	4385	902490	2100	2100	10'9"	20'3"	23'2"	10'2"	5'1"	WT		130pm V.T
9:00 AM	4404	902941	2100	2100	12'8"	18'8"	23'8"	10'2"	5'1"			
11:00 AM	4422	903379	2100	2100	19'6"	20'4"	22'9"	10'2"	8'1"	3'8"		
1:00 PM	4413	903741	2100	2100	24'8"	19'0"	21'6"	10'2"	8'1"	4'9"	V.T	
3:00 PM	4413	904113	2100	2100	25'12"	19'0"	23'	2'	10'6"			
5:00 PM	4422	904523	2100	2100	24'8"	19'1"	24'4"	2'	10'6"	2'8"	V.T	
7:00 PM	4385	904885	2100	2100	25'	20'3"	22'9"	15'6"	10'6"	2'9"	H2	
9:00 PM	4395	905136	2100	2100	24'7"	19'4"	24'3"	15'6"	10'6"	10"	H2	
11:00 PM	4395	905581	2100	2100	23'2"	20'1"	22'5"	15'6"	10'6"	10"	H2	
1:00 AM	4422	905953	2100	2100	20'5"	18'8"	23'2"	15'6"	10'6"	10"	H2	
3:00 AM	4422	906297	2100	2100	17'8"	19'9"	22'6"	15'6"	10'6"	10"	H2	
5:00 AM	4413	906753	2100	2100	14'5"	18'5"	23'3"	15'6"	10'6"	10"	H2	

Comments:

Other items needed or noted
 Heat & Roll on @ 8:35pm @
 Heat & Roll off @ 5:27am @

Location: C6
 13159 CR 39
 Platteville, CO 80651

Persons Completing Report:
 First Shift: Jesse
 7-3 2nd Shift: Jesse
 3-11 Third Shift: H/10150
 11-7

In case of Emergency dial 911

Day/Time	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
10-22-13	4256	931510	2100	2100	11'9"	18'1"	24'4"	13'5"	7'3"	3'8"	10:15 AM	12:37 PM
7:00 AM	4210	932067	2100	2100	14'4"	18'1"	23'4"	13'5"	7'3"	7'	9:20 AM	3:46 PM
9:00 AM	0	932123	1800	1800	21'1"	9'6"	16'	16'6"			5:20 AM	8:10 PM
11:00 AM	74 WEP	952123	1700	1740	23'2"	19'	13'2"	16'4"			2:03 PM	2:03 PM
1:00 PM	74 WEP	932127	1700	1740	15'1"	14'5"	18'9"	11'9"	7'2"	1'10"	5:20 AM	8:10 PM
3:00 PM	4561	932153	2000	2000	13'4"	20'9"	23'3"	11'9"	7'2"	1'10"	5:20 AM	8:10 PM
5:00 PM	4996	932546	2100	2100	16'2"	18'6"	23'7"	11'8"	7'2"	3'	19:5	
7:00 PM	4428	932836	2100	2100	16'6"	20'4"	23'1"	11'8"	7'2"	3'	19:5	
9:00 PM	4454	933239	2100	2100	18'1"	18'8"	24'3"	11'8"	7'2"	3'	19:5	
11:00 PM	4848	933692	2100	2100	17'3"	18'6"	23'3"	11'8"	7'2"	3'	19:5	
1:00 AM	4839	934247	2100	2100	15'1"	18'4"	23'4"	11'8"	7'2"	3'	19:5	
3:00 AM	4830	934537	2100	2100	10'9"	18'4"	23'4"	11'8"	7'2"	6'9"	19:5	
5:00 AM												

Comments:

Other items needed or noted
 Heat on @ 6:18 PM @ 8:5
 Heat off @ 11:30 PM @ 150

Location: C6
 13159 CR 39
 Platteville, CO 80651

Persons Completing Report:
 First Shift: Jesse
 7-3 2nd Shift: Jesse
 3-11 Third Shift: Alonso
 11-7

In case of Emergency dial 911

Day/Week	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 10-24-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	4422	939149	2000	2000	15'3"	20'	22'6"	17'2"	7'2"	1'8"		5:45 AM
9:00 AM	4534	939737	2150	2150	16'9"	20'1"	23'	17'7"	7'2"	2'4"		2:44 AM
11:00 AM	4459	940074	2150	2150	22'2"	20'5"	22'8"	17'2"	7'2"	3'		7:32 AM
1:00 PM	4444	940251	1750	1750	24'3"	9'3"	20'7"	6'	16'10"	8'5"		8:42 AM
3:00 PM	14 WAP	940257	1700	1700	17'9"	19'6"	20'0"	6'	16'10"	8'5"		1:32 AM
5:00 PM	5102	940449	2100	2100	18'6"	19'8"	24'1	15'5"	9'10"	11'10"		3:49 AM
7:00 PM	5135	940662	2100	2100	19'7"	20'5"	23'3"	8'8"	9'10"	1'10"		5:46 AM
9:00 PM	0	940901	1700	1700	18'1"	20'	17'8"	8'8"	9'10"	1'10"		195
11:00 PM	5039	941025	2100	2100	13'9"	19'9"	20'4"	8'8"	9'10"	1'10"		195
1:00 AM	5084	941494	2100	2100	9'3"	20'3"	23'6"	8'8"	9'10"	1'10"		195
3:00 AM	4802	942067	2100	2100	5'4"	20'3"	21'2"	8'8"	9'10"	1'10"		195
5:00 AM	4811	942485	2100	2100	5'4"	8'2"	21'4"	8'10"	9'10"	3'2"		195

Standard	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
						Heat on @ 6:42 pm @ 93 F
						Heat off @ 10:39 pm @ 150 F

Comments:

Location: C6
 13159 CR 39
 Platteville, CO 80651

Persons Completing Report:
 First Shift: *UT*
 7-3 2nd Shift: *Ph.1*
 3-4 3rd Shift: *Ph.1*

11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	442467	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'2"	UT	7:00 AM
9:00 AM	442468	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	9:00 AM
11:00 AM	442469	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	11:00 AM
1:00 PM	442470	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	1:00 PM
3:00 PM	442471	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	3:00 PM
5:00 PM	442472	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	5:00 PM
7:00 PM	442473	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	7:00 PM
9:00 PM	442474	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	9:00 PM
11:00 PM	442475	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	11:00 PM
1:00 AM	442476	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	1:00 AM
3:00 AM	442477	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	3:00 AM
5:00 AM	442478	1750	2100	2100	8'1"	11'1"	15'1"	8'10"	10'5"	3'5"	UT	5:00 AM

azard lass	Items Noted Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
					HEAT FROST 5:00 PM TEM 4.30 AM

Location: C6
 13159 CR 39
 Platteville, CO 80651

Persons Completing Report:
 First Shift: P.M. 7-3
 2nd Shift: P.A. 3-11
 Third Shift: P.F.N. 11-7

In case of Emergency dial 911

Day 5 A+	Date 10-26-13	Flowmeter	Rate	Flowmeter	Barrels	Chart	Pressure	Discharge	Gauge	System	Tanks	Dirty	Tank	Clean	Tank	North Oil	Tank	East Oil	Tank	West Oil	Tank	General Check	Filter	Changes	Time
Time																									
7:00 AM		4367	94663	2000	2000	2000	2000	2000	2000	5.9	18.3	24.3	16.9"	1.4"								P.O.P.T.			
9:00 AM		4385	947195	2000	2000	2000	2000	2000	2000	5.8	10.1	23.4	16.9"	1.4"								P.O.			
11:00 AM		4330	943523	2000	2000	2000	2000	2000	2000	5.12"	10.6"	24.3	16.9"	1.4"								U.T.			
1:00 PM		4228	947897	2000	2000	2000	2000	2000	2000	5.8	13.6	23.8	16.9"	1.4"								P.O.			
3:00 PM		4200	948252	2000	2000	2000	2000	2000	2000	9.2	20.3	22.0	16.9"	1.4"								P.O.			
5:00 PM		4232	948655	2000	2000	2000	2000	2000	2000	15.16"	20.4"	22.5"	Transfer	1.4"								U.T.			
7:00 PM		4237	94907	2000	2000	2000	2000	2000	2000	21.4	20.5	23.2	9.10	1.4								P.T.			
9:00 PM		4204	949351	2050	2050	2050	2050	2050	2050	22.6	18.2	23.6	9.10	1.4								P.T.			
11:00 PM		4292	949553	2050	2050	2050	2050	2050	2050	21.6	18.9	23.9	2	1.4								P.T.			
1:00 AM		4247	950114	2050	2050	2050	2050	2050	2050	14.3	16.7	24.3	2	1.4								P.T.			
3:00 AM		4274	950444	2050	2050	2050	2050	2050	2050	15.7	19.2	24.2	2	1.4								P.T.			
5:00 AM		4265	950735	2050	2050	2050	2050	2050	2050	13.4	20.4	23.3	2	1.4								P.T.			

Items Noted: Loss control items noted standard or substandard

Responsible: _____

Abatement: _____

Date Corrected: _____

Other items needed or noted: _____

Comments:

Location: C6
 13159 CR 39
 Plattville, CO 80651

Persons Completing Report:
 First Shift: *P. I. M. I.* 7-3 2nd Shift
 3-11 Third Shift: *P. I. M. I.* 11-7

In case of Emergency dial 911

Day Sunday	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 10-27-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	4210	950902	2050	2050	12.5	20.4	22.3	4.2	1.4	15.7	P.O. P.T.	10:45 P.M.
9:00 AM	4237	951459	2050	2050	20.2	18.2	11.2	16.1	7.1	empty	U.T.	11:45 P.M.
11:00 AM	4237	951466	2000	2000	24.8	18.2	9.4	16.1	7.1	2.6	U.T.	12:30 P.M.
1:00 PM	4191	952127	2000	2000	22.9	19.6	18.3	16.1	7.7	3.4	P.O.	1:30 P.M.
3:00 PM	4141	952434	2000	2000	21.6	20.5	23.4	16.1	7.1	3.4	U.T.	2:30 P.M.
5:00 PM	4173	952824	2000	2000	24.1	20.5	23.1	16.1	7.1	4.1	U.T.	4:00 P.M.
7:00 PM	4163	953161	2000	2000	24.4	20.5	22.9	16.1	7.7	4.2	A.S.	7:32 P.M.
9:00 PM	4136	953462	2000	2000	22.4	20.4	21.9	16.1	7.7	4.2	A.S.	8:35 P.M.
11:00 PM	4034	953775	2000	2000	19.7	19.8	24.3	16.1	7.7	4.2	A.S.	9:32 P.M.
1:00 AM	4006	954111	2000	2000	17.8	19.7	21.6	16.1	7.7	4.2	A.S.	10:20 P.M.
3:00 AM	3978	954475	2000	2000	15.4	19.8	17.8	16.1	7.7	4.2	A.S.	11:35 P.M.
5:00 AM	3997	954831	2000	2000	11.6	20.1	22.3	16.1	7.7	4.3	A.S.	12:40 P.M.

Other items needed or noted
 Heat & Roll off @ 9:35 Temp @ 65
 Heat & Roll off @ 8:20 Temp @ 65