





Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: Jesse C  
 7-312nd Shift: Jesse C  
 3-11 Third Shift: H/10/150  
 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 10-29-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	4108	459129	2000	2000	4'9"	18'0"	24'0"	1'2"	12'11"	10'11"		7:215
9:00 AM	C	459451	1750	1750	7'1"	10'3"	20'11"	1'2"	12'11"	10'10"		8:50
11:00 AM	5070	459741	2150	2150	6'2"	19'4"	22'8"	7'4"	12'11"	8'2"		2:2735
1:00 PM	5052	460170	2150	2150	6'0"	19'6"	23'0"	7'4"	12'11"	1'9"		3:595
3:00 PM	5070	460029	2150	2150	5'7"	19'9"	22'8"	9'1"	1'4"	5'2"		7:304
5:00 PM	5061	461134	2150	2150	7'3"	20'3"	23'	9'1"	1'4"	1'4"		8:014
7:00 PM	5079	461443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		8:354
9:00 PM	5070	461848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		9:034
11:00 PM	5061	462337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		10:104
1:00 AM	5070	462689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		11:534
3:00 AM	5052	463298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		1:354
5:00 AM	4950	463586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		3:304
7:00 AM	5079	464443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		5:014
9:00 AM	5070	464848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		6:524
11:00 AM	5061	465337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		8:014
1:00 PM	5070	465689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		9:034
3:00 PM	5052	466298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		10:104
5:00 PM	4950	466586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		11:534
7:00 PM	5079	467443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		1:354
9:00 PM	5070	467848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		3:304
11:00 PM	5061	468337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		5:014
1:00 AM	5070	468689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		6:524
3:00 AM	5052	469298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		8:014
5:00 AM	4950	469586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		9:034
7:00 PM	5079	470443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		10:104
9:00 PM	5070	470848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		11:534
11:00 PM	5061	471337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		1:354
1:00 AM	5070	471689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		3:304
3:00 AM	5052	472298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		5:014
5:00 AM	4950	472586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		6:524
7:00 PM	5079	473443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		8:014
9:00 PM	5070	473848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		9:034
11:00 PM	5061	474337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		10:104
1:00 AM	5070	474689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		11:534
3:00 AM	5052	475298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		1:354
5:00 AM	4950	475586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		3:304
7:00 PM	5079	476443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		5:014
9:00 PM	5070	476848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		6:524
11:00 PM	5061	477337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		8:014
1:00 AM	5070	477689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		9:034
3:00 AM	5052	478298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		10:104
5:00 AM	4950	478586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		11:534
7:00 PM	5079	479443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		1:354
9:00 PM	5070	479848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		3:304
11:00 PM	5061	480337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		5:014
1:00 AM	5070	480689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		6:524
3:00 AM	5052	481298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		8:014
5:00 AM	4950	481586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		9:034
7:00 PM	5079	482443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		10:104
9:00 PM	5070	482848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		11:534
11:00 PM	5061	483337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		1:354
1:00 AM	5070	483689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		3:304
3:00 AM	5052	484298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		5:014
5:00 AM	4950	484586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		6:524
7:00 PM	5079	485443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		8:014
9:00 PM	5070	485848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		9:034
11:00 PM	5061	486337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		10:104
1:00 AM	5070	486689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		11:534
3:00 AM	5052	487298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		1:354
5:00 AM	4950	487586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		3:304
7:00 PM	5079	488443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		5:014
9:00 PM	5070	488848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		6:524
11:00 PM	5061	489337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		8:014
1:00 AM	5070	489689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		9:034
3:00 AM	5052	490298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		10:104
5:00 AM	4950	490586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		11:534
7:00 PM	5079	491443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		1:354
9:00 PM	5070	491848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		3:304
11:00 PM	5061	492337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		5:014
1:00 AM	5070	492689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		6:524
3:00 AM	5052	493298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		8:014
5:00 AM	4950	493586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		9:034
7:00 PM	5079	494443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		10:104
9:00 PM	5070	494848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		11:534
11:00 PM	5061	495337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		1:354
1:00 AM	5070	495689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		3:304
3:00 AM	5052	496298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		5:014
5:00 AM	4950	496586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		6:524
7:00 PM	5079	497443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		8:014
9:00 PM	5070	497848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		9:034
11:00 PM	5061	498337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		10:104
1:00 AM	5070	498689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		11:534
3:00 AM	5052	499298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		1:354
5:00 AM	4950	499586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		3:304
7:00 PM	5079	500443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		5:014
9:00 PM	5070	500848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		6:524
11:00 PM	5061	501337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		8:014
1:00 AM	5070	501689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		9:034
3:00 AM	5052	502298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		10:104
5:00 AM	4950	502586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		11:534
7:00 PM	5079	503443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		1:354
9:00 PM	5070	503848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		3:304
11:00 PM	5061	504337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		5:014
1:00 AM	5070	504689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		6:524
3:00 AM	5052	505298	2150	2150	15'6"	20'4"	21'8"	11'7"	1'4"	1'4"		8:014
5:00 AM	4950	505586	2150	2150	13'2"	19'4"	23'3"	11'7"	1'4"	1'4"		9:034
7:00 PM	5079	506443	2150	2150	11'3"	19'2"	17'	9'1"	1'4"	1'4"		10:104
9:00 PM	5070	506848	2150	2150	9'8"	18'5"	22'3"	11'7"	1'4"	1'4"		11:534
11:00 PM	5061	507337	2150	2150	11'3"	19'4"	24'	11'7"	1'4"	1'4"		1:354
1:00 AM	5070	507689	2150	2150	15'9"	18'8"	24'3"	11'7"	1'4"	1'4"		







Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report  
 First Shift: U.T  
 7-3 2nd Shift  
 3-11 Third Shift: A/10/150  
 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 12-31-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	Comments	Changes
Time												Time
7:00 AM	4783	968655	2150	2150	9'1"	19'2"	23'4"	mt	1'4"	5'10"	U.T	4'02
												9'12
												10:32
9:00 AM	4783	969236	2150	2150	11'	18'1"	23'6"	mt	1'4"	6'12"	U.T	3:45
11:00 AM	4793	969643	2150	2150	16'3"	19'8"	22'4"	mt	1'4"	6'11"	U.T	
1:00 PM	4793	970093	2150	2150	20'8"	20'5"	22'9"	mt	1'4"	6'11"	U.T	
3:00 PM	4793	970457	2150	2150	22'19	19'2"	23'5"	mt	1'4"	7'1"	U.T	
5:00 PM	4802	971019	2150	2150	24'3"	19'8"	21'9"	mt	1'4"	7'	A.S	
7:00 PM	4785	971276	2150	2150	23'3"	20'5"	22'9"	mt	1'4"	7'	A.S	
9:00 PM	4793	971555	2150	2150	21'6"	20'5"	23'1"	mt	1'4"	7'	A.S	
11:00 PM	4802	971650	2150	2150	18'1"	19'8"	21'3"	mt	1'4"	7'	A.S	
1:00 AM	4826	972167	2150	2150	13'5"	19'9"	22'6"	mt	1'4"	7'	A.S	
3:00 AM	47672	972486	2150	2150	10'7"	18'8"	24'	mt	1'4"	7'	A.S	
5:00 AM	47691	972929	2150	2150	7'8"	18'6"	23'3"	mt	1'4"	7'1	A.S	

Items Noted  
 Loss control items noted standard or substandard

Responsible

Abatement

Date Corrected

Other items needed or noted

Comments:



























Location: C6 13159 CR 39 Platteville, CO 80651				Persons Completing Report:								In case of Emergency dial 911	
				First Shift: 7-3 2nd Shift: 3-11				Third Shift: 11-7					
				Jesse G. T.				Alonso					
Date	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter	
Time	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes	
											Comments	Time	
7:00 AM	4857	261603	2150	2150	12' 6"	19' 1"	23' 4"	14' 6"	4' 4"	4' 4"	11' 2"	11:0 AM	
9:00 AM	4857	262221	2150	2150	15' 5"	20' 4"	23' 5"	14' 6"	4' 4"	4' 4"	11' 2"	11:0 AM	
11:00 AM	4846	262616	2150	2150	20' 2"	20' 4"	23' 1"	14' 6"	4' 4"	4' 4"	11' 2"	11:0 AM	
1:00 PM	4852	263050	2150	2150	23' 2"	20' 1"	24' 3"	14' 6"	4' 4"	4' 4"	10' 1"	11:0 AM	
3:00 PM	4852	263211	2150	2150	23' 8"	19' 0"	23' 9"	14' 6"	4' 4"	4' 4"	11' 2"	11:0 AM	
5:00 PM	4856	264003	2150	2150	24' 7"	19' 1"	24'	14' 6"	4' 4"	4' 4"	11' 2"	11:0 AM	
7:00 PM	4861	264241	2150	2150	24' 4"	20' 5"	23' 9"	14' 6"	13' 3"	13' 3"	11' 10"	11:0 AM	
9:00 PM	4848	264616	2150	2150	23' 2"	20' 6"	23' 5"	14' 6"	13' 3"	13' 3"	11' 10"	11:0 AM	
11:00 PM	4885	265063	2150	2150	23' 2"	19' 2"	23'	14' 6"	13' 3"	13' 3"	11' 10"	11:0 AM	
1:00 AM	4848	265502	2150	2150	19' 3"	20' 4"	23' 7"	17' 6"	13' 3"	13' 3"	8' 2"	11:0 AM	
3:00 AM	4857	265923	2150	2150	15' 4"	19' 9"	24' 2"	17' 6"	13' 3"	13' 3"	8' 2"	11:0 AM	
5:00 AM	4857	266282	2150	2150	13' 3"	20' 4"	23' 1"	17' 6"	13' 3"	13' 3"	8' 2"	11:0 AM	

Hazard  
 Loss control items noted standard or substandard  
 Responsible  
 Abatement  
 Date Corrected  
 Other items needed or noted  
 Heat on 3:17 PM @ 117°F  
 Heat + Boil off at 3:08 @ 11:0 AM











Persons Completing Report:										
Location: C6					First Shift: 0530					
13159 CR 39					7-3 2nd Shift: 0530					
Platteville, CO 80651					3-11 Third Shift: 0530					
					11-7					
In case of Emergency dial 911										
General Check or Filter										
Comments Time										
Day Sunday										
Date 1/10/13	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank
Time										
7:00 AM	4737	22528	2150	2150	11'2"	20'4"	22'8"	17'3"	12'7"	10"
9:00 AM	4756	22585	2150	2150	16'9"	20'2"	22'8"	17'3"	12'9"	3'5"
11:00 AM	4728	22625	2150	2150	24'9"	20'2"	24'9"	17'3"	12'7"	4'12"
1:00 PM	4617	22672	2150	2150	24'7"	20'7"	23'2"	17'3"	12'7"	4'4"
3:00 PM	4589	22702	2150	2150	24'0"	19'3"	23'0"	17'3"	12'7"	4'4"
5:00 PM	4617	22746	2150	2150	24'9"	18'9"	23'7"	17'3"	12'8"	4'8"
7:00 PM	4594	22793	2150	2150	24'1"	20'4"	23'9"	13'		10'3"
9:00 PM	4580	22818	2150	2150	24'9"	20'6"	23'6"	1.10	15.10"	10'9"
11:00 PM	4608	22849	2150	2150	25'	20'6"	23'	9'11"	15'10"	m+
1:00 AM	4589	22889	2150	2150	23'3"	18'6"	22'9"	9'11"	15'10"	m+
3:00 AM	4608	22934	2150	2150	19'3"	19'6"	23'9"	9'11"	15'10"	m+
5:00 AM	4580	22979	2150	2150	15'4"	20'3"	23'9"	9'11"	15'10"	1'
Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted				
						HEARD @ 7:15 AM				
						HEARD @ 9:38 PM @ 110				
						HEARD @ 3:28 AM @ 110				

ments:



























Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: *Ph* 7-3 2nd Shift: *Ph* 3-11 Third Shift: *Ph* 11-7

In case of Emergency dial 911

Day Sunday	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Comments
Date 11-24-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank		
Time												
7:00 AM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>20.2</i>	<i>17.9</i>	<i>24.3</i>	<i>16.9"</i>	<i>17.1"</i>	<i>1.4"</i>	<i>P.O.</i>	<i>10.1</i>
9:00 AM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>19.0</i>	<i>19.8</i>	<i>24.2</i>	<i>16.9"</i>	<i>15.11"</i>	<i>6.11"</i>	<i>P.O.</i>	
11:00 AM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>18.4"</i>	<i>20.4"</i>	<i>24.2"</i>	<i>16.19"</i>	<i>15.11"</i>	<i>11.9"</i>	<i>U.T</i>	
1:00 PM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>18.6"</i>	<i>20.1"</i>	<i>24.3"</i>	<i>16.9"</i>	<i>15.11"</i>	<i>11.9"</i>	<i>P.O.</i>	
3:00 PM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>18.8</i>	<i>20.1</i>	<i>24.2</i>	<i>16.9"</i>	<i>15.11"</i>	<i>11.9"</i>	<i>P.O.</i>	
5:00 PM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>18.5"</i>	<i>20.3"</i>	<i>24.1"</i>	<i>16.9"</i>	<i>15.11"</i>	<i>11.9"</i>	<i>P.O.</i>	
7:00 PM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>19.3"</i>	<i>19.4"</i>	<i>24.3"</i>	<i>16.9"</i>	<i>5.1"</i>	<i>12'</i>	<i>P.O.</i>	
9:00 PM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>19.3"</i>	<i>19.5"</i>	<i>24.3"</i>	<i>16.9"</i>	<i>5.1"</i>	<i>12'</i>	<i>P.O.</i>	
11:00 PM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>18.7"</i>	<i>20.1"</i>	<i>24.4"</i>	<i>16.9"</i>	<i>5.1"</i>	<i>12'</i>	<i>P.O.</i>	
1:00 AM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>19.4"</i>	<i>19.2"</i>	<i>24.4"</i>	<i>16.9"</i>	<i>5.1"</i>	<i>12'</i>	<i>P.O.</i>	
3:00 AM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>19.3"</i>	<i>19.7"</i>	<i>24.1"</i>	<i>16.9"</i>	<i>5.1"</i>	<i>12'</i>	<i>P.O.</i>	
5:00 AM	<i>0</i>	<i>326537</i>	<i>0</i>	<i>0</i>	<i>19.2"</i>	<i>19.7"</i>	<i>24.3"</i>	<i>16.9"</i>	<i>5.1"</i>	<i>12.1"</i>	<i>P.O.</i>	

Standard Items Noted Loss control Items noted standard or substandard Responsible Abatement Date Corrected Other items needed or noted

*HER off @ 4:45 PM*

Comments:



Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: *Ph* 7-3 2nd Shift: *Ph* 3-11 Third Shift: *Ph* 11-7

In case of Emergency dial 911

Day/Sunday	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	or	Comments	Chart
Date 11-24-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank				
Time														
7:00 AM	<i>0</i>	326537	<i>0</i>	<i>0</i>	20.2	17.9	24.3	16.9"	17.1"	1.4"			P.O.	10.11
9:00 AM	<i>0</i>	326537	<i>0</i>	<i>0</i>	19.0	19.8	24.2	16.9"	15.11"	6.11"			P.O.	
11:00 AM	<i>0</i>	326537	<i>0</i>	<i>0</i>	18.4"	20.4"	24.2"	16.9"	15.11"	11.9"			V.T	
1:00 PM	<i>0</i>	326537	<i>0</i>	<i>0</i>	18.6"	20.1"	24.3"	16.9"	15.11"	11.9"			P.O.	
3:00 PM	<i>0</i>	326537	<i>0</i>	<i>0</i>	18.8	20.1	24.2	16.9"	15.11"	11.9"			P.O.	
5:00 PM	<i>0</i>	326537	<i>0</i>	<i>0</i>	18.5"	20.4"	24.1"	16.9"	15.11"	11.9"			P.S	
7:00 PM	<i>0</i>	326537	<i>0</i>	<i>0</i>	19.3"	19.4"	24.3"	16.9"	5.1"	12'			P.S	
9:00 PM	<i>0</i>	326537	<i>0</i>	<i>0</i>	19.3"	19.5"	24.3"	16.9"	5.1"	12'			P.S	
11:00 PM	<i>0</i>	326537	<i>0</i>	<i>0</i>	18.7"	20.1"	24.4"	16.9"	5.1"	12'			P.S	
1:00 AM	<i>0</i>	326537	<i>0</i>	<i>0</i>	19.4"	19.2"	24.4"	16.9"	5.1"	12'			P.S	
3:00 AM	<i>0</i>	326537	<i>0</i>	<i>0</i>	19.3"	19.7"	24.1"	16.9"	5.1"	12'			P.S	
5:00 AM	<i>0</i>	326537	<i>0</i>	<i>0</i>	19.2"	19.9"	24.3"	16.9"	5.1"	12.1"			P.S	

Standard Items Noted Loss control Items noted standard or substandard Responsible Abatement Date Corrected Other items needed or noted

HER OFF @ 4:45 PM

Comments:















Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: *Phil*  
 7-3 2nd Shift: *Phil*  
 3-11 3rd Shift: *Phil*  
 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 11-28-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	6440	333339	1950	1950	6.0	20.1	23.3	7.3"	2'2"	9'8"		1:06:37
9:00 AM	6532	334342	2050	2050	13'	19'	23.7"	13'7"	2'2"	4'7"		1:06:37
11:00 AM	6440	334922	2000	2000	23.6	15.5	19.3	13'7"	2'2"	5'5"	P.O.	
1:00 PM	6477	335507	2050	2050	24.6"	19'3"	18'4"	12'7"	2'2"	6'3"		
3:00 PM	6486	336029	2050	2050	21.8"	20.5"	23.5"	13'7"	2'2"	6'9"		
5:00 PM												
7:00 PM	6523	337034	2100	2100	15.3	19.9	23.6	13'7	2'2	6'9	PT	
9:00 PM	6514	337626	2100	2100	16.2	18.4	22.7	13'7	2'2	6'9	PT	
11:00 PM	6427	338074	2100	2100	12.3	20.3	21.7	13'7	2'2	6'9	PT	
1:00 AM	6449	338692	2100	2100	7.8	14.4	22.3	13'7	2'2	6'9	PT	
3:00 AM	6441	339167	2100	2100	5.8	13.6	24.1	13'7	2'2	6'9	PT	
5:00 AM	0	339278	2100	2100	5.8	9.8	23.1	2	2	6'9	PT	

Items Noted: Loss control items noted standard or substandard

Responsible:

Abatement:

Date Corrected:

Other items needed or noted:  
 Heat on @ 6:17 AM @ 84'  
 HIR off @ 3:06 PM @ 1500







Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: *Phil* 7-3  
2nd Shift: *PA* 8-11  
Third Shift: *LEN* 11-7

In case of Emergency dial 911

Day Sat	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 11-30-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	6440	395383	2100	2100	5.9	12.3	22.8	9'3"	3'10"	MT	PO.	7:55 PM
9:00 AM	5699	346128	2000	2000	10.0	19.7	17.8	9'3"	3'10"	1'	PO.V.T.	11:45 AM
11:00 AM	6458	346413	2100	2100	14'3"	19'8"	17'5"	9'3"	3'10"	1'2"	UT	12:40 PM
1:00 PM	0	346802	1700	1700	24'2	19'5"	12'8"	8'6"	3'10"	6'7"	PO.V.T.	3:40 PM
3:00 PM	0	346802	1650	1650	24'3"	19'9"	11'8"	1'11"	12'0"	7'11"	PO.V.T.	4:57 PM
5:00 PM	6486	347082	2000	2000	24.8	19.1	22.9	1'11"	12'0"	8'11"	PO.V.T.	1:30 PM
7:00 PM	6477	347634	2050	2050	24.1	20.0	23.6	W-7N	12'0	W-7N	PT	
9:00 PM	6514	348273	2150	2050	23.2	20.1	24.3	9'7	12'0	MT	PT	
11:00 PM	6514	34855	2050	2050	16.3	23.1	23.9	9'7	12'0	MT	PT	
1:00 AM	6488	349260	2050	2050	13.2	18.9	23.2	9'7	12'0	MT	PT	
3:00 AM	6430	349850	2100	2100	8.6	19.1	23.2	9'7	12'0	MT	PT	
5:00 AM	6421	350357	2100	2100	5.0	17.5	23.5	9'7	12'0	MT	PT	

Other items needed or noted  
H&R @ 7:30 @ 850  
off @ 1:00 AM

Remarks:



