



| | | | |
|--|----|----|----|
| DE | ET | OE | ES |
| Document Number: <div>400631547</div> | | | |
| Date Received: <div>06/23/2014</div> | | | |

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

| | | | |
|-----------------------|------------------------|--------------|--------------------------|
| OGCC Operator Number: | 100322 | Contact Name | Julie Webb |
| Name of Operator: | NOBLE ENERGY INC | Phone: | (720) 587-2316 |
| Address: | 1625 BROADWAY STE 2200 | Fax: | () |
| City: | DENVER | State: | CO |
| Zip: | 80202 | Email: | jwebb@nobleenergyinc.com |

| | | | |
|--|---------------|--------------------------|------------|
| API Number : | 05-1233963300 | OGCC Facility ID Number: | 437666 |
| Well/Facility Name: | Wells Ranch | Well/Facility Number: | AE19-615 |
| Location QtrQtr: | NWSW | Section: | 20 |
| Township: | 6N | Range: | 62W |
| Meridian: | 6 | | |
| County: | WELD | Field Name: | WATTENBERG |
| Federal, Indian or State Lease Number: | | | |

Complete the Attachment Checklist

OP OGCC

| | | |
|---------------------|--|--|
| Survey Plat | | |
| Directional Survey | | |
| Srhc Eqpmt Diagram | | |
| Technical Info Page | | |
| Other | | |

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

COMMENTS

Noble requests an exception to Rule 318A(e)4 for the WELLS RANCH AE19-615 well pad. Post cards requesting access to sample the 5 water wells within quarter sections within a 1/2 mile of this location were mailed to the landowner(s) on 6/24/2013. To date Noble has not received access to sample water wells.

This exception request applies to the following wells on the pad:

WELLS RANCH AE19-615 (123-39633)
WELLS RANCH AE19-626 (123-39634)
WELLS RANCH AE19-631 (123-39636)
WELLS RANCH AE19-636 (123-39640)
WELLS RANCH AE19-644 (123-39639)
WELLS RANCH AE19-649 (123-39635)

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Julie Webb
Title: Regulatory Analyst Email: jwebb@nobleenergyinc.com Date: 6/23/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:**General Comments**

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|--------------------------|---|----------------------------|
| Environmental | Pushed to draft at the operators request. The follow was received from the operator via email: Hi Arthur, Would you please return doc# 400631547 to draft? Thanks, Julie Webb Regulatory Analyst Noble Energy, Inc. | 6/24/2014 8:09:17 AM |

Total: 1 comment(s)

Attachment Check List

| <u>Att Doc Num</u> | <u>Name</u> |
|---------------------------|--------------------|
| 400631547 | FORM 4 SUBMITTED |

Total Attach: 1 Files