

**FORM  
INSP**Rev  
05/11**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

DE ET OE ES

Inspection Date:

07/14/2014

Document Number:

668402425

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	432692	316367	BROWNING, CHUCK	<input type="checkbox"/>	

**Operator Information:**OGCC Operator Number: 49100Name of Operator: KOCH EXPLORATION COMPANY, LLCAddress: 950 17TH STREET #1900City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Browning, Chuck	970-433-4139	chuck.browning@state.co.us	Field Inspector
Clark, John	505-334-9111	clark23j@kochind.com	

**Compliance Summary:**QtrQtr: SWSE Sec: 25 Twp: 2N Range: 97W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
10/30/2013	673400058	DG	PD	SATISFACTOR Y	I		No

**Inspector Comment:**

UIC-New Drill

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
269368	WELL	PR	05/17/2004	GW	103-10374	ANT HILL UNIT WYWATT 25-43	PR	<input checked="" type="checkbox"/>
271041	WELL	AL	02/12/2004	LO	103-10415	ANT HILL UNIT WYATT 25-43W	AL	<input type="checkbox"/>
432692	WELL	DG	09/17/2013	LO	103-11961	AHU WYATT 25-43 SWD	PD	<input checked="" type="checkbox"/>

**Equipment:**Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>3</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>9</u>	Separators: <u>1</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>1</u>
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>3</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location**

<b>Lease Road:</b>				
Type	Satisfactory/Action Required	comment	Corrective Action	Date
Main	SATISFACTORY			
Access	SATISFACTORY			

<b>Signs/Marker:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

<b>Spills:</b>				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

<b>Venting:</b>		
Yes/No	Comment	
NO		

<b>Flaring:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

**Predrill**

Location ID: 432692

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/A/V:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	kubeczkod	<p><b>SITE SPECIFIC COAs:</b></p> <p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must submit an as-built drawing (plan view and cross-sections) of the SWD injection well pad and associated equipment within 30 calendar days of construction.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as described on the BMPs tab</p>	03/28/2013

and shown on the Construction Layout Drawings attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

The moisture content of any freshwater generated cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the drill cuttings are to be left onsite, they must also meet the applicable standards of table 910-1.

If the well is to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

Operator will use qualified containment devices for all appropriate chemicals/hazardous materials used onsite during the operation of the injection well.

All tanks and aboveground vessels containing fluids must have secondary containment structures. All secondary containment structures/areas must be lined. Operator must ensure a minimum of 110 percent secondary containment for the largest structure containing fluids within each bermed area the facility during operations. The construction and lining of the secondary containment structures/areas shall be supervised by a professional engineer or their agent.

Operator shall equip and maintain on all tanks an electronic level monitoring device.

Operator shall install a steel containment ring around tank batteries to provide secondary containment and install a synthetic liner that underlies the entire battery and is keyed into the top of the containment ring.

Approval of this Form 2A does not authorize operator the right to inject. Authorization to inject into the selected Formation(s) requires approval of both the Form 31 and the Form 33.

Before hydraulic stimulation of the each well, operator shall collect a groundwater sample from the Ohio Creek and analyze for total dissolved solids (TDS); submit laboratory analytical results to denise.onyskiw@state.co.us and arthur.koelspell@state.co.us.

**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
Storm Water/Erosion Control	A Master Stormwater Management Plan, as required by the CDPHE, is in place for the White River Dome field and includes the subject location. The Plan details BMPs related to storm water management and erosion control that will be implemented during construction and interim reclamation. A Post-Construction Stormwater Plan is in place and will be implemented after interim reclamation is complete.

Wildlife	1.Where drilling and completion activities must occur in mule deer critical winter range, conduct these activities outside the time period from December 1 through April 15. 2.Restrict work-over rig activities to between the hours of 10:00 a.m. and 3:00 p.m. from December 1 to April 15 when possible, to accommodate mule deer critical winter range. 3.Concentrate post-development water truck delivery trips to between the hours of 10:00 a.m. and 3:00 p.m. from December 1 to April 15 when possible, to accommodate mule deer critical winter range. 4.Follow company guidelines to minimize wildlife mortality from vehicle collisions on roads. 5.Install and utilize bear-proof dumpsters and trash receptacles for all food-related trash on location, following COGCC Rule 1204 a-1.
Material Handling and Spill Prevention	KEC operates certain natural gas production wells in Rio Blanco County Colorado that are subject to SPCC planning requirements because they have oil storage capacity greater than 1,320 gallons (approx. 31 bbl). For those wells that meet or exceed the threshold storage quantities (referred to henceforth as the "SPCC wells") KEC is required to develop and implement an SPCC Plan. This field-wide SPCC Plan has been developed for the KEC SPCC wells that together are referred to as the Rio Blanco County Well Sites, Colorado in response to the regulations listed above.

**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:****Comment:** \_\_\_\_\_**Staking:****On Site Inspection (305):**Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

\_\_\_\_\_

**Facility**

Facility ID: 269368 Type: WELL API Number: 103-10374 Status: PR Insp. Status: PR

**Producing Well**

Comment: Gas Lift

Facility ID: 432692 Type: WELL API Number: 103-11961 Status: DG Insp. Status: PD

**Underground Injection Control**

UIC Violation: \_\_\_\_\_

Maximum Injection Pressure: \_\_\_\_\_

**UIC Routine**

Inj./Tube: Pressure or inches of Hg \_\_\_\_\_ Previous Test Pressure \_\_\_\_\_ MPP \_\_\_\_\_  
 (e.g. 30 psig or -30" Hg) Inj Zone: OHCRK

TC: Pressure or inches of Hg \_\_\_\_\_ Previous Test Pressure \_\_\_\_\_ Last MIT: 10/30/2013

Brhd: Pressure or inches of Hg \_\_\_\_\_ Previous Test Pressure \_\_\_\_\_ AnnMTReq: \_\_\_\_\_

Comment: Well shut in pending disposal permit.

Method of Injection: \_\_\_\_\_

Test Type: \_\_\_\_\_ Tbg psi: \_\_\_\_\_ Csg psi: \_\_\_\_\_ BH psi: \_\_\_\_\_

Insp. Status: \_\_\_\_\_

Comment: \_\_\_\_\_

**Environmental****Spills/Releases:**

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_

Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit****Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment: \_\_\_\_\_

1003a. Debris removed? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Waste Material Onsite? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Unused or unneeded equipment onsite? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Pit, cellars, rat holes and other bores closed? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_  
 Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_  
 Guy line anchors marked? Pass CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? Pass Segregated soils have been replaced? \_\_\_\_\_

#### RESTORATION AND REVEGETATION

##### Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

##### Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_ P \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation Pass

#### **Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND \_\_\_\_\_

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_ Well Release on Active Location ☐ Multi-Well Location ☐

#### **Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Gravel	Pass	MHSP	Pass	

Inspector Name: BROWNING, CHUCK

S/A/V: SATISFACTOR  
Y

Corrective Date: \_\_\_\_\_

Comment:

CA:

**Pits:** ☐ NO SURFACE INDICATION OF PIT