

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400589834

Date Received:

04/16/2014

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Katie Kistner

Phone: (720) 9294317

Fax:

Email: katie.kistner@anadarko.com

5. API Number 05-123-37889-00

7. Well Name: D&C FARMS

8. Location: QtrQtr: SESW Section: 28 Township: 1N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 13C-33HZ

Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 02/20/2014 End Date: 02/25/2014 Date of First Production this formation: 04/07/2014

Perforations Top: 7649 Bottom: 11696 No. Holes: 0 Hole size: 0

Provide a brief summary of the formation treatment:

Open Hole: ☒

COMPLETED THROUGH AN OPEN HOLE LINER FROM 7649-11696.
15541 BBL CROSSLINK GEL, 792 BBL LINEAR GEL, 133515 BBL SLICKWATER, 149848 BBL TOTAL FLUID.
4206663# 40/70 GENOA/SAND HILLS SAND, 461695# 30/50 OTTAWA/ST. PETERS SAND, 4668358# TOTAL SAND.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 149848

Max pressure during treatment (psi): 7283

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.93

Total acid used in treatment (bbl): 0

Number of staged intervals: 32

Recycled water used in treatment (bbl): 12989

Flowback volume recovered (bbl): 625

Fresh water used in treatment (bbl): 136859

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 4668358

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 04/14/2014 Hours: 24 Bbl oil: 156 Mcf Gas: 423 Bbl H2O: 6

Calculated 24 hour rate: Bbl oil: 156 Mcf Gas: 423 Bbl H2O: 6 GOR: 2711

Test Method: FLOWING Casing PSI: 1200 Tubing PSI: Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1118 API Gravity Oil: 48

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Katie Kistner

Title: Regulatory Analyst Date: 4/16/2014 Email: rscdjpostdrill@anadarko.com

Attachment Check List

Att Doc Num **Name**

400589834 FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	w/o form 5.	5/27/2014 12:56:15 PM

Total: 1 comment(s)