

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE ET OE ES

Inspection Date:

07/29/2014

Document Number:

674700121

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	335402	335402	LONGWORTH, MIKE	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: 1001 17TH STREET - SUITE #1200City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Gardner, Michael	970/285-9377 ext. 2760	Michael.Gardner@WPXEnergy.com	Principal Environmental Specialist
Kellerby, Shaun		shaun.kellerby@state.co.us	
Moss, Brad	(970) 285-9377	Brad.Moss@WPXEnergy.com	Production foreman

Compliance Summary:QtrQtr: SENE Sec: 20 Twp: 6S Range: 96W**Inspector Comment:****Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
268763	WELL	AL	12/09/2004	LO	045-09291	CHEVRON GM 341-20	AL	<input type="checkbox"/>
268781	WELL	PR	08/29/2005	OW	045-09294	CHEVRON GM 342-20	PR	<input checked="" type="checkbox"/>
268912	WELL	PR	08/29/2005	OW	045-09309	CHEVRON GM 42-20	PR	<input checked="" type="checkbox"/>
275420	WELL	PR	08/29/2005	GW	045-13536	CHEVRON GM 542-20	PR	<input checked="" type="checkbox"/>
275421	WELL	PR	08/29/2005	GW	045-13535	CHEVRON GM 642-20	PR	<input checked="" type="checkbox"/>
275422	WELL	PR	08/29/2005	OW	045-13534	CHEVRON GM 442-20	PR	<input checked="" type="checkbox"/>
436679	WELL	XX	04/07/2014		045-22353	Chevron GM 311-21	ND	<input checked="" type="checkbox"/>
436680	WELL	XX	04/07/2014		045-22354	Chevron GM 11-21	ND	<input checked="" type="checkbox"/>
436682	WELL	XX	04/07/2014		045-22355	Chevron GM 512-21	ND	<input checked="" type="checkbox"/>
436683	WELL	XX	04/07/2014		045-22356	Chevron GM 312-21	ND	<input checked="" type="checkbox"/>
436684	WELL	XX	04/07/2014		045-22357	Chevron GM 412-21	ND	<input checked="" type="checkbox"/>
436685	WELL	XX	04/07/2014		045-22358	Chevron GM 411-21	ND	<input checked="" type="checkbox"/>
436686	WELL	XX	04/07/2014		045-22359	Chevron GM 12-21	ND	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Inspector Name: LONGWORTH, MIKE

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>12</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>2</u>	Separators: <u>12</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			
BATTERY	SATISFACTORY			
TANK LABELS/PLACARDS	ACTION REQUIRED	No labels on tanks.	Install sign to comply with rule 210.	08/05/2014

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?

Fencing/:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			

Equipment:

Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Bird Protectors	4	SATISFACTORY			
Horizontal Heated Separator	8	SATISFACTORY			
Plunger Lift	5	SATISFACTORY			

Inspector Name: LONGWORTH, MIKE

Facilities: <input type="checkbox"/> New Tank Tank ID: _____				
Contents	#	Capacity	Type	SE GPS
	6	300 BBLS	STEEL AST	39.511000,-108.125380
S/A/V:	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:
Paint				
Condition	Adequate			
Other (Content) Contents not on tanks				
Other (Capacity)				
Other (Type)				
Berms				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate
Corrective Action				Corrective Date
Comment				
Venting:				
Yes/No		Comment		
Flaring:				
Type	Satisfactory/Action Required		Comment	Corrective Action
				CA Date
Predrill				
Location ID: 335402				
Site Preparation:				
Lease Road Adeq.:		Pads:	Soil Stockpile:	
S/A/V:				
Corrective Action:		Date:	CDP Num.:	
Form 2A COAs:				

Group	User	Comment	Date
OGLA	kubeczkd	<p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network. Operator shall notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to testing surface or buried poly/steel pipelines.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. The operator shall maintain records of inspections, findings and repairs, if necessary, for the life of the pipelines.</p> <p>Operator must ensure appropriate secondary containment for volume of fluids that may be released before pump shut down from the surface pipeline at all stream, intermittent stream, ditch, and drainage crossings. Catchment basins, if needed, should be sized to contain the volume between pump stations or between the nearest pump station and the frac pad being used for this well pad location. Pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area. Operator shall notify the COGCC OGLA Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) 48 hours prior to placement of temporary surface poly pipelines.</p>	02/13/2014
OGLA	kubeczkd	Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material and with additional downgradient perimeter berming.	02/13/2014
Permit	yokleyb	Operator shall comply with Buffer Zone Move-In, Rig-Up Notice Policy dated 12-16-2013.	04/07/2014
OGLA	kubeczkd	Notify the COGCC 48 hours prior to start of pad reconstruction/regrading, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).	02/13/2014

S/A/V: SATISFACTORY**Comment:**

BMPs for storm water run on and off. 7 conductors are set. No drilling operation occurring during inspection.

CA: **Date:** **Wildlife BMPs:**

BMP Type	Comment
Planning	<p>Share/consolidate corridors for pipeline ROWs to the maximum extent possible.</p> <p>Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas.</p> <p>Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river.</p> <p>Locate roads outside of drainages where possible and outside of riparian habitat.</p> <p>Avoid new surface disturbance and placing new facilities in key wildlife habitats in consultation with CDOW.</p> <p>Minimize the number, length, and footprint of oil and gas development roads.</p> <p>Use existing roads where possible.</p>
Drilling/Completion Operations	<p>Maximize the use of directional drilling to minimize habitat loss/fragmentation.</p> <p>Minimize rig mobilization and demobilization where practicable by completing or recompleting all wells from a given well pad before moving rigs to a new location.</p> <p>Treat waste water pits and any associated pit containing water that provides a medium for breeding mosquitoes with Bti (<i>Bacillus thuringiensis</i> v. <i>israelensis</i>) or other similar products, or take other effective action to control mosquito larvae that may spread West Nile Virus to wildlife, especially grouse.</p> <p>Construct fluid pit fences and nets that are capable of withstanding animal pressure and environmental conditions and that are appropriately sized for the wildlife encountered.</p> <p>Skim and eliminate oil from produced water ponds and fluid pits at a rate sufficient to prevent oiling of birds or other wildlife that could gain access to the pit and as consistent with COGCC skimming requirements.</p>
Construction	<p>o Use minimum practical construction widths for new rights-of-way where pipelines cross riparian areas, streams, and critical habitats where possible.</p> <p>Install and retrofit, as practical, dual pit liners beneath pits which may contain fluids to provide added protection groundwater, riparian and wetland resources in the immediate and adjacent area(s).</p> <p>Install and maintain adequate measures to exclude birds and big game from all fluid pits to the greatest extent possible (e.g. fencing, netting, and other appropriate exclusionary measures).</p> <p>Perform routine inspections of netting and pit liner systems to ensure proper function and condition for preventative maintenance and incident deterrence.</p>
General Housekeeping	<p>o Post speed limits and caution signs to the extent allowed by surface owners, Federal and state regulations, local government, and land use policies, as appropriate.</p> <p>Use remote monitoring of well production to the extent practicable.</p> <p>Maintain pre and post development site inspection records and monitor operations for compliance.</p> <p>Ensure that staging, refueling, and chemical storage areas are established outside of riparian zones and floodplains, as appropriate.</p> <p>Store and stage emergency spill response equipment at strategic locations so that it is available to expedite effective spill response.</p>
Final Reclamation	<p>Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife.</p> <p>WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas.</p> <p>Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings.</p> <p>Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.</p>

Interim Reclamation	<p>Commensurate with the language set forth on the Surface Damage Agreement, interim and final reclamation shall be performed as early as practical and to the greatest extent possible. Mow or brushhog vegetation where appropriate, leaving root structure intact, instead of scraping the surface, where allowed by the surface owner.</p> <p>Apply an aggressive, integrated, noxious and invasive weed management plan. Utilize an adaptive management strategy that permits effective response(s) to monitored findings and reflects local site geography and conditions. Strip and segregate topsoil prior to construction. Appropriately configure topsoil piles and seed as immediate as practicable to control erosion, prevent weed establishment and maintain soil microbial activity.</p> <p>Perform interim reclamation on all disturbed areas not needed for active support of production operations consistent with applicable timing restrictions and requirements.</p> <p>Reclaim reserve pits as quickly as practical after drilling and completions to ensure that pit contents do not offer the possibility of unnecessary environmental liability to the environment or local biota.</p> <p>Control weeds in areas surrounding reclamation areas, as reasonable, in order to reduce weed competition.</p> <p>Educate employees and contractors about weed issues.</p> <p>Utilize GIS technologies to assess the initial and final extent of disturbance and document reclamation progression.</p>
---------------------	--

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:**On Site Inspection (305):**Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 268781 Type: WELL API Number: 045-09294 Status: PR Insp. Status: PR

Producing Well

Comment: Producing well

Facility ID: 268912 Type: WELL API Number: 045-09309 Status: PR Insp. Status: PR

Producing Well

Comment: Producing well

Facility ID: <u>275420</u>	Type: <u>WELL</u>	API Number: <u>045-13536</u>	Status: <u>PR</u>	Insp. Status: <u>PR</u>
<u>Producing Well</u>				
Comment: <u>Producing well</u>				

Facility ID: <u>275421</u>	Type: <u>WELL</u>	API Number: <u>045-13535</u>	Status: <u>PR</u>	Insp. Status: <u>PR</u>
<u>Producing Well</u>				
Comment: <u>Producing well</u>				

Facility ID: <u>275422</u>	Type: <u>WELL</u>	API Number: <u>045-13534</u>	Status: <u>PR</u>	Insp. Status: <u>PR</u>
<u>Producing Well</u>				
Comment: <u>Producing well</u>				

Facility ID: <u>436679</u>	Type: <u>WELL</u>	API Number: <u>045-22353</u>	Status: <u>XX</u>	Insp. Status: <u>ND</u>
----------------------------	-------------------	------------------------------	-------------------	-------------------------

Facility ID: <u>436680</u>	Type: <u>WELL</u>	API Number: <u>045-22354</u>	Status: <u>XX</u>	Insp. Status: <u>ND</u>
----------------------------	-------------------	------------------------------	-------------------	-------------------------

Facility ID: <u>436682</u>	Type: <u>WELL</u>	API Number: <u>045-22355</u>	Status: <u>XX</u>	Insp. Status: <u>ND</u>
----------------------------	-------------------	------------------------------	-------------------	-------------------------

Facility ID: <u>436683</u>	Type: <u>WELL</u>	API Number: <u>045-22356</u>	Status: <u>XX</u>	Insp. Status: <u>ND</u>
----------------------------	-------------------	------------------------------	-------------------	-------------------------

Facility ID: <u>436684</u>	Type: <u>WELL</u>	API Number: <u>045-22357</u>	Status: <u>XX</u>	Insp. Status: <u>ND</u>
----------------------------	-------------------	------------------------------	-------------------	-------------------------

Facility ID: <u>436685</u>	Type: <u>WELL</u>	API Number: <u>045-22358</u>	Status: <u>XX</u>	Insp. Status: <u>ND</u>
----------------------------	-------------------	------------------------------	-------------------	-------------------------

Facility ID: <u>436686</u>	Type: <u>WELL</u>	API Number: <u>045-22359</u>	Status: <u>XX</u>	Insp. Status: <u>ND</u>
----------------------------	-------------------	------------------------------	-------------------	-------------------------

Environmental**Spills/Releases:**

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____
 CA _____ CA Date _____
 Waste Material Onsite? _____ CM _____
 CA _____ CA Date _____
 Unused or unneeded equipment onsite? _____ CM _____
 CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____
 Debris removed _____ No disturbance /Location never built _____
 Access Roads Regraded _____ Contoured _____ Culverts removed _____
 Gravel removed _____

Inspector Name: LONGWORTH, MIKE

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation

Well Release on Active Location ☐

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Berms	Pass	Compaction	Pass			
Seeding						
Compaction	Pass	Culverts	Pass			
Gravel	Pass					
Ditches	Pass	Gravel	Pass			
Ditches	Pass	Ditches	Pass			

S/A/V: SATISFACTOR
Y _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date
Sound wall has been install around the south west perimeter of location. 7 conductors have been set.	longworm	07/29/2014