

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
08/05/2014

Document Number:
673400951

Overall Inspection:
SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>434521</u>	<u>434520</u>	<u>Waldron, Emily</u>	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number: 10396

Name of Operator: SOUTHWESTERN ENERGY PRODUCTION COMPANY

Address: 2350 N SAM HOUSTON PKWY EAST #125

City: HOUSTON State: TX Zip: 77032

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
KELLERBY, SHAUN		shaun.kellerby@state.co.us	
Rowell, Cheryl	713-542-0648	Cheryl_Rowell@swn.com	Senior Regulatory Analyst

Compliance Summary:

QtrQtr: NWSW Sec: 22 Twp: 6N Range: 88W

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
434521	WELL	DG	07/25/2014	LO	107-06260	Dill Gulch 1-22	DG <input checked="" type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: <u> </u>	Drilling Pits: <u> </u>	Wells: <u>1</u>	Production Pits: <u> </u>
Condensate Tanks: <u> </u>	Water Tanks: <u>1</u>	Separators: <u>1</u>	Electric Motors: <u>1</u>
Gas or Diesel Mortors: <u>1</u>	Cavity Pumps: <u> </u>	LACT Unit: <u> </u>	Pump Jacks: <u>1</u>
Electric Generators: <u> </u>	Gas Pipeline: <u> </u>	Oil Pipeline: <u> </u>	Water Pipeline: <u> </u>
Gas Compressors: <u> </u>	VOC Combustor: <u>1</u>	Oil Tanks: <u>3</u>	Dehydrator Units: <u> </u>
Multi-Well Pits: <u> </u>	Pigging Station: <u> </u>	Flare: <u> </u>	Fuel Tanks: <u>1</u>

Location

Emergency Contact Number (S/A/V): _____ Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Multiple Spills and Releases?

Venting:		
Yes/No	Comment	

Flaring:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 434521

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/AV: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	<p>PIPELINE COAs:</p> <p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network. Operator shall notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to testing surface poly/steel or buried poly/steel pipelines.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. The operator shall maintain records of inspections, findings and repairs, if necessary, for the life of the pipelines.</p> <p>Operator must ensure 110 percent secondary containment for any potential volume of fluids that may be released from the surface pipeline at all sensitive area crossings, including, but not limited to stream, intermittent stream, ditch, and drainage crossings.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.</p>	09/10/2013

<p>OGLA</p>	<p>kubeczkd</p>	<p>GENERAL SITE COAs:</p> <p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as described on the BMPs tab and shown on the Construction Layout Drawings and Location Drawing attachments); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>A closed loop system must be implemented during drilling (which operator has indicated on the Form 2A); or, if a closed loop system drilling rig is not used/available, then an amended Form 2A will need to be submitted/approved to include a drilling pit, and a Form 15 Earthen Pit Permit will also need to be submitted/approved prior to construction of the pit (the drilling pit will be required to be lined, fenced, and netted).</p> <p>All cuttings generated during drilling with oil based muds or high chloride/TDS mud must be kept in containers, a lined/bermed portion of the well pad, or the lined drilling pit (if permitted and constructed) prior to offsite disposal. The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>The moisture content of any freshwater mud generated cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the freshwater mud generated drill cuttings are to be left onsite, they must also meet the applicable standards of table 910-1.</p> <p>If the well is to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p>	<p>09/10/2013</p>
<p>OGLA</p>	<p>kubeczkd</p>	<p>GROUNDWATER MONITORING COA:</p> <p>Operator shall comply with Rule 609. STATEWIDE GROUNDWATER BASELINE SAMPLING AND MONITORING.</p>	<p>09/10/2013</p>

S/AV: _____ **Comment:**

CA: **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Storm Water/Erosion Control	<p>Storm Water management plans (SWMP) are in place to comply with both Colorado Department of Public Health and Environment (CDPHE) and Colorado Oil and Gas Conservation Commission (COGCC) storm water discharge permits. The construction layout for this location details Best Management Practices (BMP's) to be installed during the initial construction. Note that BMP's may be removed, altered, or replaced with the changing conditions in the field and the SWMP will be updated accordingly. The BMP's prescribed for the initial construction phase include, but are not limited to:</p> <ul style="list-style-type: none"> • Construct diversion ditch • Sediment Reservoirs • Check dams • Level spreaders • Stabilized construction entrance • Slash • Sediment Traps • Wattles • Terrace • Secondary containment berms • Detention ponds
Wildlife	<ol style="list-style-type: none"> 1. Establish company guidelines to minimize wildlife mortality from vehicle collisions on roads. 2. Include a weed management plan and implement the plan as part of the reclamation. 3. Reclaim habitats with native shrubs, grasses, and forbs appropriate to the ecological site disturbed.
Material Handling and Spill Prevention	Spill Prevention Control and Countermeasure Plans (SPCC) are in place to address material releases and to prescribe materials handling BMP's for the facility. "Good Housekeeping" measures will be taken to ensure proper waste disposal.

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 434521 Type: WELL API Number: 107-06260 Status: DG Insp. Status: DG

Cement

Cement Contractor

Contractor Name: Halliburton

Contractor Phone: _____

Surface Casing

Cement Volume (sx): 1530

Circulate to Surface: YES

Cement Fall Back: NO

Top Job, 1" Volume: NO

Intermediate Casing

Cement Volume (sxs): _____

Good Return During Job: _____

Production Casing

Cement Volume (sx): _____

Good Return During Job: _____

Plugging Operations

Depth Plugs(feet range): _____

Cement Volume (sx): _____

Good Return During Job: _____

Cement Type: _____

Comment:

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment:

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location:

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: IMPROVED PASTURE

Comment:

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: IMPROVED PASTURE _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location Multi-Well Location

Inspector Name: Waldron, Emily

Storm Water:						
Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date
Inspector on location to witness cementing of surface casing. Returns at surface. Inspector will perform a routine rig inspection at a later date during daylight hours.	waldrone	08/05/2014

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
673400955	Surface Job Procedure	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3401605