

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE ET OE ES

Inspection Date:

08/05/2014

Document Number:

673801250

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	437581	437582	Gomez, Jason	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 10261Name of Operator: BAYSWATER EXPLORATION AND PRODUCTION LLCAddress: 730 17TH ST STE 610City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Barbula, Don		dbarbula@bayswater.us	
Blyth, Tom		tblyth@bayswater.us	Regulatory

Compliance Summary:QtrQtr: NENE Sec: 10 Twp: 6N Range: 65W**Inspector Comment:****Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
437580	WELL	XX	06/13/2014		123-39598	Kaiser G-10HN	XX	<input type="checkbox"/>
437581	WELL	XX	06/13/2014		123-39599	Kaiser F-10HC	DG	<input checked="" type="checkbox"/>
437583	WELL	XX	06/13/2014		123-39600	Kaiser E-10HN	XX	<input type="checkbox"/>
437584	WELL	XX	06/13/2014		123-39601	Kaiser H-10HC	XX	<input type="checkbox"/>
437585	WELL	XX	06/13/2014		123-39602	Kaiser C-10HN	XX	<input type="checkbox"/>
437586	WELL	XX	06/13/2014		123-39603	Kaiser B-10HC	XX	<input type="checkbox"/>
437587	WELL	XX	06/13/2014		123-39604	Kaiser A-10HN	XX	<input type="checkbox"/>
437588	WELL	XX	06/13/2014		123-39605	Kaiser D-10HC	XX	<input type="checkbox"/>

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>8</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>5</u>	Separators: <u>9</u>	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: <u>3</u>	VOC Combustor: <u>4</u>	Oil Tanks: <u>18</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Emergency Contact Number (S/A/V): _____

Corrective Date: _____

Inspector Name: Gomez, Jason

Comment:

Corrective Action:

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?

Venting:

Yes/No	Comment

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 437581

Site Preparation:

Lease Road Adeq.: Pads: Soil Stockpile:

S/A/V:

Corrective Action: Date: CDP Num.:

Form 2A COAs:

Group	User	Comment	Date
OGLA	andrewsd	Operator must implement site-specific best management practices in accordance with good engineering practices, including, but not limited to, construction of a berm or diversion dike, site grading, or other comparable measures, sufficient to protect the irrigation ditch located 383 feet east of the oil and gas location from a release of drilling, completion, produced fluids, and chemical products.	05/12/2014

S/A/V: **Comment:**

CA: **Date:**

Wildlife BMPs:

BMP Type	Comment
Storm Water/Erosion Control	Use water bars, and other measures to prevent erosion and non-source pollution. Implement and maintain BMPs to control stormwater runoff in a manner that minimizes erosion, transport of sediment offsite, and site degradation. Co-locate gas and water gathering lines whenever feasible, and mitigate any erosion problems that arise due to the construction of any pipeline(s).
Odor mitigation	Rule 805 - Odors Bayswater will regulate odors in accordance with COGCC Rule 805. The production facilities will have VOC Combustors with emission control devices to comply with the Department of Public Health and Environment, Air Quality Control Commission.
Drilling/Completion Operations	Pursuant to COGCC 207.a. ("Policy"), Bayswater Exploration & Production, LLC, acknowledges and will comply with said policy for Bradenhead Monitoring during hydraulic fracturing treatments in the Greater Wattenberg Area (GWA), dated May 29, 2012.
Emissions mitigation	Rule 604.c.(2)C - Green Completions Emission Control Systems Test separators and associated flow lines and sand traps shall be installed on-site to accommodate green completions techniques pursuant to COGCC Rules. In the anticipated absence of a viable gas sales line, the flowback gas shall be thermally oxidized in an emissions control device (ECD), which will be installed and kept in operable condition for at least the first 90-days of production pursuant to CDPHE rules.

Construction	<p>Rule 604.c.(2)R - Tank Specifications</p> <p>Tanks will be designed, constructed and maintained in accordance with NFPA Code 30. The tanks are visually inspected once a day for issues, and recorded inspections are conducted once a month.</p>
Construction	<p>Rule 604.c.(2)N - Control of Fire Hazards</p> <p>All material that is considered a fire hazard shall be a minimum of 25' from the wellhead tanks or separators. Electrical equipment shall comply with the current national electrical code.</p>
Construction	<p>Rule 804 - Visual Impact Mitigation</p> <p>All long term facility structures will be painted a color that enables the facilities to blend in with the natural background color of the landscape, as seen from a viewing distance and location typically used by the public. Maintain appearance with garbage clean-up; a trash bin will be located on site to accumulate waste by the personnel drilling the wells. Site will have unused equipment, trash and junk removed immediately.</p>
Noise mitigation	<p>A baseline noise survey will be performed prior to the start of drilling and completion operations. Some type of sound wall mitigation will be implemented based on the study results to insure that noise levels are maintained below the permissible level for Light Industrial Zones, as measured at the nearest Building Unit.</p>
General Housekeeping	<p>Fence the well site after drilling to restrict public and wildlife access. Keep well site location, the road, and the pipeline easement free of noxious weeds, litter and debris. Spray for noxious weeds, and implement dust control, as needed.</p> <p>Operator will not permit the release or discharge of any toxic or hazardous chemicals or wastes on Owner's Land.</p> <p>Construct and maintain gates where any roads used by operator, its employees, or contractors cross through fences on the leased premises.</p>
Drilling/Completion Operations	<p>Prior to drilling operations, Operator may perform an anti-collision review of existing offset wells that have the potential of being within close proximity of the proposed well. This anti-collision review may include MWD or gyro surveys and surface locations of the offset wells with included error of uncertainty per survey instrument, and compared against the proposed well path with its respective error of uncertainty. If current surveys do not exist for the offset wells, Operator may have gyro surveys conducted to verify bottom hole location. The proposed well may only be drilled if the anti-collision review results indicate that the risk of collision is sufficiently low as defined by the anticollision plan, with separation factors greater than 1.5, or if the risk of collision has been mitigated through other means including shutting in wells, plugging wells, increased drilling fluid in the event of lost returns or as is appropriate for the specific situation. In the event of an increased risk of collision, that risk will be mitigated to prevent harm to people, the environment or property. For the proposed well, upon conclusion of drilling operations, an as-constructed directional survey will be submitted to the COGCC with the Form 5.</p>
Interim Reclamation	<p>Utilize only such area around each producing well as is reasonably necessary.</p> <p>Restore the remainder of the well site location to its original condition within a reasonable time after the completion of operations.</p> <p>All reseeding shall be done with grasses consistent with the Rocky Mountain native mix or other grasses reasonably requested by surface owner and during planting period suggested by Owner.</p>
Final Reclamation	<p>All surface restoration shall be accomplished to the satisfaction of Owner.</p> <p>All reseeding shall be done with grasses consistent with the Rocky Mountain native mix or other grasses reasonably requested by surface owner and during planting period suggested by Owner.</p> <p>Final reclamation shall be completed to the reasonable satisfaction of the Owner as soon as practical after installation (weather permitting) and in accordance with regulatory agency standards (BLM/COGCC).</p>
Construction	<p>Rule 604.c.(3) - Location Specific Requirements within an Exception Zone Setback</p> <p>Containment berms shall be constructed of steel rings with a synthetic or engineered liner and designed to prevent leakage and resist degradation from erosion or routine operation. Tertiary containment, such as an earthen berm, will be installed as required for Production Facilities within 500 feet. All berms will be visually checked periodically to ensure proper working condition.</p>
Drilling/Completion Operations	<p>A closed-loop drilling mud system will be used to preclude the use of an earthen reserve pit. Light Sources will likewise be directed downwards and away from occupied structures where possible. Once the drilling and completion rigs leave the site, there will be no permanently installed lighting on site.</p>

Inspector Name: Gomez, Jason

Construction	Remove only the minimum amount of vegetation necessary for the construction of roads and facilities. Conserve topsoil during excavation and reuse as cover on disturbed areas to facilitate regrowth of vegetation. No construction or routine maintenance activities will be performed during periods when the soil is too wet to adequately support construction equipment.
Material Handling and Spill Prevention	Rule 604.c.(2)F - Leak Detection Plan Pumper will visit the location daily and visually inspect all tanks and fittings for leaks. Additionally, monthly documented SPCCP inspections are conducted pursuant to 40 CFR 112.
Planning	When feasible develop multiple well sites by using directional drilling to reduce cumulative impacts and adverse impacts on wildlife resources.
Dust control	Traffic dust control will be done utilizing water on all County Roads leading up to the pad site. Fugitive dust will be controlled by speed restrictions on all neighboring roads, regular road maintenance and repair, and avoiding construction activity during high wind days. If technologically and economically feasible, additional management practices may also be required to minimize fugitive dust, as well as to control silica dust while handling sand during fracing operations.
Drilling/Completion Operations	Rule 604.c.(2)H - Blowout Preventer Equipment A double ram and annular preventer will be used during drilling. Stabbing valves shall be installed in the event of reverse circulation and shall be prior tested with low and high pressure fluid.

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 437581 Type: WELL API Number: 123-39599 Status: XX Insp. Status: DG

Well Drilling

Rig: Rig Name: Frontier Rig 8 Pusher/Rig Manager: Mark Stoner
 Permit Posted: SATISFACTORY Access Sign: SATISFACTORY

Well Control Equipment:

Pipe Ram: YES Blind Ram: YES Hydril Type: _____
 Pressure Test BOP: _____ Test Pressure PSI: _____ Safety Plan: _____

Drill Fluids Management:

Lined Pit: _____ Unlined Pit: _____ Closed Loop: YES Semi-Closed Loop: _____
 Multi-Well: YES Disposal Location: _____

Comment:**Cement****Cement Contractor**

Contractor Name: Baker Hughes Contractor Phone: _____

Surface Casing

Cement Volume (sx): 250 Circulate to Surface: YES
 Cement Fall Back: NO Top Job, 1" Volume: YES

Intermediate Casing

Cement Volume (sxs): _____ Good Return During Job: _____

Production Casing

Cement Volume (sx): _____ Good Return During Job: _____

Plugging Operations

Depth Plugs(feet range): _____ Cement Volume (sx): _____

Good Return During Job: _____ Cement Type: _____

Comment: _____

Environmental**Spills/Releases:**

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Inspector Name: Gomez, Jason

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: IRRIGATED

Comment: _____

1003a. Debris removed? _____ CM _____
CA _____ CA Date _____
Waste Material Onsite? _____ CM _____
CA _____ CA Date _____
Unused or unneeded equipment onsite? _____ CM _____
CA _____ CA Date _____
Pit, cellars, rat holes and other bores closed? _____ CM _____
CA _____ CA Date _____
Guy line anchors removed? _____ CM _____
CA _____ CA Date _____
Guy line anchors marked? _____ CM _____
CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: IRRIGATED

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Inspector Name: Gomez, Jason

Access Roads	Regraded _____	Contoured _____	Culverts removed _____
	Gravel removed _____		
Location and associated production facilities reclaimed _____		Locations, facilities, roads, recontoured _____	
Compaction alleviation _____	Dust and erosion control _____		
Non cropland: Revegetated 80% _____		Cropland: perennial forage _____	
Weeds present _____	Subsidence _____		
Comment:	<input type="text"/>		
Corrective Action:	<input type="text"/>	Date _____	
Overall Final Reclamation _____	Well Release on Active Location <input type="checkbox"/>	Multi-Well Location <input type="checkbox"/>	

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment:

CA:

Pits: ☐ NO SURFACE INDICATION OF PIT