

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>400656583</div>			
Date Received: <div>08/05/2014</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10440	Contact Name Dave Banko	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: AURORA POWER RESOURCES INC	Phone: (303) 8204480	
Address: 4645 SWEETWATER BLVD STE 200	Fax: ( )	
City: SUGAR LAND State: TX Zip: 77479	Email: dave@banko1.com	
API Number : 05- 087 08178 00 OGCC Facility ID Number: 435432 Well/Facility Name: David Bender Well/Facility Number: 1A Location QtrQtr: NWSW Section: 12 Township: 4N Range: 60W Meridian: 6 County: MORGAN Field Name: BIJOU WEST Federal, Indian or State Lease Number:		<div>Survey Plat</div> <div>Directional Survey</div> <div>Srhc Eqpmt Diagram</div> <div>Technical Info Page</div> <div>Other</div>

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

13

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

2

Number of Water Source Exceptions requested per Rule 609.c.

11

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.  
**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

**COMMENTS**

Water wells could not be sampled due to no pumping equipment present in wells or in working condition at time of sampling.

**Operator Comments:**

information provided by Dave Banko who conducted the review of water well info and contacted or attempted to contact well owners

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Russell Knight  
Title: consultant Email: rknight@ruleengineering.com Date: 8/5/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 8/6/2014

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

--	--

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Environmental	This Sundry Notice was submitted six months after spud. The spud date was 2/6/2014. In the future Sundry Notices filed after the Spud date may lead to enforcement action.	3/6/2014 8:15:40 AM
Environmental	A review of DWR data on the COGCC website indicates that there are no additional water features, other than those addressed by the operator, that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s).	3/6/2014 8:15:01 AM

Total: 2 comment(s)

**Attachment Check List****Att Doc Num****Name**

400656583	FORM 4 SUBMITTED
-----------	------------------

Total Attach: 1 Files