

SSR 1-814

CUSTOMER: CANNON

WELLSITE: SSHRIDGE

Well Name: EIGHT

Plane Of Vert Section 186.46

Distance Units used ft

Grid Convergence 0.000

Computation Method: 1 (Minimum Curvature)

Height Of TVD Origin Above Field Datum 0.00

Dogleg Base Length Used 100

Magnetic Declination 0.000

MD	Inc	Dir	Tvd	Vsec	Lat	Dep	Build	Turn	Dleg	Tool

0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1515.0	1.10	196.00	1514.9	14.3	-14.0	-4.0	0.1	-10.8	0.1	
1788.0	1.50	195.00	1787.8	20.5	-19.9	-5.7	0.1	-0.4	0.1	
2037.0	1.70	192.00	2036.7	27.4	-26.7	-7.3	0.1	-1.2	0.1	
2285.0	1.30	197.00	2284.7	33.8	-33.0	-8.9	-0.2	2.0	0.2	
2533.0	1.40	248.00	2532.6	38.0	-36.8	-12.5	0.0	20.6	0.5	
2762.0	1.30	221.00	2761.5	41.5	-39.8	-16.8	-0.0	-11.8	0.3	
2793.0	1.50	226.00	2792.5	42.1	-40.4	-17.3	0.6	16.1	0.8	
2824.0	1.30	239.00	2823.5	42.6	-40.8	-17.9	-0.6	41.9	1.2	
2856.0	2.10	216.00	2855.5	43.3	-41.5	-18.6	2.5	-71.9	3.2	
2887.0	7.00	187.00	2886.4	45.7	-43.8	-19.1	15.8	-93.5	17.0	
2918.0	12.70	180.00	2916.9	51.0	-49.1	-19.4	18.4	-22.6	18.8	
2950.0	17.20	182.00	2947.8	59.2	-57.4	-19.5	14.1	6.2	14.2	
2982.0	22.40	183.00	2977.9	70.0	-68.2	-20.0	16.2	3.1	16.3	
3013.0	27.40	184.00	3006.0	83.1	-81.2	-20.8	16.1	3.2	16.2	
3045.0	31.00	180.00	3034.0	98.6	-96.8	-21.3	11.3	-12.5	12.8	
3075.0	33.90	178.00	3059.3	114.6	-112.9	-21.0	9.7	-6.7	10.3	
3107.0	37.90	178.00	3085.2	133.1	-131.7	-20.4	12.5	0.0	12.5	
3138.0	42.20	179.00	3108.9	152.9	-151.6	-19.9	13.9	3.2	14.0	
3169.0	45.80	179.00	3131.2	174.2	-173.1	-19.5	11.6	0.0	11.6	
3200.0	48.60	179.00	3152.3	196.8	-195.9	-19.1	9.0	0.0	9.0	
3231.0	52.30	180.00	3172.0	220.5	-219.8	-18.9	11.9	3.2	12.2	
3262.0	55.70	180.00	3190.2	245.4	-244.8	-18.9	11.0	0.0	11.0	
3292.0	58.50	181.00	3206.5	270.5	-270.0	-19.1	9.3	3.3	9.7	
3323.0	61.60	181.00	3222.0	297.2	-296.9	-19.6	10.0	0.0	10.0	
3353.0	65.60	182.00	3235.3	324.0	-323.7	-20.3	13.3	3.3	13.7	
3384.0	69.90	182.00	3247.1	352.6	-352.4	-21.3	13.9	0.0	13.9	
3416.0	73.40	181.00	3257.2	382.8	-382.8	-22.1	10.9	-3.1	11.3	
3446.0	76.70	180.00	3264.9	411.6	-411.7	-22.3	11.0	-3.3	11.5	
3470.0	77.30	178.00	3270.3	434.8	-435.1	-21.9	2.5	-8.3	8.5	
3478.0	77.10	179.00	3272.1	442.5	-442.9	-21.7	-2.5	12.5	12.4	
3510.0	78.00	179.00	3279.0	473.5	-474.2	-21.2	2.8	0.0	2.8	
3541.0	82.70	179.00	3284.2	503.8	-504.7	-20.6	15.2	0.0	15.2	
3556.0	86.00	180.00	3285.6	518.6	-519.6	-20.5	22.0	6.7	23.0	
3580.0	90.20	180.00	3286.4	542.5	-543.6	-20.5	17.5	0.0	17.5	
3611.0	91.20	185.00	3286.1	573.4	-574.6	-21.9	3.2	16.1	16.4	
3642.0	90.80	184.00	3285.5	604.4	-605.5	-24.3	-1.3	-3.2	3.5	
3673.0	91.90	184.00	3284.8	635.3	-636.4	-26.5	3.5	0.0	3.5	
3705.0	91.80	185.00	3283.7	667.3	-668.3	-29.0	-0.3	3.1	3.1	
3737.0	91.90	186.00	3282.7	699.3	-700.1	-32.0	0.3	3.1	3.1	

3768.0	92.50	188.00	3281.5	730.2	-730.8	-35.8	1.9	6.5	6.7
3799.0	92.70	189.00	3280.1	761.2	-761.5	-40.4	0.6	3.2	3.3
3830.0	91.30	190.00	3279.0	792.1	-792.0	-45.5	-4.5	3.2	5.5
3862.0	90.50	190.00	3278.5	824.0	-823.5	-51.0	-2.5	0.0	2.5
3891.0	91.30	190.00	3278.1	853.0	-852.1	-56.1	2.8	0.0	2.8
3922.0	93.60	192.00	3276.8	883.9	-882.5	-62.0	7.4	6.5	9.8
3952.0	93.80	193.00	3274.8	913.6	-911.7	-68.5	0.7	3.3	3.4
3982.0	92.30	195.00	3273.2	943.3	-940.8	-75.7	-5.0	6.7	8.3
4012.0	92.30	196.00	3272.0	972.9	-969.7	-83.7	0.0	3.3	3.3
4042.0	91.50	197.00	3271.0	1002.5	-998.4	-92.2	-2.7	3.3	4.3
4070.0	92.20	199.00	3270.1	1029.9	-1025.0	-100.9	2.5	7.1	7.6
4101.0	93.30	201.00	3268.6	1060.0	-1054.1	-111.5	3.5	6.5	7.4
4131.0	92.10	202.00	3267.2	1088.9	-1082.0	-122.5	-4.0	3.3	5.2
4161.0	92.40	203.00	3266.0	1117.7	-1109.7	-133.9	1.0	3.3	3.5
4190.0	92.20	205.00	3264.9	1145.4	-1136.2	-145.7	-0.7	6.9	6.9
4221.0	90.80	207.00	3264.1	1174.6	-1164.0	-159.3	-4.5	6.5	7.9
4250.0	90.90	208.00	3263.6	1201.6	-1189.7	-172.7	0.3	3.4	3.5
4281.0	90.20	208.00	3263.3	1230.5	-1217.1	-187.2	-2.3	0.0	2.3
4311.0	90.60	209.00	3263.1	1258.3	-1243.5	-201.6	1.3	3.3	3.6
4341.0	92.80	212.00	3262.2	1285.6	-1269.3	-216.8	7.3	10.0	12.4
4371.0	93.00	212.50	3260.7	1312.6	-1294.6	-232.8	0.7	1.7	1.8
4401.0	92.90	212.90	3259.2	1339.5	-1319.9	-249.0	-0.3	1.3	1.4
4432.0	91.30	213.70	3258.0	1367.1	-1345.8	-266.0	-5.2	2.6	5.8
4462.0	90.20	214.00	3257.6	1393.8	-1370.7	-282.7	-3.7	1.0	3.8
4491.0	90.10	214.10	3257.6	1419.5	-1394.7	-298.9	-0.3	0.3	0.5
4520.0	91.30	214.60	3257.2	1445.1	-1418.6	-315.3	4.1	1.7	4.5
4550.0	91.80	215.70	3256.4	1471.4	-1443.2	-332.5	1.7	3.7	4.0
4579.0	91.60	214.80	3255.5	1496.8	-1466.8	-349.3	-0.7	-3.1	3.2
4609.0	92.60	216.10	3254.4	1523.0	-1491.2	-366.6	3.3	4.3	5.5
4640.0	92.20	217.60	3253.1	1549.7	-1516.0	-385.2	-1.3	4.8	5.0
4670.0	92.60	218.80	3251.9	1575.2	-1539.6	-403.8	1.3	4.0	4.2
4700.0	92.30	220.50	3250.6	1600.3	-1562.7	-422.9	-1.0	5.7	5.7
4730.0	92.10	222.20	3249.5	1624.9	-1585.2	-442.7	-0.7	5.7	5.7
4760.0	92.70	224.50	3248.2	1648.9	-1607.0	-463.3	2.0	7.7	7.9
4790.0	92.00	226.70	3247.0	1672.1	-1627.9	-484.7	-2.3	7.3	7.7
4820.0	91.90	228.10	3245.9	1694.8	-1648.2	-506.7	-0.3	4.7	4.7
4850.0	93.80	230.50	3244.5	1716.7	-1667.8	-529.5	6.3	8.0	10.2
4880.0	92.20	232.10	3242.9	1738.0	-1686.5	-552.8	-5.3	5.3	7.5
4910.0	93.30	233.80	3241.4	1758.6	-1704.5	-576.8	3.7	5.7	6.7
4940.0	92.90	235.10	3239.8	1778.7	-1722.0	-601.1	-1.3	4.3	4.5
4971.0	90.10	237.60	3239.0	1798.6	-1739.1	-626.9	-9.0	8.1	12.1
5000.0	89.20	240.20	3239.2	1816.3	-1754.1	-651.7	-3.1	9.0	9.5
5030.0	89.80	242.10	3239.5	1833.6	-1768.6	-678.0	2.0	6.3	6.6
5061.0	92.20	243.40	3238.9	1850.8	-1782.8	-705.6	7.7	4.2	8.8
5092.0	92.80	244.10	3237.6	1867.6	-1796.5	-733.3	1.9	2.3	3.0
5123.0	93.10	244.90	3236.0	1884.0	-1809.8	-761.3	1.0	2.6	2.8
5154.0	91.70	245.60	3234.7	1900.0	-1822.8	-789.4	-4.5	2.3	5.0
5186.0	91.00	246.20	3233.9	1916.3	-1835.8	-818.6	-2.2	1.9	2.9
5217.0	91.10	246.70	3233.3	1931.8	-1848.2	-847.0	0.3	1.6	1.6
5248.0	88.90	246.20	3233.3	1947.3	-1860.6	-875.5	-7.1	-1.6	7.3

5278.0	87.80	246.60	3234.2	1962.3	-1872.6	-902.9	-3.7	1.3	3.9
5310.0	88.80	247.70	3235.2	1978.0	-1885.0	-932.4	3.1	3.4	4.6
5342.0	88.90	248.40	3235.8	1993.2	-1897.0	-962.1	0.3	2.2	2.2
5374.0	92.80	248.20	3235.3	2008.3	-1908.8	-991.8	12.2	-0.6	12.2
5405.0	95.30	248.80	3233.1	2022.8	-1920.1	-1020.6	8.1	1.9	8.3
5427.0	95.60	248.00	3231.0	2033.1	-1928.2	-1040.9	1.4	-3.6	3.9
5460.0	95.60	248.00	3227.8	2048.7	-1940.5	-1071.4	0.0	0.0	0.0