

Laboratory Report

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:25:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S142240927
Matrix: Water Grab
Sample Name: Tank# N67

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607561	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	9.66	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	1.27	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:25:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S142240927
Matrix: Water Grab
Sample Name: Tank# N67

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	0.441	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	0.168	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	0.171	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	3.79	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	65.2	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:25:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S142240927
Matrix: Water Grab
Sample Name: Tank# N67

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Boron	28.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	598	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Chromium	0.096	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.291	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	118	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	5.28	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	72.7	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	1.36	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	86.5	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	27.2	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	10700	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	84.5	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	1.28	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:40:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092B
Matrix: Water Grab
Sample Name: Tank# 237

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607562	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	14.1	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	3.87	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	0.786	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	0.731	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	0.335	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:40:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092B
Matrix: Water Grab
Sample Name: Tank# 237

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	0.456	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	0.499	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	1.79	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	1.34	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	0.352	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	3.58	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	2.75	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	0.994	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	3.48	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	3.01	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	12.6	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	37.9	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	20.9	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	417	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:40:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092B
Matrix: Water Grab
Sample Name: Tank# 237

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out Laboratory
Chromium	0.207	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Copper	0.595	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Iron	205	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Lead	0.209	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Lithium	3.53	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Magnesium	52.9	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Manganese	1.12	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Molybdenum	0.155	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Nickel	0.159	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Potassium	77.9	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Silica	15.4	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Sodium	6700	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Strontium	52.4	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Zinc	1.11	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:55:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092C
Matrix: Water Grab
Sample Name: Tank# N53

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607563	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	12.4	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	2.39	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	1.31	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	1.02	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	0.622	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:55:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092C
Matrix: Water Grab
Sample Name: Tank# N53

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	0.515	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	0.701	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	2.49	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	0.675	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	0.608	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	2.72	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	< 0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	4.98	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	1.61	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	4.21	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	2.96	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	5.37	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	< 0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	< 0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	20.2	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	< 0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	14.7	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	< 0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	264	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 1:55:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092C
Matrix: Water Grab
Sample Name: Tank# N53

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out Laboratory
Chromium	0.219	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Copper	0.321	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Iron	232	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Lithium	2.36	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Magnesium	31.5	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Manganese	1.33	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Molybdenum	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Nickel	0.143	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Potassium	43.1	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Silica	15.9	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Sodium	4400	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Strontium	26.4	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>
Zinc	0.947	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:00:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092D
Matrix: Water Grab
Sample Name: Tank# 1818

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607564	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	11.1	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	1.36	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:00:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092D
Matrix: Water Grab
Sample Name: Tank# 1818

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	0.115	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	0.514	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.1	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	0.156	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	0.132	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	<0.5	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	67.3	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	36.4	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	753	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
 Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:00:00 PM
 Date Received: 8/8/2014
 Batch No: 32831
 Laboratory ID: S14224092D
 Matrix: Water Grab
 Sample Name: Tank# 1818

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Chromium	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.168	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	39.8	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	6.38	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	96.1	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	0.571	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.175	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	124	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	32.5	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	13400	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	109	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	0.346	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:08:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092E
Matrix: Water Grab
Sample Name: Tank# N79

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607565	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	17.2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	2.85	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	0.879	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	0.915	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	0.659	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:08:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092E
Matrix: Water Grab
Sample Name: Tank# N79

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	0.445	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	0.533	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	2.38	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	1.71	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	0.389	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	3.05	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	5.33	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	1.78	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	7.51	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	4.75	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	31.9	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	43.4	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	24.7	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	508	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:08:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092E
Matrix: Water Grab
Sample Name: Tank# N79

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis	Analyst	Sent	Laboratory
					Date		Out	
Chromium	0.342	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.441	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	234	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	4.16	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	68.3	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	1.21	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	0.169	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.189	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	81.6	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	15.1	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	8400	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	63.3	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	1.33	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:15:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092F
Matrix: Water Grab
Sample Name: Tank# 1777

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607566	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	11.8	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	4.36	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	0.529	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	0.473	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	0.261	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:15:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092F
Matrix: Water Grab
Sample Name: Tank# 1777

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	0.623	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	0.396	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	1.21	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	0.974	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	0.289	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	3.81	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	2.11	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	0.877	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	2.93	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	2.07	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	9.35	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	80.3	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	35.9	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	738	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:15:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092F
Matrix: Water Grab
Sample Name: Tank# 1777

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Chromium	0.208	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.605	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	256	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	6.39	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	93.9	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	1.05	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.257	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	122	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	16.7	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	13000	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	100	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	0.99	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

Mo = 0.100 ppm

Zn = 0.990 ppm

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:20:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092G
Matrix: Water Grab
Sample Name: Tank# N427

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607567	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	22.9	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	17.5	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	9.03	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	8.48	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	4.12	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:20:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092G
Matrix: Water Grab
Sample Name: Tank# N427

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	5.57	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	6.39	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	17.4	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	6.76	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	3.37	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	29.9	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	41.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	11.2	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	48.2	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	31.5	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	18.1	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	27.9	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	20.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	343	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:20:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092G
Matrix: Water Grab
Sample Name: Tank# N427

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Chromium	0.326	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.401	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	209	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	0.215	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	3.11	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	43.3	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	1.13	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	0.223	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.201	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	63.2	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	45.7	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	5900	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	36.7	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	1.07	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:27:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092H
Matrix: Water Grab
Sample Name: Tank# 142

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607568	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	21.4	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	5.41	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	2.89	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	2.29	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	1.55	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:27:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092H
Matrix: Water Grab
Sample Name: Tank# 142

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	2.15	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	1.86	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	5.42	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	3.52	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	2.25	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.2	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	6.69	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	12.4	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	4.67	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	14.2	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	10.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	30	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	24.9	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	18.5	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	358	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:27:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092H
Matrix: Water Grab
Sample Name: Tank# 142

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Chromium	0.359	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.602	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	204	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	2.89	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	45.4	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	1.57	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	0.28	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.191	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	57.9	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	16.6	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	5500	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	33.2	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	1.55	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

Al = 30.0 ppm

Mo = 0.280 ppm

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:30:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092I
Matrix: Water Grab
Sample Name: Tank# 358

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	607569	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	18.7	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	3.68	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	2.18	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	1.34	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	0.911	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:30:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092I
Matrix: Water Grab
Sample Name: Tank# 358

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	0.625	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	0.768	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	3.19	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	3.29	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	0.732	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	3.47	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	7.38	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	2.11	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	5.49	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	3.69	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	12.8	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	36.7	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	26.5	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	449	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:30:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092I
Matrix: Water Grab
Sample Name: Tank# 358

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Chromium	0.288	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.381	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	172	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	4.15	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	54.7	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	1.29	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.089	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	75.8	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	37.7	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	7800	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	54.2	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	0.853	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:45:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092J
Matrix: Water Grab
Sample Name: Tank# 185

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	6075610	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	12.3	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	1.46	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	<2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	0.458	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	0.539	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	0.126	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	<0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
 Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:45:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092J
Matrix: Water Grab
Sample Name: Tank# 185

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	0.139	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	0.153	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	1.89	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	1.39	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	0.134	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	0.878	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	1.03	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	1.09	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	0.825	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	0.932	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	3.56	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	55.4	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	30.2	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	651	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:45:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092J
Matrix: Water Grab
Sample Name: Tank# 185

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Chromium	0.092	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.207	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	125	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	5.19	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	79.1	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	0.718	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.333	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	103	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	34.6	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	10800	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	88.7	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	0.408	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

See attached report for SVOC 8270.



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax: 970-226-4946

Client:
Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:55:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092K
Matrix: Water Grab
Sample Name: Tank# 309

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
. SVOC 8270	6075611	Batch #	10	EPA 8270	8/11/2014		<input checked="" type="checkbox"/>	Accutest Mountain States
. VOC 8260 Batch #	224	Batch #	0	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Acetone	14.3	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Benzene	5.56	ppm	0.001	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromobenzene	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromochloromethane	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromodichloromethane	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromoform	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Bromomethane	< 0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butanone, 2- (MEK)	< 2	ppm	0.04	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, n-	1.04	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, sec-	0.713	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Butylbenzene, tert-	0.378	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Carbon Tetrachloride	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorobenzene	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorodibromomethane	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroethane	< 0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloroform	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chloromethane	< 0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Chlorotoluene, 4-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromo-3-chloropropane, 1,2-	< 0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromoethane, 1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dibromomethane	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,3-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorobenzene, 1,4-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichlorodifluoromethane	< 0.5	ppm	0.01	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,1-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethane, 1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, 1,1-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, cis-1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloroethylene, trans-1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,2-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropane, 1,3-	< 0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
 Goldstein Enterprises Inc
 PO Box 273180
 Fort Collins CO 80527
 Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:55:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092K
Matrix: Water Grab
Sample Name: Tank# 309

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
.Dichloropropane, 2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, 1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, cis-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Dichloropropene, trans-1,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Ethylbenzene	0.607	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Fluorotrichloromethane	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Hexachlorobutadiene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropylbenzene	0.514	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Isopropyltoluene, 4-	1.67	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Methylene Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Naphthalene	2.05	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Propylbenzene, n-	0.423	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Styrene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachlorethane, 1,1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethane, 1,1,2,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Tetrachloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Toluene	4.77	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,3-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichlorobenzene, 1,2,4-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,1-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethane, 1,1,2-	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloroethylene	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trichloropropane, 1,2,3-	<0.25	ppm	0.005	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,2,4-	3.11	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Trimethylbenzene, 1,3,5-	0.829	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Vinyl Chloride	<0.1	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, m,p-	3.14	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
.Xylene, o-	2.37	ppm	0.002	EPA 8260 B	8/9/2014	WVS	<input type="checkbox"/>	
_Digest/Total Prep. Batch	32	Dig #	0	SM 3030 F	8/9/2014	WVS	<input type="checkbox"/>	
Aluminum	2.24	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Antimony	<0.3	ppm	0.03	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Arsenic	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Barium	65.6	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Beryllium	<0.005	ppm	0.0005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Boron	34.3	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Cadmium	<0.03	ppm	0.003	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Calcium	723	ppm	0.05	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	



Stewart Environmental Consultants LLC
 3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
 Phone 970-226-5500 ♦ Fax:970-226-4946

Client:
Goldstein Enterprises Inc
PO Box 273180
Fort Collins CO 80527
Attn: Taylor Hendricks

Date Sampled: 8/8/2014 2:55:00 PM
Date Received: 8/8/2014
Batch No: 32831
Laboratory ID: S14224092K
Matrix: Water Grab
Sample Name: Tank# 309

Project# 4669.001 BG010

Analysis	Results	Units	MRL	Method	Analysis Date	Analyst	Sent Out	Laboratory
Chromium	0.143	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Copper	0.341	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Iron	130	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lead	0.486	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Lithium	5.89	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Magnesium	88.9	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Manganese	0.851	ppm	0.002	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Molybdenum	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Nickel	0.091	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Potassium	112	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Selenium	<0.1	ppm	0.01	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silica	21.1	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Silver	<0.05	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Sodium	12000	ppm	0.1	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Strontium	99.5	ppm	0.001	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Tin	<0.2	ppm	0.02	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	
Zinc	0.557	ppm	0.005	EPA 200.7	8/9/2014	WVS	<input type="checkbox"/>	

See attached report for SVOC 8270.

Results Approved by:



Michael Glavanovich, Laboratory Manager

Date Reported: 8/12/2014



Stewart Environmental Consultants LLC
3801 Automation Way, Suite 200 ♦ Fort Collins, CO 80525
Phone 970-226-5500 ♦ Fax: 970-226-4946

CHAIN OF CUSTODY RECORD

Batch: 32831

STEWART ENVIRONMENTAL CONSULTANTS, LLC.
3801 Automation Way, Suite 200, Fort Collins, CO 80525

Telephone: (970) 226-5500
Facsimile: (970) 226-4946

PAGE 1 OF 1

Client No.		CLIENT: TRITON		SAMPLER						
Sample No.	Date	Time	Grab / Comp	SAMPLE IDENTIFICATION / NAME	Matrix Type	QC Report Needed	Total No. of Bottles	Print: R J BLINDERMAN	Signature: R J Blinderman	Analyses Requested: VOCs METALS
09127	8/8/14	1325	grab	Tank # A67	W		3			
09128	8/8/14	1340		237						
09129	8/8/14	1355		N53						
09130	8/8/14	1400		1818						
09131	8/8/14	1408		N79						
09132	8/8/14	1415		1777						
09133	8/8/14	1420		N427						
09134	8/8/14	1427		142						
09135	8/8/14	1430		358						
09136	8/8/14	1445		185						
09137	8/8/14	1455		309						
Notes:										

Relinquished by	Date / Time	Received by	Date / Time	REQUESTED COMPLETION DATE	REPORT TO:	PHONE:
R J Blinderman	8/8/14	W. J. [Signature]	8/8/14			
Relinquished by	Date / Time	Received by	Date / Time			
Relinquished by	Date / Time	Received by	Date / Time			
Database Entry By	Date					

Matrix Type: WW = waste water, DW = drinking water, L = liquid, S = soil, A = Air
SL = sludge, SD = Solid

CDPHE REPORT REQUIRED

PWSID #



Sample Receipt Checklist

STEWART ENVIRONMENTAL CONSULTANTS, LLC.
3801 Automation Way, Suite 200, Fort Collins, CO 80525

Client: Triton Initials: WVS Date: 8/8/14 Time: 7:45p MST/MDT

To be filled out by laboratory courier, if applicable:

	Yes	No	NA
1 Were samples retrieved by a laboratory courier?	<input checked="" type="checkbox"/>		
2 Were samples on ice or in a refrigerated state upon retrieval?	<input checked="" type="checkbox"/>		

Courier Initials: RJB Date: 8/8/14 Time: 7:45pm

To be filled out by laboratory sample receiving:

3 Shipping container/cooler intact?	<input checked="" type="checkbox"/>		
4 Chain of Custody (COC) present?	<input checked="" type="checkbox"/>		
5 Sample bottles intact? *	<input checked="" type="checkbox"/>		
6 Samples on blue-ice?	<input checked="" type="checkbox"/>		
7 Samples on wet ice?		<input checked="" type="checkbox"/>	
8 Samples received within 4 hours of sampling?		<input checked="" type="checkbox"/>	

9 Record temperature of sample bottles within cooler with infra-red thermometer.

Container #				
Temp °C	<u>3.8</u>			

	Yes	No	NA
10 Sample thawed and free of any ice? *	<input checked="" type="checkbox"/>		
11 COC complete, legible, signed and dated?	<input checked="" type="checkbox"/>		
12 Labels on bottles complete and legible? *	<input checked="" type="checkbox"/>		
13 COC in agreement with sample bottle labels? *	<input checked="" type="checkbox"/>		
14 Proper container used for analyses requested? *	<input checked="" type="checkbox"/>		
15 Samples requiring preservation preserved correctly? *	<input checked="" type="checkbox"/>		
16 Sufficient sample volume for analyses requested? *	<input checked="" type="checkbox"/>		
17 Samples within holding times for analyses requested? *	<input checked="" type="checkbox"/>		
18 Samples requiring no headspace are free of headspace? *	<input checked="" type="checkbox"/>		

(VOC, TVPH, BTEX, Ethanol, Radon) If no, size of bubble: _____ < green pea, _____ > green pea

* If no, document on Chain of Custody.

Notes:



08/12/14

Technical Report for

Stewart Environmental Consultants

Triton Produced Water Analyses

A669.001(10)

Accutest Job Number: D60756

Sampling Date: 08/08/14

Report to:


Stewart Environmental Consultants
3801 Automation Way Suite 200
Fort Collins, CO 80525
corrine.haybarker@stewartenv.com

ATTN: Corrine Hatbarker

Total number of pages in report: 42



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.


Scott Heideman
Laboratory Director

Client Service contact: Cristina Berrutti 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

Sections:

1

2

3

4

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	7
3.1: D60756-1: TANK # N67	8
3.2: D60756-2: TANK # 237	11
3.3: D60756-3: TANK # N53	14
3.4: D60756-4: TANK # 1818	17
3.5: D60756-5: TANK # N79	20
3.6: D60756-6: TANK # 1777	23
3.7: D60756-7: TANK # N427	26
3.8: D60756-8: TANK # 142	29
3.9: D60756-9: TANK # 358	32
3.10: D60756-10: TANK # 185	35
3.11: D60756-11: TANK # 309	38
Section 4: Misc. Forms	41
4.1: Chain of Custody	42



Sample Summary

Stewart Environmental Consultants

Job No: D60756

Triton Produced Water Analyses
Project No: A669.001(10)

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID
D60756-1	08/08/14	13:25 RB	08/08/14	AQ Ground Water	TANK # N67
D60756-2	08/08/14	13:40 RB	08/08/14	AQ Ground Water	TANK # 237
D60756-3	08/08/14	13:55 RB	08/08/14	AQ Ground Water	TANK # N53
D60756-4	08/08/14	14:00 RB	08/08/14	AQ Ground Water	TANK # 1818
D60756-5	08/08/14	14:08 RB	08/08/14	AQ Ground Water	TANK # N79
D60756-6	08/08/14	14:15 RB	08/08/14	AQ Ground Water	TANK # 1777
D60756-7	08/08/14	14:20 RB	08/08/14	AQ Ground Water	TANK # N427
D60756-8	08/08/14	14:27 RB	08/08/14	AQ Ground Water	TANK # 142
D60756-9	08/08/14	14:30 RB	08/08/14	AQ Ground Water	TANK # 358
D60756-10	08/08/14	14:45 RB	08/08/14	AQ Ground Water	TANK # 185
D60756-11	08/08/14	14:55 RB	08/08/14	AQ Ground Water	TANK # 309

Summary of Hits

Page 1 of 3

Job Number: D60756
Account: Stewart Environmental Consultants
Project: Triton Produced Water Analyses
Collected: 08/08/14



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
D60756-1	TANK # N67					
Chrysene ^a		89.5 J	170	17	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^a		318	170	37	ug/l	SW846 8270C
Fluorene ^a		205	170	17	ug/l	SW846 8270C
2-Methylnaphthalene ^a		1130	170	17	ug/l	SW846 8270C
Naphthalene ^a		228	170	17	ug/l	SW846 8270C
Phenanthrene ^a		524	67	17	ug/l	SW846 8270C
D60756-2	TANK # 237					
Chrysene ^b		112 J	420	42	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b		690	420	93	ug/l	SW846 8270C
Fluorene ^b		317 J	420	42	ug/l	SW846 8270C
2-Methylnaphthalene ^b		1970	420	42	ug/l	SW846 8270C
Naphthalene ^b		497	420	42	ug/l	SW846 8270C
Phenanthrene ^b		725	170	42	ug/l	SW846 8270C
D60756-3	TANK # N53					
Chrysene ^b		192 J	420	42	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b		621	420	92	ug/l	SW846 8270C
Fluorene ^b		421	420	42	ug/l	SW846 8270C
2-Methylnaphthalene ^b		1940	420	42	ug/l	SW846 8270C
Phenanthrene ^b		1090	170	42	ug/l	SW846 8270C
Pyrene ^b		89.1 J	420	42	ug/l	SW846 8270C
D60756-4	TANK # 1818					
Benzoic Acid ^a		59.1	56	56	ug/l	SW846 8270C
2,4-Dimethylphenol ^a		104	28	2.9	ug/l	SW846 8270C
2-Methylphenol ^a		438	28	2.8	ug/l	SW846 8270C
4-Methylphenol ^a		484	28	2.8	ug/l	SW846 8270C
Phenol ^a		655	28	2.8	ug/l	SW846 8270C
Chrysene ^a		7.9 J	28	2.8	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^a		13.7 J	28	6.1	ug/l	SW846 8270C
Fluorene ^a		8.5 J	28	2.8	ug/l	SW846 8270C
2-Methylnaphthalene ^a		27.9 J	28	2.8	ug/l	SW846 8270C
Naphthalene ^a		30.2	28	2.8	ug/l	SW846 8270C
Phenanthrene ^a		24.6	11	2.8	ug/l	SW846 8270C
D60756-5	TANK # N79					
Chrysene ^b		272 J	560	56	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b		655	560	120	ug/l	SW846 8270C

Summary of Hits

Job Number: D60756
 Account: Stewart Environmental Consultants
 Project: Triton Produced Water Analyses
 Collected: 08/08/14



Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Fluorene ^b		537 J	560	56	ug/l	SW846 8270C
2-Methylnaphthalene ^b		4490	560	56	ug/l	SW846 8270C
Naphthalene ^b		1560	560	56	ug/l	SW846 8270C
Phenanthrene ^b		1270	220	56	ug/l	SW846 8270C
Pyrene ^b		105 J	560	56	ug/l	SW846 8270C
D60756-6 TANK # 1777						
Chrysene ^b		232 J	420	42	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b		214 J	420	92	ug/l	SW846 8270C
Fluoranthene ^b		50.5 J	420	42	ug/l	SW846 8270C
Fluorene ^b		351 J	420	42	ug/l	SW846 8270C
2-Methylnaphthalene ^b		1500	420	42	ug/l	SW846 8270C
Naphthalene ^b		450	420	42	ug/l	SW846 8270C
Phenanthrene ^b		1070	170	42	ug/l	SW846 8270C
Pyrene ^b		78.1 J	420	42	ug/l	SW846 8270C
D60756-7 TANK # N427						
Chrysene ^b		355 J	560	56	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b		574	560	120	ug/l	SW846 8270C
Fluorene ^b		961	560	56	ug/l	SW846 8270C
2-Methylnaphthalene ^b		9160	560	56	ug/l	SW846 8270C
Naphthalene ^b		3720	560	56	ug/l	SW846 8270C
Phenanthrene ^b		2300	220	56	ug/l	SW846 8270C
Pyrene ^b		156 J	560	56	ug/l	SW846 8270C
D60756-8 TANK # 142						
Chrysene ^b		241 J	560	56	ug/l	SW846 8270C
Dibenzofuran ^b		298 J	560	56	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b		1490	560	120	ug/l	SW846 8270C
Fluorene ^b		548 J	560	56	ug/l	SW846 8270C
2-Methylnaphthalene ^b		3910	560	56	ug/l	SW846 8270C
Naphthalene ^b		1320	560	56	ug/l	SW846 8270C
Phenanthrene ^b		1210	220	56	ug/l	SW846 8270C
Pyrene ^b		101 J	560	56	ug/l	SW846 8270C
D60756-9 TANK # 358						
Chrysene ^c		222 J	420	42	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^c		522	420	92	ug/l	SW846 8270C
Fluoranthene ^c		42.9 J	420	42	ug/l	SW846 8270C
Fluorene ^c		647	420	42	ug/l	SW846 8270C
2-Methylnaphthalene ^c		5180	420	42	ug/l	SW846 8270C

Summary of Hits

Page 3 of 3

Job Number: D60756
 Account: Stewart Environmental Consultants
 Project: Triton Produced Water Analyses
 Collected: 08/08/14

2

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Naphthalene ^c		1780	420	42	ug/l	SW846 8270C
Phenanthrene ^c		1360	170	42	ug/l	SW846 8270C
Pyrene ^c		87.6 J	420	42	ug/l	SW846 8270C


D60756-10 TANK # 185

2,4-Dimethylphenol ^b	117 J	280	29	ug/l	SW846 8270C
Phenol ^b	334	280	28	ug/l	SW846 8270C
Chrysene ^b	99.4 J	280	28	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b	82.6 J	280	61	ug/l	SW846 8270C
Fluorene ^b	215 J	280	28	ug/l	SW846 8270C
2-Methylnaphthalene ^b	844	280	28	ug/l	SW846 8270C
Naphthalene ^b	143 J	280	28	ug/l	SW846 8270C
Phenanthrene ^b	489	110	28	ug/l	SW846 8270C
Pyrene ^b	30.3 J	280	28	ug/l	SW846 8270C

D60756-11 TANK # 309

4-Methylphenol ^b	507	280	28	ug/l	SW846 8270C
Phenol ^b	530	280	28	ug/l	SW846 8270C
Chrysene ^b	122 J	280	28	ug/l	SW846 8270C
bis(2-Ethylhexyl)phthalate ^b	246 J	280	61	ug/l	SW846 8270C
Fluorene ^b	289	280	28	ug/l	SW846 8270C
2-Methylnaphthalene ^b	2190	280	28	ug/l	SW846 8270C
Naphthalene ^b	923	280	28	ug/l	SW846 8270C
Phenanthrene ^b	711	110	28	ug/l	SW846 8270C
Pyrene ^b	43.3 J	280	28	ug/l	SW846 8270C

- (a) Elevated reporting limits due to matrix interference, dilution required during sample prep.
 (b) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.
 (c) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis. Part of extraction spilled during prep. Analysis may be biased low for some compounds.



Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	TANK # N67	Date Sampled:	08/08/14
Lab Sample ID:	D60756-1	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120838.D	1	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

Run #	Initial Volume	Final Volume
Run #1	900 ml	30.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	330	330	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	170	21	ug/l	
95-57-8	2-Chlorophenol	ND	170	19	ug/l	
120-83-2	2,4-Dichlorophenol	ND	170	20	ug/l	
105-67-9	2,4-Dimethylphenol	ND	170	18	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	170	17	ug/l	
51-28-5	2,4-Dinitrophenol	ND	170	130	ug/l	
95-48-7	2-Methylphenol	ND	170	17	ug/l	
106-44-5	4-Methylphenol	ND	170	17	ug/l	
88-75-5	2-Nitrophenol	ND	170	17	ug/l	
100-02-7	4-Nitrophenol	ND	170	17	ug/l	
87-86-5	Pentachlorophenol	ND	170	17	ug/l	
108-95-2	Phenol	ND	170	17	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	170	18	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	170	17	ug/l	
83-32-9	Acenaphthene	ND	170	17	ug/l	
208-96-8	Acenaphthylene	ND	170	17	ug/l	
120-12-7	Anthracene	ND	170	17	ug/l	
56-55-3	Benzo(a)anthracene	ND	170	17	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	170	17	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	170	17	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	170	17	ug/l	
50-32-8	Benzo(a)pyrene	ND	170	17	ug/l	
100-51-6	Benzyl Alcohol	ND	170	21	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	170	17	ug/l	
85-68-7	Butyl benzyl phthalate	ND	170	17	ug/l	
106-47-8	4-Chloroaniline	ND	170	22	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	170	17	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	170	17	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	170	19	ug/l	
91-58-7	2-Chloronaphthalene	ND	170	17	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	170	17	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N67	Date Sampled:	08/08/14
Lab Sample ID:	D60756-1	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	89.5	170	17	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	170	17	ug/l	
132-64-9	Dibenzofuran	ND	170	17	ug/l	
84-74-2	Di-n-butyl phthalate	ND	170	23	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	67	18	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	67	17	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	67	17	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	170	17	ug/l	
84-66-2	Diethyl phthalate	ND	170	17	ug/l	
131-11-3	Dimethyl phthalate	ND	170	17	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	170	17	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	170	19	ug/l	
117-84-0	Di-n-octyl phthalate	ND	170	17	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	318	170	37	ug/l	
206-44-0	Fluoranthene	ND	170	17	ug/l	
86-73-7	Fluorene	205	170	17	ug/l	
118-74-1	Hexachlorobenzene	ND	170	17	ug/l	
87-68-3	Hexachlorobutadiene	ND	170	17	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	170	130	ug/l	
67-72-1	Hexachloroethane	ND	170	19	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	170	19	ug/l	
78-59-1	Isophorone	ND	170	17	ug/l	
91-57-6	2-Methylnaphthalene	1130	170	17	ug/l	
91-20-3	Naphthalene	228	170	17	ug/l	
88-74-4	2-Nitroaniline	ND	170	19	ug/l	
99-09-2	3-Nitroaniline	ND	170	31	ug/l	
100-01-6	4-Nitroaniline	ND	170	17	ug/l	
98-95-3	Nitrobenzene	ND	170	17	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	170	17	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	170	24	ug/l	
85-01-8	Phenanthrene	524	67	17	ug/l	
129-00-0	Pyrene	ND	170	17	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	67	17	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	48%		10-130%
4165-62-2	Phenol-d5	50%		10-130%
118-79-6	2,4,6-Tribromophenol	102%		10-151%
4165-60-0	Nitrobenzene-d5	227% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N67	Date Sampled:	08/08/14
Lab Sample ID:	D60756-1	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	84%		30-130%
1718-51-0	Terphenyl-d14	127%		19-140%

- (a) Elevated reporting limits due to matrix interference, dilution required during sample prep.
(b) Outside control limits due to matrix interference.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 237	Date Sampled:	08/08/14
Lab Sample ID:	D60756-2	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120839.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

	Initial Volume	Final Volume
Run #1	890 ml	15.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	840	840	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	420	53	ug/l	
95-57-8	2-Chlorophenol	ND	420	47	ug/l	
120-83-2	2,4-Dichlorophenol	ND	420	51	ug/l	
105-67-9	2,4-Dimethylphenol	ND	420	45	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	420	42	ug/l	
51-28-5	2,4-Dinitrophenol	ND	420	340	ug/l	
95-48-7	2-Methylphenol	ND	420	42	ug/l	
106-44-5	4-Methylphenol	ND	420	42	ug/l	
88-75-5	2-Nitrophenol	ND	420	42	ug/l	
100-02-7	4-Nitrophenol	ND	420	42	ug/l	
87-86-5	Pentachlorophenol	ND	420	42	ug/l	
108-95-2	Phenol	ND	420	42	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	420	46	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	420	44	ug/l	
83-32-9	Acenaphthene	ND	420	43	ug/l	
208-96-8	Acenaphthylene	ND	420	42	ug/l	
120-12-7	Anthracene	ND	420	42	ug/l	
56-55-3	Benzo(a)anthracene	ND	420	42	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	420	42	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	420	42	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	420	42	ug/l	
50-32-8	Benzo(a)pyrene	ND	420	42	ug/l	
100-51-6	Benzyl Alcohol	ND	420	54	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	420	42	ug/l	
85-68-7	Butyl benzyl phthalate	ND	420	42	ug/l	
106-47-8	4-Chloroaniline	ND	420	55	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	420	42	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	420	42	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	420	47	ug/l	
91-58-7	2-Chloronaphthalene	ND	420	42	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	420	42	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 237	Date Sampled:	08/08/14
Lab Sample ID:	D60756-2	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	112	420	42	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	420	42	ug/l	
132-64-9	Dibenzofuran	ND	420	42	ug/l	
84-74-2	Di-n-butyl phthalate	ND	420	58	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	170	45	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	170	42	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	170	42	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	420	42	ug/l	
84-66-2	Diethyl phthalate	ND	420	42	ug/l	
131-11-3	Dimethyl phthalate	ND	420	42	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	420	42	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	420	47	ug/l	
117-84-0	Di-n-octyl phthalate	ND	420	42	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	690	420	93	ug/l	
206-44-0	Fluoranthene	ND	420	42	ug/l	
86-73-7	Fluorene	317	420	42	ug/l	J
118-74-1	Hexachlorobenzene	ND	420	42	ug/l	
87-68-3	Hexachlorobutadiene	ND	420	42	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	420	340	ug/l	
67-72-1	Hexachloroethane	ND	420	48	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	420	48	ug/l	
78-59-1	Isophorone	ND	420	42	ug/l	
91-57-6	2-Methylnaphthalene	1970	420	42	ug/l	
91-20-3	Naphthalene	497	420	42	ug/l	
88-74-4	2-Nitroaniline	ND	420	49	ug/l	
99-09-2	3-Nitroaniline	ND	420	78	ug/l	
100-01-6	4-Nitroaniline	ND	420	44	ug/l	
98-95-3	Nitrobenzene	ND	420	42	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	420	42	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	420	62	ug/l	
85-01-8	Phenanthrene	725	170	42	ug/l	
129-00-0	Pyrene	ND	420	42	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	170	42	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	46%		10-130%
4165-62-2	Phenol-d5	118%		10-130%
118-79-6	2,4,6-Tribromophenol	116%		10-151%
4165-60-0	Nitrobenzene-d5	412% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 237	Date Sampled:	08/08/14
Lab Sample ID:	D60756-2	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	89%		30-130%
1718-51-0	Terphenyl-d14	232% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N53	Date Sampled:	08/08/14
Lab Sample ID:	D60756-3	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120840.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	15.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	830	830	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	420	52	ug/l	
95-57-8	2-Chlorophenol	ND	420	47	ug/l	
120-83-2	2,4-Dichlorophenol	ND	420	51	ug/l	
105-67-9	2,4-Dimethylphenol	ND	420	44	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	420	42	ug/l	
51-28-5	2,4-Dinitrophenol	ND	420	330	ug/l	
95-48-7	2-Methylphenol	ND	420	42	ug/l	
106-44-5	4-Methylphenol	ND	420	42	ug/l	
88-75-5	2-Nitrophenol	ND	420	42	ug/l	
100-02-7	4-Nitrophenol	ND	420	42	ug/l	
87-86-5	Pentachlorophenol	ND	420	42	ug/l	
108-95-2	Phenol	ND	420	42	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	420	45	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	420	43	ug/l	
83-32-9	Acenaphthene	ND	420	42	ug/l	
208-96-8	Acenaphthylene	ND	420	42	ug/l	
120-12-7	Anthracene	ND	420	42	ug/l	
56-55-3	Benzo(a)anthracene	ND	420	42	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	420	42	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	420	42	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	420	42	ug/l	
50-32-8	Benzo(a)pyrene	ND	420	42	ug/l	
100-51-6	Benzyl Alcohol	ND	420	53	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	420	42	ug/l	
85-68-7	Butyl benzyl phthalate	ND	420	42	ug/l	
106-47-8	4-Chloroaniline	ND	420	54	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	420	42	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	420	42	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	420	47	ug/l	
91-58-7	2-Chloronaphthalene	ND	420	42	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	420	42	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N53	Date Sampled:	08/08/14
Lab Sample ID:	D60756-3	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	192	420	42	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	420	42	ug/l	
132-64-9	Dibenzofuran	ND	420	42	ug/l	
84-74-2	Di-n-butyl phthalate	ND	420	57	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	170	44	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	170	42	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	170	42	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	420	42	ug/l	
84-66-2	Diethyl phthalate	ND	420	42	ug/l	
131-11-3	Dimethyl phthalate	ND	420	42	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	420	42	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	420	47	ug/l	
117-84-0	Di-n-octyl phthalate	ND	420	42	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	621	420	92	ug/l	
206-44-0	Fluoranthene	ND	420	42	ug/l	
86-73-7	Fluorene	421	420	42	ug/l	
118-74-1	Hexachlorobenzene	ND	420	42	ug/l	
87-68-3	Hexachlorobutadiene	ND	420	42	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	420	330	ug/l	
67-72-1	Hexachloroethane	ND	420	47	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	420	47	ug/l	
78-59-1	Isophorone	ND	420	42	ug/l	
91-57-6	2-Methylnaphthalene	1940	420	42	ug/l	
91-20-3	Naphthalene	ND	420	42	ug/l	
88-74-4	2-Nitroaniline	ND	420	48	ug/l	
99-09-2	3-Nitroaniline	ND	420	77	ug/l	
100-01-6	4-Nitroaniline	ND	420	43	ug/l	
98-95-3	Nitrobenzene	ND	420	42	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	420	42	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	420	61	ug/l	
85-01-8	Phenanthrene	1090	170	42	ug/l	
129-00-0	Pyrene	89.1	420	42	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	170	42	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	121%		10-130%
4165-62-2	Phenol-d5	135% ^b		10-130%
118-79-6	2,4,6-Tribromophenol	91%		10-151%
4165-60-0	Nitrobenzene-d5	1295% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N53	Date Sampled:	08/08/14
Lab Sample ID:	D60756-3	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	112%		30-130%
1718-51-0	Terphenyl-d14	261% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 1818	Date Sampled:	08/08/14
Lab Sample ID:	D60756-4	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120841.D	1	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	5.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	59.1	56	56	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	28	3.5	ug/l	
95-57-8	2-Chlorophenol	ND	28	3.1	ug/l	
120-83-2	2,4-Dichlorophenol	ND	28	3.4	ug/l	
105-67-9	2,4-Dimethylphenol	104	28	2.9	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	28	2.8	ug/l	
51-28-5	2,4-Dinitrophenol	ND	28	22	ug/l	
95-48-7	2-Methylphenol	438	28	2.8	ug/l	
106-44-5	4-Methylphenol	484	28	2.8	ug/l	
88-75-5	2-Nitrophenol	ND	28	2.8	ug/l	
100-02-7	4-Nitrophenol	ND	28	2.8	ug/l	
87-86-5	Pentachlorophenol	ND	28	2.8	ug/l	
108-95-2	Phenol	655	28	2.8	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	28	3.0	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	28	2.9	ug/l	
83-32-9	Acenaphthene	ND	28	2.8	ug/l	
208-96-8	Acenaphthylene	ND	28	2.8	ug/l	
120-12-7	Anthracene	ND	28	2.8	ug/l	
56-55-3	Benzo(a)anthracene	ND	28	2.8	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	28	2.8	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	28	2.8	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	28	2.8	ug/l	
50-32-8	Benzo(a)pyrene	ND	28	2.8	ug/l	
100-51-6	Benzyl Alcohol	ND	28	3.6	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	28	2.8	ug/l	
85-68-7	Butyl benzyl phthalate	ND	28	2.8	ug/l	
106-47-8	4-Chloroaniline	ND	28	3.6	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	28	2.8	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	28	2.8	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	28	3.1	ug/l	
91-58-7	2-Chloronaphthalene	ND	28	2.8	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	28	2.8	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 1818	Date Sampled:	08/08/14
Lab Sample ID:	D60756-4	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	7.9	28	2.8	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	28	2.8	ug/l	
132-64-9	Dibenzofuran	ND	28	2.8	ug/l	
84-74-2	Di-n-butyl phthalate	ND	28	3.8	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	11	2.9	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	11	2.8	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	11	2.8	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	28	2.8	ug/l	
84-66-2	Diethyl phthalate	ND	28	2.8	ug/l	
131-11-3	Dimethyl phthalate	ND	28	2.8	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	28	2.8	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	28	3.1	ug/l	
117-84-0	Di-n-octyl phthalate	ND	28	2.8	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	13.7	28	6.1	ug/l	J
206-44-0	Fluoranthene	ND	28	2.8	ug/l	
86-73-7	Fluorene	8.5	28	2.8	ug/l	J
118-74-1	Hexachlorobenzene	ND	28	2.8	ug/l	
87-68-3	Hexachlorobutadiene	ND	28	2.8	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	28	2.2	ug/l	
67-72-1	Hexachloroethane	ND	28	3.2	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	28	3.2	ug/l	
78-59-1	Isophorone	ND	28	2.8	ug/l	
91-57-6	2-Methylnaphthalene	27.9	28	2.8	ug/l	J
91-20-3	Naphthalene	30.2	28	2.8	ug/l	
88-74-4	2-Nitroaniline	ND	28	3.2	ug/l	
99-09-2	3-Nitroaniline	ND	28	5.1	ug/l	
100-01-6	4-Nitroaniline	ND	28	2.9	ug/l	
98-95-3	Nitrobenzene	ND	28	2.8	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	28	2.8	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	28	4.1	ug/l	
85-01-8	Phenanthrene	24.6	11	2.8	ug/l	
129-00-0	Pyrene	ND	28	2.8	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	11	2.8	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	64%		10-130%
4165-62-2	Phenol-d5	58%		10-130%
118-79-6	2,4,6-Tribromophenol	109%		10-151%
4165-60-0	Nitrobenzene-d5	84%		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 1818	Date Sampled:	08/08/14
Lab Sample ID:	D60756-4	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	103%		30-130%
1718-51-0	Terphenyl-d14	91%		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N79	Date Sampled:	08/08/14
Lab Sample ID:	D60756-5	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120842.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	20.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	1100	1100	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	560	70	ug/l	
95-57-8	2-Chlorophenol	ND	560	62	ug/l	
120-83-2	2,4-Dichlorophenol	ND	560	68	ug/l	
105-67-9	2,4-Dimethylphenol	ND	560	59	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	560	56	ug/l	
51-28-5	2,4-Dinitrophenol	ND	560	440	ug/l	
95-48-7	2-Methylphenol	ND	560	56	ug/l	
106-44-5	4-Methylphenol	ND	560	56	ug/l	
88-75-5	2-Nitrophenol	ND	560	56	ug/l	
100-02-7	4-Nitrophenol	ND	560	56	ug/l	
87-86-5	Pentachlorophenol	ND	560	56	ug/l	
108-95-2	Phenol	ND	560	56	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	560	60	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	560	58	ug/l	
83-32-9	Acenaphthene	ND	560	57	ug/l	
208-96-8	Acenaphthylene	ND	560	56	ug/l	
120-12-7	Anthracene	ND	560	56	ug/l	
56-55-3	Benzo(a)anthracene	ND	560	56	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	560	56	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	560	56	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	560	56	ug/l	
50-32-8	Benzo(a)pyrene	ND	560	56	ug/l	
100-51-6	Benzyl Alcohol	ND	560	71	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	560	56	ug/l	
85-68-7	Butyl benzyl phthalate	ND	560	56	ug/l	
106-47-8	4-Chloroaniline	ND	560	72	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	560	56	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	560	56	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	560	62	ug/l	
91-58-7	2-Chloronaphthalene	ND	560	56	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	560	56	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N79	Date Sampled:	08/08/14
Lab Sample ID:	D60756-5	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	272	560	56	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	560	56	ug/l	
132-64-9	Dibenzofuran	ND	560	56	ug/l	
84-74-2	Di-n-butyl phthalate	ND	560	77	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	220	59	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	220	56	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	220	56	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	560	56	ug/l	
84-66-2	Diethyl phthalate	ND	560	56	ug/l	
131-11-3	Dimethyl phthalate	ND	560	56	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	560	56	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	560	62	ug/l	
117-84-0	Di-n-octyl phthalate	ND	560	56	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	655	560	120	ug/l	
206-44-0	Fluoranthene	ND	560	56	ug/l	
86-73-7	Fluorene	537	560	56	ug/l	J
118-74-1	Hexachlorobenzene	ND	560	56	ug/l	
87-68-3	Hexachlorobutadiene	ND	560	56	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	560	440	ug/l	
67-72-1	Hexachloroethane	ND	560	63	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	560	63	ug/l	
78-59-1	Isophorone	ND	560	56	ug/l	
91-57-6	2-Methylnaphthalene	4490	560	56	ug/l	
91-20-3	Naphthalene	1560	560	56	ug/l	
88-74-4	2-Nitroaniline	ND	560	64	ug/l	
99-09-2	3-Nitroaniline	ND	560	100	ug/l	
100-01-6	4-Nitroaniline	ND	560	58	ug/l	
98-95-3	Nitrobenzene	ND	560	56	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	560	56	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	560	81	ug/l	
85-01-8	Phenanthrene	1270	220	56	ug/l	
129-00-0	Pyrene	105	560	56	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	220	56	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	39%		10-130%
4165-62-2	Phenol-d5	184% ^b		10-130%
118-79-6	2,4,6-Tribromophenol	98%		10-151%
4165-60-0	Nitrobenzene-d5	1017% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

Client Sample ID:	TANK # N79	Date Sampled:	08/08/14
Lab Sample ID:	D60756-5	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	127%		30-130%
1718-51-0	Terphenyl-d14	314% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 1777	Date Sampled:	08/08/14
Lab Sample ID:	D60756-6	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120843.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	15.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	830	830	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	420	52	ug/l	
95-57-8	2-Chlorophenol	ND	420	47	ug/l	
120-83-2	2,4-Dichlorophenol	ND	420	51	ug/l	
105-67-9	2,4-Dimethylphenol	ND	420	44	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	420	42	ug/l	
51-28-5	2,4-Dinitrophenol	ND	420	330	ug/l	
95-48-7	2-Methylphenol	ND	420	42	ug/l	
106-44-5	4-Methylphenol	ND	420	42	ug/l	
88-75-5	2-Nitrophenol	ND	420	42	ug/l	
100-02-7	4-Nitrophenol	ND	420	42	ug/l	
87-86-5	Pentachlorophenol	ND	420	42	ug/l	
108-95-2	Phenol	ND	420	42	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	420	45	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	420	43	ug/l	
83-32-9	Acenaphthene	ND	420	42	ug/l	
208-96-8	Acenaphthylene	ND	420	42	ug/l	
120-12-7	Anthracene	ND	420	42	ug/l	
56-55-3	Benzo(a)anthracene	ND	420	42	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	420	42	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	420	42	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	420	42	ug/l	
50-32-8	Benzo(a)pyrene	ND	420	42	ug/l	
100-51-6	Benzyl Alcohol	ND	420	53	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	420	42	ug/l	
85-68-7	Butyl benzyl phthalate	ND	420	42	ug/l	
106-47-8	4-Chloroaniline	ND	420	54	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	420	42	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	420	42	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	420	47	ug/l	
91-58-7	2-Chloronaphthalene	ND	420	42	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	420	42	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 1777	Date Sampled:	08/08/14
Lab Sample ID:	D60756-6	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	232	420	42	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	420	42	ug/l	
132-64-9	Dibenzofuran	ND	420	42	ug/l	
84-74-2	Di-n-butyl phthalate	ND	420	57	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	170	44	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	170	42	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	170	42	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	420	42	ug/l	
84-66-2	Diethyl phthalate	ND	420	42	ug/l	
131-11-3	Dimethyl phthalate	ND	420	42	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	420	42	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	420	47	ug/l	
117-84-0	Di-n-octyl phthalate	ND	420	42	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	214	420	92	ug/l	J
206-44-0	Fluoranthene	50.5	420	42	ug/l	J
86-73-7	Fluorene	351	420	42	ug/l	J
118-74-1	Hexachlorobenzene	ND	420	42	ug/l	
87-68-3	Hexachlorobutadiene	ND	420	42	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	420	330	ug/l	
67-72-1	Hexachloroethane	ND	420	47	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	420	47	ug/l	
78-59-1	Isophorone	ND	420	42	ug/l	
91-57-6	2-Methylnaphthalene	1500	420	42	ug/l	
91-20-3	Naphthalene	450	420	42	ug/l	
88-74-4	2-Nitroaniline	ND	420	48	ug/l	
99-09-2	3-Nitroaniline	ND	420	77	ug/l	
100-01-6	4-Nitroaniline	ND	420	43	ug/l	
98-95-3	Nitrobenzene	ND	420	42	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	420	42	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	420	61	ug/l	
85-01-8	Phenanthrene	1070	170	42	ug/l	
129-00-0	Pyrene	78.1	420	42	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	170	42	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	71%		10-130%
4165-62-2	Phenol-d5	121%		10-130%
118-79-6	2,4,6-Tribromophenol	79%		10-151%
4165-60-0	Nitrobenzene-d5	419% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.6

3

Client Sample ID:	TANK # 1777	Date Sampled:	08/08/14
Lab Sample ID:	D60756-6	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	109%		30-130%
1718-51-0	Terphenyl-d14	251% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N427	Date Sampled:	08/08/14
Lab Sample ID:	D60756-7	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120844.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	20.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	1100	1100	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	560	70	ug/l	
95-57-8	2-Chlorophenol	ND	560	62	ug/l	
120-83-2	2,4-Dichlorophenol	ND	560	68	ug/l	
105-67-9	2,4-Dimethylphenol	ND	560	59	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	560	56	ug/l	
51-28-5	2,4-Dinitrophenol	ND	560	440	ug/l	
95-48-7	2-Methylphenol	ND	560	56	ug/l	
106-44-5	4-Methylphenol	ND	560	56	ug/l	
88-75-5	2-Nitrophenol	ND	560	56	ug/l	
100-02-7	4-Nitrophenol	ND	560	56	ug/l	
87-86-5	Pentachlorophenol	ND	560	56	ug/l	
108-95-2	Phenol	ND	560	56	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	560	60	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	560	58	ug/l	
83-32-9	Acenaphthene	ND	560	57	ug/l	
208-96-8	Acenaphthylene	ND	560	56	ug/l	
120-12-7	Anthracene	ND	560	56	ug/l	
56-55-3	Benzo(a)anthracene	ND	560	56	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	560	56	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	560	56	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	560	56	ug/l	
50-32-8	Benzo(a)pyrene	ND	560	56	ug/l	
100-51-6	Benzyl Alcohol	ND	560	71	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	560	56	ug/l	
85-68-7	Butyl benzyl phthalate	ND	560	56	ug/l	
106-47-8	4-Chloroaniline	ND	560	72	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	560	56	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	560	56	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	560	62	ug/l	
91-58-7	2-Chloronaphthalene	ND	560	56	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	560	56	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # N427	Date Sampled:	08/08/14
Lab Sample ID:	D60756-7	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	355	560	56	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	560	56	ug/l	
132-64-9	Dibenzofuran	ND	560	56	ug/l	
84-74-2	Di-n-butyl phthalate	ND	560	77	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	220	59	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	220	56	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	220	56	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	560	56	ug/l	
84-66-2	Diethyl phthalate	ND	560	56	ug/l	
131-11-3	Dimethyl phthalate	ND	560	56	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	560	56	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	560	62	ug/l	
117-84-0	Di-n-octyl phthalate	ND	560	56	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	574	560	120	ug/l	
206-44-0	Fluoranthene	ND	560	56	ug/l	
86-73-7	Fluorene	961	560	56	ug/l	
118-74-1	Hexachlorobenzene	ND	560	56	ug/l	
87-68-3	Hexachlorobutadiene	ND	560	56	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	560	440	ug/l	
67-72-1	Hexachloroethane	ND	560	63	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	560	63	ug/l	
78-59-1	Isophorone	ND	560	56	ug/l	
91-57-6	2-Methylnaphthalene	9160	560	56	ug/l	
91-20-3	Naphthalene	3720	560	56	ug/l	
88-74-4	2-Nitroaniline	ND	560	64	ug/l	
99-09-2	3-Nitroaniline	ND	560	100	ug/l	
100-01-6	4-Nitroaniline	ND	560	58	ug/l	
98-95-3	Nitrobenzene	ND	560	56	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	560	56	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	560	81	ug/l	
85-01-8	Phenanthrene	2300	220	56	ug/l	
129-00-0	Pyrene	156	560	56	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	220	56	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	178% ^b		10-130%
4165-62-2	Phenol-d5	218% ^b		10-130%
118-79-6	2,4,6-Tribromophenol	114%		10-151%
4165-60-0	Nitrobenzene-d5	1335% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

Client Sample ID:	TANK # N427	Date Sampled:	08/08/14
Lab Sample ID:	D60756-7	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	130%		30-130%
1718-51-0	Terphenyl-d14	329% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 142	Date Sampled:	08/08/14
Lab Sample ID:	D60756-8	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120845.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

Run #	Initial Volume	Final Volume
Run #1	900 ml	20.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	1100	1100	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	560	70	ug/l	
95-57-8	2-Chlorophenol	ND	560	62	ug/l	
120-83-2	2,4-Dichlorophenol	ND	560	68	ug/l	
105-67-9	2,4-Dimethylphenol	ND	560	59	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	560	56	ug/l	
51-28-5	2,4-Dinitrophenol	ND	560	440	ug/l	
95-48-7	2-Methylphenol	ND	560	56	ug/l	
106-44-5	4-Methylphenol	ND	560	56	ug/l	
88-75-5	2-Nitrophenol	ND	560	56	ug/l	
100-02-7	4-Nitrophenol	ND	560	56	ug/l	
87-86-5	Pentachlorophenol	ND	560	56	ug/l	
108-95-2	Phenol	ND	560	56	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	560	60	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	560	58	ug/l	
83-32-9	Acenaphthene	ND	560	57	ug/l	
208-96-8	Acenaphthylene	ND	560	56	ug/l	
120-12-7	Anthracene	ND	560	56	ug/l	
56-55-3	Benzo(a)anthracene	ND	560	56	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	560	56	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	560	56	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	560	56	ug/l	
50-32-8	Benzo(a)pyrene	ND	560	56	ug/l	
100-51-6	Benzyl Alcohol	ND	560	71	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	560	56	ug/l	
85-68-7	Butyl benzyl phthalate	ND	560	56	ug/l	
106-47-8	4-Chloroaniline	ND	560	72	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	560	56	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	560	56	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	560	62	ug/l	
91-58-7	2-Chloronaphthalene	ND	560	56	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	560	56	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 142	Date Sampled:	08/08/14
Lab Sample ID:	D60756-8	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	241	560	56	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	560	56	ug/l	
132-64-9	Dibenzofuran	298	560	56	ug/l	J
84-74-2	Di-n-butyl phthalate	ND	560	77	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	220	59	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	220	56	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	220	56	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	560	56	ug/l	
84-66-2	Diethyl phthalate	ND	560	56	ug/l	
131-11-3	Dimethyl phthalate	ND	560	56	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	560	56	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	560	62	ug/l	
117-84-0	Di-n-octyl phthalate	ND	560	56	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	1490	560	120	ug/l	
206-44-0	Fluoranthene	ND	560	56	ug/l	
86-73-7	Fluorene	548	560	56	ug/l	J
118-74-1	Hexachlorobenzene	ND	560	56	ug/l	
87-68-3	Hexachlorobutadiene	ND	560	56	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	560	440	ug/l	
67-72-1	Hexachloroethane	ND	560	63	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	560	63	ug/l	
78-59-1	Isophorone	ND	560	56	ug/l	
91-57-6	2-Methylnaphthalene	3910	560	56	ug/l	
91-20-3	Naphthalene	1320	560	56	ug/l	
88-74-4	2-Nitroaniline	ND	560	64	ug/l	
99-09-2	3-Nitroaniline	ND	560	100	ug/l	
100-01-6	4-Nitroaniline	ND	560	58	ug/l	
98-95-3	Nitrobenzene	ND	560	56	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	560	56	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	560	81	ug/l	
85-01-8	Phenanthrene	1210	220	56	ug/l	
129-00-0	Pyrene	101	560	56	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	220	56	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	340% ^b		10-130%
4165-62-2	Phenol-d5	259% ^b		10-130%
118-79-6	2,4,6-Tribromophenol	98%		10-151%
4165-60-0	Nitrobenzene-d5	433% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

Client Sample ID:	TANK # 142	Date Sampled:	08/08/14
Lab Sample ID:	D60756-8	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	100%		30-130%
1718-51-0	Terphenyl-d14	318% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 358	Date Sampled:	08/08/14
Lab Sample ID:	D60756-9	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120846.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

Run #	Initial Volume	Final Volume
Run #1	900 ml	15.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	830	830	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	420	52	ug/l	
95-57-8	2-Chlorophenol	ND	420	47	ug/l	
120-83-2	2,4-Dichlorophenol	ND	420	51	ug/l	
105-67-9	2,4-Dimethylphenol	ND	420	44	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	420	42	ug/l	
51-28-5	2,4-Dinitrophenol	ND	420	330	ug/l	
95-48-7	2-Methylphenol	ND	420	42	ug/l	
106-44-5	4-Methylphenol	ND	420	42	ug/l	
88-75-5	2-Nitrophenol	ND	420	42	ug/l	
100-02-7	4-Nitrophenol	ND	420	42	ug/l	
87-86-5	Pentachlorophenol	ND	420	42	ug/l	
108-95-2	Phenol	ND	420	42	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	420	45	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	420	43	ug/l	
83-32-9	Acenaphthene	ND	420	42	ug/l	
208-96-8	Acenaphthylene	ND	420	42	ug/l	
120-12-7	Anthracene	ND	420	42	ug/l	
56-55-3	Benzo(a)anthracene	ND	420	42	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	420	42	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	420	42	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	420	42	ug/l	
50-32-8	Benzo(a)pyrene	ND	420	42	ug/l	
100-51-6	Benzyl Alcohol	ND	420	53	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	420	42	ug/l	
85-68-7	Butyl benzyl phthalate	ND	420	42	ug/l	
106-47-8	4-Chloroaniline	ND	420	54	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	420	42	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	420	42	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	420	47	ug/l	
91-58-7	2-Chloronaphthalene	ND	420	42	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	420	42	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 358	Date Sampled:	08/08/14
Lab Sample ID:	D60756-9	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	222	420	42	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	420	42	ug/l	
132-64-9	Dibenzofuran	ND	420	42	ug/l	
84-74-2	Di-n-butyl phthalate	ND	420	57	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	170	44	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	170	42	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	170	42	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	420	42	ug/l	
84-66-2	Diethyl phthalate	ND	420	42	ug/l	
131-11-3	Dimethyl phthalate	ND	420	42	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	420	42	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	420	47	ug/l	
117-84-0	Di-n-octyl phthalate	ND	420	42	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	522	420	92	ug/l	
206-44-0	Fluoranthene	42.9	420	42	ug/l	J
86-73-7	Fluorene	647	420	42	ug/l	
118-74-1	Hexachlorobenzene	ND	420	42	ug/l	
87-68-3	Hexachlorobutadiene	ND	420	42	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	420	330	ug/l	
67-72-1	Hexachloroethane	ND	420	47	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	420	47	ug/l	
78-59-1	Isophorone	ND	420	42	ug/l	
91-57-6	2-Methylnaphthalene	5180	420	42	ug/l	
91-20-3	Naphthalene	1780	420	42	ug/l	
88-74-4	2-Nitroaniline	ND	420	48	ug/l	
99-09-2	3-Nitroaniline	ND	420	77	ug/l	
100-01-6	4-Nitroaniline	ND	420	43	ug/l	
98-95-3	Nitrobenzene	ND	420	42	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	420	42	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	420	61	ug/l	
85-01-8	Phenanthrene	1360	170	42	ug/l	
129-00-0	Pyrene	87.6	420	42	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	170	42	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	81%		10-130%
4165-62-2	Phenol-d5	119%		10-130%
118-79-6	2,4,6-Tribromophenol	68%		10-151%
4165-60-0	Nitrobenzene-d5	516% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 358	Date Sampled:	08/08/14
Lab Sample ID:	D60756-9	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	101%		30-130%
1718-51-0	Terphenyl-d14	257% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis. Part of extraction spilled during prep. Analysis may be biased low for some compounds.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 185	Date Sampled:	08/08/14
Lab Sample ID:	D60756-10	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120847.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

Run #	Initial Volume	Final Volume
Run #1	900 ml	10.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	560	560	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	280	35	ug/l	
95-57-8	2-Chlorophenol	ND	280	31	ug/l	
120-83-2	2,4-Dichlorophenol	ND	280	34	ug/l	
105-67-9	2,4-Dimethylphenol	117	280	29	ug/l	J
534-52-1	4,6-Dinitro-o-cresol	ND	280	28	ug/l	
51-28-5	2,4-Dinitrophenol	ND	280	220	ug/l	
95-48-7	2-Methylphenol	ND	280	28	ug/l	
106-44-5	4-Methylphenol	ND	280	28	ug/l	
88-75-5	2-Nitrophenol	ND	280	28	ug/l	
100-02-7	4-Nitrophenol	ND	280	28	ug/l	
87-86-5	Pentachlorophenol	ND	280	28	ug/l	
108-95-2	Phenol	334	280	28	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	280	30	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	280	29	ug/l	
83-32-9	Acenaphthene	ND	280	28	ug/l	
208-96-8	Acenaphthylene	ND	280	28	ug/l	
120-12-7	Anthracene	ND	280	28	ug/l	
56-55-3	Benzo(a)anthracene	ND	280	28	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	280	28	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	280	28	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	280	28	ug/l	
50-32-8	Benzo(a)pyrene	ND	280	28	ug/l	
100-51-6	Benzyl Alcohol	ND	280	36	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	280	28	ug/l	
85-68-7	Butyl benzyl phthalate	ND	280	28	ug/l	
106-47-8	4-Chloroaniline	ND	280	36	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	280	28	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	280	28	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	280	31	ug/l	
91-58-7	2-Chloronaphthalene	ND	280	28	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	280	28	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 185	Date Sampled:	08/08/14
Lab Sample ID:	D60756-10	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	99.4	280	28	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	280	28	ug/l	
132-64-9	Dibenzofuran	ND	280	28	ug/l	
84-74-2	Di-n-butyl phthalate	ND	280	38	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	110	29	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	110	28	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	110	28	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	280	28	ug/l	
84-66-2	Diethyl phthalate	ND	280	28	ug/l	
131-11-3	Dimethyl phthalate	ND	280	28	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	280	28	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	280	31	ug/l	
117-84-0	Di-n-octyl phthalate	ND	280	28	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	82.6	280	61	ug/l	J
206-44-0	Fluoranthene	ND	280	28	ug/l	
86-73-7	Fluorene	215	280	28	ug/l	J
118-74-1	Hexachlorobenzene	ND	280	28	ug/l	
87-68-3	Hexachlorobutadiene	ND	280	28	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	280	220	ug/l	
67-72-1	Hexachloroethane	ND	280	32	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	280	32	ug/l	
78-59-1	Isophorone	ND	280	28	ug/l	
91-57-6	2-Methylnaphthalene	844	280	28	ug/l	
91-20-3	Naphthalene	143	280	28	ug/l	J
88-74-4	2-Nitroaniline	ND	280	32	ug/l	
99-09-2	3-Nitroaniline	ND	280	51	ug/l	
100-01-6	4-Nitroaniline	ND	280	29	ug/l	
98-95-3	Nitrobenzene	ND	280	28	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	280	28	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	280	41	ug/l	
85-01-8	Phenanthrene	489	110	28	ug/l	
129-00-0	Pyrene	30.3	280	28	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	110	28	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	34%		10-130%
4165-62-2	Phenol-d5	134% ^b		10-130%
118-79-6	2,4,6-Tribromophenol	82%		10-151%
4165-60-0	Nitrobenzene-d5	107%		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 3 of 3

3.10
3

Client Sample ID:	TANK # 185	Date Sampled:	08/08/14
Lab Sample ID:	D60756-10	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	123%		30-130%
1718-51-0	Terphenyl-d14	224% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 309	Date Sampled:	08/08/14
Lab Sample ID:	D60756-11	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1G120848.D	5	08/11/14	DC	08/11/14	OP10395	E1G1390
Run #2							

Run #	Initial Volume	Final Volume
Run #1	900 ml	10.0 ml
Run #2		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
65-85-0	Benzoic Acid	ND	560	560	ug/l	
59-50-7	4-Chloro-3-methyl phenol	ND	280	35	ug/l	
95-57-8	2-Chlorophenol	ND	280	31	ug/l	
120-83-2	2,4-Dichlorophenol	ND	280	34	ug/l	
105-67-9	2,4-Dimethylphenol	ND	280	29	ug/l	
534-52-1	4,6-Dinitro-o-cresol	ND	280	28	ug/l	
51-28-5	2,4-Dinitrophenol	ND	280	220	ug/l	
95-48-7	2-Methylphenol	ND	280	28	ug/l	
106-44-5	4-Methylphenol	507	280	28	ug/l	
88-75-5	2-Nitrophenol	ND	280	28	ug/l	
100-02-7	4-Nitrophenol	ND	280	28	ug/l	
87-86-5	Pentachlorophenol	ND	280	28	ug/l	
108-95-2	Phenol	530	280	28	ug/l	
95-95-4	2,4,5-Trichlorophenol	ND	280	30	ug/l	
88-06-2	2,4,6-Trichlorophenol	ND	280	29	ug/l	
83-32-9	Acenaphthene	ND	280	28	ug/l	
208-96-8	Acenaphthylene	ND	280	28	ug/l	
120-12-7	Anthracene	ND	280	28	ug/l	
56-55-3	Benzo(a)anthracene	ND	280	28	ug/l	
205-99-2	Benzo(b)fluoranthene	ND	280	28	ug/l	
207-08-9	Benzo(k)fluoranthene	ND	280	28	ug/l	
191-24-2	Benzo(g,h,i)perylene	ND	280	28	ug/l	
50-32-8	Benzo(a)pyrene	ND	280	28	ug/l	
100-51-6	Benzyl Alcohol	ND	280	36	ug/l	
101-55-3	4-Bromophenyl phenyl ether	ND	280	28	ug/l	
85-68-7	Butyl benzyl phthalate	ND	280	28	ug/l	
106-47-8	4-Chloroaniline	ND	280	36	ug/l	
111-91-1	bis(2-Chloroethoxy)methane	ND	280	28	ug/l	
111-44-4	bis(2-Chloroethyl)ether	ND	280	28	ug/l	
108-60-1	bis(2-Chloroisopropyl)ether	ND	280	31	ug/l	
91-58-7	2-Chloronaphthalene	ND	280	28	ug/l	
7005-72-3	4-Chlorophenyl phenyl ether	ND	280	28	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 309	Date Sampled:	08/08/14
Lab Sample ID:	D60756-11	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Compound	Result	RL	MDL	Units	Q
218-01-9	Chrysene	122	280	28	ug/l	J
53-70-3	Dibenzo(a,h)anthracene	ND	280	28	ug/l	
132-64-9	Dibenzofuran	ND	280	28	ug/l	
84-74-2	Di-n-butyl phthalate	ND	280	38	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	110	29	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	110	28	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	110	28	ug/l	
91-94-1	3,3'-Dichlorobenzidine	ND	280	28	ug/l	
84-66-2	Diethyl phthalate	ND	280	28	ug/l	
131-11-3	Dimethyl phthalate	ND	280	28	ug/l	
121-14-2	2,4-Dinitrotoluene	ND	280	28	ug/l	
606-20-2	2,6-Dinitrotoluene	ND	280	31	ug/l	
117-84-0	Di-n-octyl phthalate	ND	280	28	ug/l	
117-81-7	bis(2-Ethylhexyl)phthalate	246	280	61	ug/l	J
206-44-0	Fluoranthene	ND	280	28	ug/l	
86-73-7	Fluorene	289	280	28	ug/l	
118-74-1	Hexachlorobenzene	ND	280	28	ug/l	
87-68-3	Hexachlorobutadiene	ND	280	28	ug/l	
77-47-4	Hexachlorocyclopentadiene	ND	280	220	ug/l	
67-72-1	Hexachloroethane	ND	280	32	ug/l	
193-39-5	Indeno(1,2,3-cd)pyrene	ND	280	32	ug/l	
78-59-1	Isophorone	ND	280	28	ug/l	
91-57-6	2-Methylnaphthalene	2190	280	28	ug/l	
91-20-3	Naphthalene	923	280	28	ug/l	
88-74-4	2-Nitroaniline	ND	280	32	ug/l	
99-09-2	3-Nitroaniline	ND	280	51	ug/l	
100-01-6	4-Nitroaniline	ND	280	29	ug/l	
98-95-3	Nitrobenzene	ND	280	28	ug/l	
86-30-6	N-Nitrosodiphenylamine	ND	280	28	ug/l	
621-64-7	N-Nitroso-di-n-propylamine	ND	280	41	ug/l	
85-01-8	Phenanthrene	711	110	28	ug/l	
129-00-0	Pyrene	43.3	280	28	ug/l	J
120-82-1	1,2,4-Trichlorobenzene	ND	110	28	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
367-12-4	2-Fluorophenol	23%		10-130%
4165-62-2	Phenol-d5	72%		10-130%
118-79-6	2,4,6-Tribromophenol	92%		10-151%
4165-60-0	Nitrobenzene-d5	184% ^b		25-130%

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TANK # 309	Date Sampled:	08/08/14
Lab Sample ID:	D60756-11	Date Received:	08/08/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8270C SW846 3510C		
Project:	Triton Produced Water Analyses		

ABN HSL List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
321-60-8	2-Fluorobiphenyl	109%		30-130%
1718-51-0	Terphenyl-d14	206% ^b		19-140%

(a) Elevated reporting limits due to matrix interference, dilution required during sample prep and analysis.

(b) Outside control limits due to dilution/matrix.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

Continental Laboratory States
1036 Youngfield Street Wheat Ridge, Co 80033
TEL. 303-425-6021 877-737-4521
FAX 303-425-6021

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # D60756

[illegible]

4.1

D60756: Chain of Custody

Page 1 of 1