Radial Cement Bond Log With VDL / CCL / GR And Cement Map

PIONEER
Pioneer Energy Services

Company Anadarko Petroleum Corporation
Well NRC 27N-5HZ
Field Wattenberg
County Weld State Colorado

API # : 05-123-39156

Location:
500' FNL & 1290' FEL, NENE
SEC 8 TWP 1N RGE 67W

Other Services
None

Permanent Datum Ground Level Elevation 5009'
Log Measured From Kelly Bushing 16'
Drilling Measured From

Elevation
K.B. 5025'
D.F. 5024'
G.L. 5009'

Company Anadarko Petroleum Corporation
Well NRC 27N-5HZ
Field Wattenberg
County Weld
State Colorado

Date	27 JULY 2014
Run Number	One
Depth Driller	12656'
Depth Logger	7450'
Bottom Logged Interval	7450'
Top Log Interval	Surface
Open Hole Size	UNK
Type Fluid	Water
Density / Viscosity	~8.34 #/Gal
Max. Recorded Temp.	NA
Estimated Cement Top	SEE LOG
Time Well Ready	10:00
Time Logger on Bottom	10:30
Equipment Number	P-96
Location	Fort Morgan
Recorded By	T. REESE
Witnessed By	MIKE

Borehole Record			Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	9.625"	36	Surface	1344'
Prot. String				
Production String	7"	26	Surface	7793'
Liner	4.5"	11.6	6812'	12644'

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

LOG RAN UNDER 2500 PSI



Sensor	Offset (ft)	Description	Len (ft)	OD (in)	Wt (lb)
		CSS_MID	2.79	3.00	36.00
WVF3FT WVFCAL WVFS1 WVFS2 WVFS3 WVFS4 WVFS5 WVFS6 WVFS7 WVFS8 WVF5FT	11.71 11.71 11.71 11.71 11.71 11.71 11.71 11.71 11.71 11.71 10.63	RBT-Probe (130433) Probe Radii Bond Tool with Digital Telemetry	8.92	2.75	90.00
		PTS275	2.83	2.75	
CCL	3.63				
GR	2.30	GR_CCL-Probe (111211) Probe Gamma CCL	4.54	2.75	100.00

Dataset: nrc 27n-5hz.db: field/well/run1/pass2
Total Length: 19.08 ft
Total Weight: 226.00 lb
O.D. 3.00 in

Calibration Report

Database File: nrc 27n-5hz.db
Dataset Pathname: pass2
Dataset Creation: Sun Jul 27 08:45:16 2014 by Log SCH 120430

Gamma Ray Calibration Report

Serial Number:	111211	
Tool Model:	Probe	
Performed:	Mon May 19 13:35:03 2014	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	130433	
Tool Model:	Probe	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	184.533	ft

Master Calibration, performed Sun Jul 20 10:29:04 2014:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.015	1.533	1.000	72.000	46.770	0.318
CAL	0.015	0.381				
5'	0.015	1.617	1.000	72.000	44.325	0.347
SUM						
S1	0.015	1.509	0.000	100.000	66.921	-0.993
S2	0.015	1.527	0.000	100.000	66.140	-0.974
S3	0.015	1.530	0.000	100.000	66.013	-0.970
S4	0.015	1.557	0.000	100.000	64.840	-0.954
S5	0.015	1.577	0.000	100.000	64.025	-0.944
S6	0.015	1.597	0.000	100.000	63.203	-0.950
S7	0.015	1.597	0.000	100.000	63.207	-0.958
S8	0.015	1.556	0.000	100.000	64.874	-0.965

Internal Reference Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.015	0.381	1.000	0.000

Air Zero Calibration, performed Mon Jun 16 13:41:42 2014:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

PIONEER
Pioneer Energy Services

MAIN PASS WELL LOGGED UNDER 2500 PSI

5"=100'

Database File: nrc 27n-5hz.db
Dataset Pathname: pass14
Presentation Format: scbl02
Dataset Creation: Sun Jul 27 10:06:50 2014 by Log SCH 120430
Charted by: Depth in Feet scaled 1:240


3300
3400


3500
3600


3700
3800
3900


4000
4100


4200
4300


4400
4500


4600
4700


4800
4900


5000
5100


5200
5300


5400
5500


5600
5700


5800
5900


6000
6100
6200


6300
6400


6500
6600


6700
6800


6900
7000
7100


7200



PIONEER

Pioneer Energy Services

Company	Anadarko Petroleum Corporation
Well	NRC 27N-5HZ
Field	Wattenberg
County	Weld
State	Colorado