

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

08/19/2014

Document Number:

675200418

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection <input type="checkbox"/>
	334568	334568	CONKLIN, CURTIS	2A Doc Num: _____

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: 1001 17TH STREET - SUITE #1200City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Moss, Brad	(970) 285-9377	Brad.Moss@WPXEnergy.com	
Kellerby, Shaun		shuan.kellerby@state.co.us	NW Supervisor
Gardner, Michael	(970) 285-9377 ext. 2760	Michael.Gardner@WPXEnergy.com	

Compliance Summary:QtrQtr: SESE Sec: 14 Twp: 7S Range: 96W**Inspector Comment:****Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
104	WELL	PR	07/31/2008	GW	045-15238	PUCKETT SG 531-23	PR
105	WELL	PR	08/20/2008	GW	045-15235	PUCKETT SG 41-23	PR
106	WELL	PR	08/31/2008	GW	045-15234	PUCKETT SG 31-23	PR
107	WELL	PR	08/31/2008	GW	045-15236	PUCKETT SG 331-23	PR
108	WELL	PR	08/31/2008	GW	045-15237	PUCKETT SG 431-23	PR
109	WELL	PR	08/31/2008	GW	045-15239	PUCKETT SG 341-23	PR
111	WELL	PR	07/31/2008	GW	045-15240	PUCKETT SG 441-23	PR
112	WELL	PR	07/31/2008	GW	045-15241	PUCKETT SG 541-23	PR
256670	WELL	PR	01/11/2000	GW	045-07482	NOLTE 14-44	PR
438389	WELL	XX	07/31/2014		045-22487	Puckett SG 714-44-23-HN1	XX

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>13</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>3</u>	Separators: <u>13</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date
Access	SATISFACTORY			

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
CONTAINERS	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?**Fencing/:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
SEPARATOR	SATISFACTORY	Wire panels		
TANK BATTERY	SATISFACTORY	Wire panels		
WELLHEAD	SATISFACTORY	Wire panels		

Equipment:

Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Plunger Lift	8	SATISFACTORY			
Deadman # & Marked	5	SATISFACTORY			
Ancillary equipment	1	SATISFACTORY	Chem unit w/ containment		
Horizontal Heated Separator	8	SATISFACTORY	No containment		
Bird Protectors	4	SATISFACTORY			

Facilities:		<input type="checkbox"/> New Tank		Tank ID: _____	
Contents	#	Capacity	Type	SE GPS	
CONDENSATE	1	300 BBLS	STEEL AST	,	
S/A/V:	SATISFACTORY		Comment:		
Corrective Action:				Corrective Date:	
Paint					
Condition	Adequate				
Other (Content) _____					
Other (Capacity) _____					
Other (Type) _____					
Berms					
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate	
Corrective Action				Corrective Date	
Comment					
Facilities:		<input type="checkbox"/> New Tank		Tank ID: _____	
Contents	#	Capacity	Type	SE GPS	
PRODUCED WATER	1	300 BBLS	STEEL AST	,	
S/A/V:	SATISFACTORY		Comment:		
Corrective Action:				Corrective Date:	
Paint					
Condition	Adequate				
Other (Content) _____					
Other (Capacity) _____					
Other (Type) _____					
Berms					
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Corrective Action				Corrective Date	
Comment: Same					
Venting:					
Yes/No	Comment				
NO					
Flaring:					
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date	
Predrill					
Location ID: 334568					
Site Preparation:					
Lease Road Adeq.: _____		Pads: _____		Soil Stockpile: _____	

S/AV: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, start of hydraulic stimulation operations, start of flowback operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).	07/15/2014
OGLA	kubeczkd	<p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>The access road will be maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>The location is in an area of moderate run-on/run-off potential; therefore standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater run-off.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p>	07/15/2014
OGLA	kubeczkd	<p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if drill cuttings are to remain/disposed of onsite, they must also meet the applicable standards of table 910-1.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or pit located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.</p>	07/15/2014

OGLA	kubeczkd	<p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator must ensure no release of fluids at all stream, intermittent stream, ditch, and drainage crossings. For these crossings: operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; or installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines.</p>	07/15/2014
------	----------	---	------------

S/A/V: _____ **Comment:** Secondary Containment in place. No cuttings on location.

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Planning	<p>Share/consolidate corridors for pipeline ROWs to the maximum extent possible.</p> <p>Minimize the number, length, and footprint of oil and gas development roads.</p> <p>Use existing roads where possible.</p> <p>Maximize the use of directional drilling to minimize habitat loss/fragmentation.</p> <p>Maximize use of remote telemetry for well monitoring to minimize traffic.</p>
Interim Reclamation	<p>WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas.</p> <p>Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings.</p> <p>Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.</p>

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking: _____

On Site Inspection (305):Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Inspector Name: CONKLIN, CURTIS

Landman Name: _____	Phone Number: _____
Date Onsite Request Received: _____	Date of Rule 306 Consultation: _____
Request LGD Attendance: _____	
<u>LGD Contact Information:</u>	
Name: _____	Phone Number: _____ Agreed to Attend: _____
<u>Summary of Landowner Issues:</u>	
<u>Summary of Operator Response to Landowner Issues:</u>	
<u>Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:</u>	

Environmental

Spills/Releases:

Type of Spill: _____	Description: _____	Estimated Spill Volume: _____
Comment: _____		
Corrective Action: _____	Date: _____	
Reportable: _____	GPS: Lat _____ Long _____	
Proximity to Surface Water: _____	Depth to Ground Water: _____	

Water Well:

DWR Receipt Num: _____	Owner Name: _____	GPS : _____	Lat _____ Long _____
------------------------	-------------------	-------------	----------------------

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____
Comment: _____
Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____	Date Interim Reclamation Completed: _____
Land Use: RANGELAND	
Comment: _____	
1003a. Debris removed? _____ CM _____	
CA _____	CA Date _____
Waste Material Onsite? _____ CM _____	
CA _____	CA Date _____
Unused or unneeded equipment onsite? _____ CM _____	
CA _____	CA Date _____
Pit, cellars, rat holes and other bores closed? _____ CM _____	
CA _____	CA Date _____

Inspector Name: CONKLIN, CURTIS

Guy line anchors removed? _____ CM _____
CA _____ CA Date _____
Guy line anchors marked? _____ CM _____
CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____
1003c. Compacted areas have been cross ripped? _____
1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
Cuttings management: _____
1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Compaction	Pass	Ditches	Pass			
Berms	Pass	Compaction	Pass	MHSP	Pass	
Seeding	Pass					

Inspector Name: CONKLIN, CURTIS

Gravel	Pass	Gravel	Pass			
Slope Roughening	Pass					

S/A/V: SATISFACTOR Corrective Date: _____
Y _____

Comment: _____

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT