

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
08/19/2014

Document Number:
673801298

Overall Inspection:
Satisfactory

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	<input type="checkbox"/>
	<u>435294</u>	<u>435083</u>	<u>Gomez, Jason</u>	2A Doc Num:	

Operator Information:

OGCC Operator Number: 10459 Name of Operator: EXTRACTION OIL & GAS LLC
 Address: 1888 SHERMAN ST #200
 City: DENVER State: CO Zip: 80203

Contact Information:

Contact Name	Phone	Email	Comment
Tonello, John		jtonello@extractionog.com	

Compliance Summary:

QtrQtr: SWSW Sec: 23 Twp: 6N Range: 67W

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
435181	WELL	DG	08/12/2014	LO	123-38498	DIAMOND VALLEY EAST 5	<input type="checkbox"/>
435182	WELL	DG	12/21/2013	LO	123-38499	DIAMOND VALLEY EAST 4	<input type="checkbox"/>
435183	WELL	DG	07/31/2014	LO	123-38500	DIAMOND VALLEY EAST 3	<input type="checkbox"/>
435290	WELL	DG	01/01/2014	LO	123-38564	DIAMOND VALLEY EAST 11	<input type="checkbox"/>
435291	WELL	DG	12/21/2013	LO	123-38565	DIAMOND VALLEY EAST 1	<input type="checkbox"/>
435292	WELL	XX	11/29/2013	LO	123-38566	DIAMOND VALLEY EAST 2	<input type="checkbox"/>
435293	WELL	DG	12/21/2013	LO	123-38567	DIAMOND VALLEY EAST 7	<input type="checkbox"/>
435294	WELL	DG	08/15/2014	LO	123-38568	DIAMOND VALLEY EAST 6	<input checked="" type="checkbox"/>
435729	WELL	XX	01/03/2014	LO	123-38760	DIAMOND VALLEY EAST 9	<input type="checkbox"/>
435730	WELL	DG	03/01/2014	LO	123-38761	DIAMOND VALLEY EAST 10	<input type="checkbox"/>
436581	WELL	XX	03/30/2014		123-39183	DIAMOND VALLEY EAST 8	<input type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>13</u>	Production Pits: _____
Condensate Tanks: <u>8</u>	Water Tanks: <u>4</u>	Separators: <u>4</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>10</u>	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Emergency Contact Number: (S/U/V) _____

Corrective Date: _____

Comment:	
Corrective Action:	

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Venting:	
Yes/No	Comment

Flaring:				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

Predrill				
Location ID: <u>435294</u>				
Site Preparation:				
Lease Road Adeq.: _____		Pads: _____		Soil Stockpile: _____
Corrective Action: _____			Date: _____	CDP Num.: _____

Form 2A COAs:				
Group	User	Comment	Date	
OGLA	andrewsd	Operator must implement site-specific best management practices in accordance with good engineering practices, including, but not limited to, construction of a berm or diversion dike, site grading, or other comparable measures, sufficient to protect the irrigation ditches located 150 feet west and 550 feet east of the oil and gas location from a release of drilling, completion, produced fluids, and chemical products.	11/15/2013	
OGLA	andrewsd	"This oil and gas location is permitted for production and oil and gas operations associated with the onsite wells. Management of produced fluids or E&P Waste from off site is not permitted without submittal of an amended Form 2A first.	11/15/2013	

Comment:	
CA:	
Date:	

Wildlife BMPs:	
BMP Type	Comment
Material Handling and Spill Prevention	Tank specifications. Tanks will be designed, constructed and maintained in accordance with NFPA Code 30. The tanks are visually inspected once a day for issues, and recorded inspections are conducted once a month.
Planning	Multi-well Pads. It is a multi-well pad located in a manner which allows for resource extraction while maintaining the highest distances possible from the offsetting residential areas.
Drilling/Completion Operations	Guy line anchors. All guy line anchors shall be brightly marked pursuant to Rule 604.c(2)Q
Drilling/Completion Operations	Closed Loop Drilling Systems – Pit Restrictions. Not applicable; a closed-loop system will be used for drilling.
Drilling/Completion Operations	BOPE for well servicing operations. Adequate BOP equipment shall be used. Stabbing valves shall be installed in the event of reverse circulation and shall be prior tested with low and high pressure fluid.
Final Reclamation	Well site cleared. Within 90-day subsequent to the time of plugging and abandonment of the entire site, superfluous debris and equipment shall be removed from the site.
Traffic control	Access roads. The access road will be constructed to accommodate local emergency vehicles. This road will be maintained for access at all times

Material Handling and Spill Prevention	Leak Detection Plan. Pumper will visit the location daily and visually inspect all tanks and fittings for leaks. Additionally, monthly documented SPCCP inspections are conducted pursuant to 40 CFR §112.
Drilling/Completion Operations	Drill stem tests. Not applicable; no Drill Stem tests are planned.
Drilling/Completion Operations	Green Completions – Emission Control Systems. Test separators and associated flow lines and sand traps shall be installed on-site to accommodate Green completions techniques pursuant to COGCC Rules. In the anticipated absence of a viable gas sales line, the flowback gas shall be thermally oxidized in an emissions control device (ECD), which will be installed and kept in operable condition for least the first 90-days of production pursuant to CDPHE rules. This ECD shall have an adequate capacity for 1.5 times the largest flowback within a 10 mile radius, will be flanged to route gas to other or permanent oxidizing equipment and shall be provided with the equipment needed to maintain combustion where non-combustible gases are present.
Drilling/Completion Operations	Blowout preventer equipment (“BOPE”). A double ram and annular preventer will be used during drilling. At least the drilling company shall have a valid well blowout prevention certifications.
Material Handling and Spill Prevention	Berm construction. Tank berms shall be constructed of steel rings with a synthetic or engineered liner and designed to contain 150% of the capacity of the largest tank. All berms will be visually checked periodically to ensure proper working condition.
Material Handling and Spill Prevention	Loadlines. All loadlines shall be bullplugged or capped.
Drilling/Completion Operations	Control of fire hazards. All materials which are considered fire hazards shall be a minimum of 25’ from the wellhead tanks or separators. Electrical equipment shall comply with API RP 500 and will comply with the current national electrical code. An emergency response plan has been generated for this site, please see the attached “EMERGENCY RESPONSE AND FIRE PROTECTION PLAN: DIAMOND VALLEY EAST LOCATION”
Noise mitigation	Lighting abatement measures shall be implemented, including the installation lighting shield devices on all of the more conspicuous lights, low density sodium lighting where practicable; and rig shrouding is not believed necessary as this is an industrial area and the only building unit within 1,000’ is owned by the operator,however, at its election the operator may install temporary engineering controls consisting of perimeter sound walls shall be used on the location during drilling and completion activities to provide noise relief. Permanent equipment on location shall be muffled to reduce noise, or shall be appropriately buffered.
Final Reclamation	Identification of plugged and abandoned wells. P&A’d wells shall be inditified persuant to 319.a. (5).
Traffic control	Traffic Plan. Traffic plans will be reviewed with the Town of Windsor in order to minimize impact to streets and residents
General Housekeeping	Removal of surface trash. All trash, debris and material not intrinsic to the operation of the oil and gas facility shall be removed and legally disposed of as applicable.
General Housekeeping	Fencing requirements. A permanent fencing plan will be reviewed by the surface owner, the applicant.
Drilling/Completion Operations	Pit level indicators. Not applicable; a closed-loop system will be used and no pits shall be dug.

Comment:

CA: **Date:**

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____
 Phone Number: _____ Cell Phone: _____

Inspector Name: Gomez, Jason

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____
Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____
Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 435294 Type: WELL API Number: 123-38568 Status: DG Insp. Status: DG

Well Drilling

Rig: Rig Name: Frontier 10 Pusher/Rig Manager: Larry Siegel
Permit Posted: Satisfactory Access Sign: Satisfactory

Well Control Equipment:

Pipe Ram: YES Blind Ram: YES Hydril Type: YES
Pressure Test BOP: _____ Test Pressure PSI: _____ Safety Plan: YES

Drill Fluids Management:

Lined Pit: _____ Unlined Pit: _____ Closed Loop: YES Semi-Closed Loop: _____
Multi-Well: YES Disposal Location: Farm

Comment:

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
Comment: _____
Corrective Action: _____ Date: _____
Reportable: _____ GPS: Lat _____ Long _____
Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS: _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: Wildlife Protection Devices (fired vessels):

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: IRRIGATED

Comment: _____

- 1003a. Debris removed? _____ CM _____
 CA _____ CA Date _____
 Waste Material Onsite? _____ CM _____
 CA _____ CA Date _____
 Unused or unneeded equipment onsite? _____ CM _____
 CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: IRRIGATED

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Inspector Name: Gomez, Jason

Access Roads Regraded _____ Contoured _____ Culverts removed _____
Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
				MHSP	Fail	
Gravel	Pass	Gravel	Pass	VT	Pass	
Berms	Pass			CM	Pass	

S/U/V: **Unsatisfactory** Corrective Date: **08/22/2014**

Comment: **Chemicals on ground in front of storage area, 2 55 gallon drums on ground not in containment area, containment are for 55 gallon drums not properly maintained**

CA: **Remove or remediate chemicals on ground repair berms around 55 gallon drums**