



MD Detail Log 1:240


Whiting


Razor 26L-3504B


Avg Rate of Penetration (ROPA)						
450	feet per hour	0				
Gamma CG Cor PCG api		MD ft	SURVEYS			
0	200		Depth	Inc	Azm	TVD
						V/S
		6000'				
		6010'				
		6020'				
		6030'				
		6040'				
		6050'				
		6060'				
		6070'				
		6080'				
		6090'				
		6100'				
		6110'				
		6120'				
		6130'				
		6140'				
		6150'				
		6160'				
		6170'	6172'	91.11°	181.86°	5666.98'
		6180'				208.18'
		6190'				
		6200'				
		6210'				
		6220'				
		6230'				
		6240'				
		6250'				
		6260'	6266'	89.63°	179.09°	5666.37'
		6270'				301.78'
		6280'				
		6290'				
		6300'				
		6310'				
		6320'				

































	12930'	12925'	93.91°	181.36°	5673.62'	6919.99'
	12940'					
	12950'					
	12960'					
	12970'	12970'	93.91°	181.36°	5673.62'	6964.63'
Gamma CG Cor PCG api		MD	SURVEYS			
0	200	ft	Depth	Inc	AzmTVD	V/S
Avg Rate of Penetration (ROPA)						
450	feet per hour	0				