

Mercury

DO NOT REMOVE FROM FILE

Cement Bond

WIRELINE INC.

Log

OFFICE COPY

Company	Dunne Equities Inc.	Location	2390FNL & 720FEL	Other Services
Well	Tallman Farms #1-3	SEC 3 TWP 17S RGE 45W		
Field	Wildcat			
Country	Kiowa	State/Prv	Colorado	
Country	Colorado			
Permanent Datum	Ground Level	Elevation	4168	Elevation
Log Measured From	Kelly Bushing 11' Above Permanent Datum	K.B.	4179	
Drilling Measured From	Kelly Bushing	G.L.	4168	

Date	8-7-96
Run Number	One
Depth Driller	5430 P.B. 4540
Depth Logger	4540
Bottom Logged Interval	4539
Top Log Interval	3830
Open Hole Size	7 7/8
Type Fluid	Water
Density / Viscosity	1.00
Max. Recorded Temp	N/A
Estimated Cement Top	
Time Well Ready	4:30
Time Logger on Bottom	4:45
Equipment Number	TR-1
Location	CW
Recorded By	Henderson
Witnessed By	Tom Eikenberry

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To
One	12 1/4	0	450				
Two	7 7/8	450	5430				

Casing Record	Size	Wd/ft	Top	Bottom
Surface String	8 5/8	24#	0	450
Prod. String				
Production String	4 1/2	11.6	0	4540
Liner				

>>> Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Dataset Pathname: pass3
Presentation Format: cbl01.prs
Dataset Creation Date: Wed Aug 07 17:21:54 1996
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150
440	TT3 (usec)	240

0	Amplitude (mV)	100	200	Variable Density	1200
9	Collar Locator	-1			








800

850

900

950








1000

1050

1100








1150

1200

1250

1300







1350


1400

1450

1500

1550








1600

1650

1700

1750







1800


1850

1900

1950

2000







2050

2100

2150

2200








2250

2300

2350

2400





Gamma Ray


2450

2500

2550

2600


2650




Collar Locator


Variable Density

2' Amplitude



Database File: tal db
 Dataset Pathname: pass2
 Presentation Format: cbl01.prs
 Dataset Creation Date: Wed Aug 07 16:59:18 1996
 Charted by: Depth in Feet scaled 1:240







Top Of Cement →


3950

4000

4050

4100








4150

4200

4250


4300






Database File: tal.db
 Dataset Pathname: pass1
 Presentation Format: cbl01.prs
 Dataset Creation Date: Wed Aug 07 16:52:18 1996
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0	Amplitude (mV)	100	200	Variable Density	1200
440	TT3 (usec)	240	9	Collar Locator	-1			





4500

