

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>400681236</b>			
Date Received: <b>09/08/2014</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10110 Contact Name Scot Donato  
 Name of Operator: GREAT WESTERN OPERATING COMPANY LLC Phone: (303) 398-0537  
 Address: 1801 BROADWAY #500 Fax: (886) 742-1784  
 City: DENVER State: CO Zip: 80202 Email: sdonato@gwogco.com

Complete the Attachment  
Checklist  
  
OP OGCC

API Number : 05- 123 39322 00 OGCC Facility ID Number: 436906  
 Well/Facility Name: Postle IC Well/Facility Number: 11-159HC  
 Location QtrQtr: SWNW Section: 11 Township: 3N Range: 68W Meridian: 6  
 County: WELD Field Name: WATTENBERG  
 Federal, Indian or State Lease Number: \_\_\_\_\_

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**GROUND WATER SAMPLING**

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

\_\_\_\_\_ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

\_\_\_\_\_ Number of Water Source Exceptions requested per Rule 609.c.

\_\_\_\_\_ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

\_\_\_\_\_ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.

**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**

Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

\_\_\_\_\_ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

**COMMENTS**

This form applies to the Postle 1C West pad, which includes the following wells:  
 Postle IC 11-159HC, API# 05-123-39322 (fka Postle IC 11-8HC, 11-4HC)  
 Postle IC 11-162HN, API# 05-123-39352 (fka Postle IC 11-40HN-1, 11-32HN-1)  
 Postle IC 11-239HN, API# 05-123-39320 (fka Postle IC 11-40HN-2, 32HN-2)  
 Postle IC 11-259HC, API# 05-123-39353 (fka Postle IC 11-15HC, 11-18HC)  
 Postle IC 11-279HN, API#05-123-39318 (fka Postle IC 11-15HN, 11-18HN)  
 Postle IC 11-002HN, API# 05-123-39319  
 Postle IC 11-039HN, API# 05-123-39321 (fka Postle IC 11-1HN)  
 Postle IC 11-042HC, API# 05-123-39413 (fka Postle IC 11-1HC)  
 Postle IC 11-122HN, API# 05-123-39317  
 and Postle 1C 11-4HN, API#05-123-37821

There are no available water sources located within the governmental quarter section or within a previously unsampled quarter section within a 1/2-mile radius of the proposed well locations.  
 Please see attached map and previously submitted and approved Sundry notice #400467650, dated 10/22/2013, for additional information regarding unavailability of mapped water resources.

**Operator Comments:**

This form applies to the Postle 1C West pad, which includes the following wells:  
 Postle IC 11-159HC, API# 05-123-39322 (fka Postle IC 11-8HC, 11-4HC)  
 Postle IC 11-162HN, API# 05-123-39352 (fka Postle IC 11-40HN-1, 11-32HN-1)  
 Postle IC 11-239HN, API# 05-123-39320 (fka Postle IC 11-40HN-2, 32HN-2)  
 Postle IC 11-259HC, API# 05-123-39353 (fka Postle IC 11-15HC, 11-18HC)  
 Postle IC 11-279HN, API#05-123-39318 (fka Postle IC 11-15HN, 11-18HN)  
 Postle IC 11-002HN, API# 05-123-39319  
 Postle IC 11-039HN, API# 05-123-39321 (fka Postle IC 11-1HN)  
 Postle IC 11-042HC, API# 05-123-39413 (fka Postle IC 11-1HC)  
 Postle IC 11-122HN, API# 05-123-39317  
 and Postle 1C 11-4HN, API#05-123-37821

There are no available water sources located within the governmental quarter section or within a previously unsampled quarter section within a 1/2-mile radius of the proposed well locations.  
 Please see attached map and previously submitted and approved Sundry notice #400467650, dated 10/22/2013, for additional information regarding unavailability of mapped water resources.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Rachel Peterson  
 Title: Project Manager Email: petersonr@agwassenaar.com Date: 9/8/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 9/8/2014

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

<u>COA Type</u>	<u>Description</u>

**General Comments****User Group****Comment****Comment Date**

Environmental	A review of data on the COGCC website indicates that there are no potentially available water sources, other than those addressed by the operator, within the governmental quarter section of the proposed oil and gas well or within any unsampled governmental ¼ section within a ½ mile radius of the proposed oil and gas well(s).	9/8/2014 11:24:46 AM
---------------	--	-------------------------

Total: 1 comment(s)

**Attachment Check List****Att Doc Num****Name**

400681236	FORM 4 SUBMITTED
400681281	REFERENCE AREA MAP

Total Attach: 2 Files