

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400692935

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-39162-00

7. Well Name: SEKICH STATE

8. Location: QtrQtr: SWSW Section: 18 Township: 3N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 16N-17HZ

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/21/2014 End Date: 09/02/2014 Date of First Production this formation: 09/07/2014

Perforations Top: 7371 Bottom: 16469 No. Holes: 1032 Hole size: 0.37

Provide a brief summary of the formation treatment: Open Hole: ☐

"PERF AND FRAC FROM 7371-16469.
182,546 BBL SLICKWATER, 10,235 BBL WATER, - 192,781 BBL TOTAL FLUID
584,083# 30/50 OTTAWA/ST. PETERS, 4,248,071# 40/70 GENOA/SAND HILLS, - 4,832,154# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 192781 Max pressure during treatment (psi): 7784
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.93
Total acid used in treatment (bbl): 0 Number of staged intervals: 48
Recycled water used in treatment (bbl): 2705 Flowback volume recovered (bbl): 172
Fresh water used in treatment (bbl): 190076 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 4832154 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/13/2014 Hours: 24 Bbl oil: 294 Mcf Gas: 275 Bbl H2O: 179
Calculated 24 hour rate: Bbl oil: 294 Mcf Gas: 275 Bbl H2O: 179 GOR: 935
Test Method: FLOWING Casing PSI: 1300 Tubing PSI: Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1316 API Gravity Oil: 50
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Ila Beale
Title: Staff Reg. Specialist Date: Email: rscdjpostdrill@anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)