

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

400693041

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

| | |
|--|-------------------------------|
| 1. OGCC Operator Number: 47120 | 4. Contact Name: ILA BEALE |
| 2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP | Phone: (720) 929-6408 |
| 3. Address: P O BOX 173779 | Fax: |
| City: DENVER State: CO Zip: 80217- | Email: ila.beale@anadarko.com |

| | |
|---|-----------------------|
| 5. API Number 05-123-39164-00 | 6. County: WELD |
| 7. Well Name: SEKICH STATE | Well Number: 39C-17HZ |
| 8. Location: QtrQtr: SWSW Section: 18 Township: 3N Range: 67W Meridian: 6 | |
| 9. Field Name: WATTENBERG | Field Code: 90750 |

Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/21/2014 End Date: 09/02/2014 Date of First Production this formation: 09/07/2014

Perforations Top: 7644 Bottom: 16589 No. Holes: 2012 Hole size: 0.37

Provide a brief summary of the formation treatment: Open Hole: ☐

"PERF AND FRAC FROM 7644-16589.
182,077 BBL SLICKWATER, 12,738 BBL WATER, - 194,815 BBL TOTAL FLUID
194,869# 30/50 OTTAWA/ST. PETERS, 4,592,912# 40/70 GENOA/SAND HILLS, - 4,787,781# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 194815 Max pressure during treatment (psi): 7342

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: Min frac gradient (psi/ft): 0.81

Total acid used in treatment (bbl): 0 Number of staged intervals: 47

Recycled water used in treatment (bbl): 2330 Flowback volume recovered (bbl): 191

Fresh water used in treatment (bbl): 192485 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 4787781 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/15/2014 Hours: 24 Bbl oil: 154 Mcf Gas: 142 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 154 Mcf Gas: 142 Bbl H2O: 0 GOR: 922

Test Method: FLOWING Casing PSI: 725 Tubing PSI: Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1316 API Gravity Oil: 50

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Ila Beale

Title: Staff Reg. Specialist Date: Email: rscdjpostdrill@anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

User Group

Comment

Comment Date

| | | |
|--|--|--|
| | | |
|--|--|--|

Total: 0 comment(s)