

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>400659581</div>			
Date Received: <div>10/03/2014</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 96155	Contact Name Kyle Waggoner	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: WHITING OIL AND GAS CORPORATION	Phone: (303) 876-7082	
Address: 1700 BROADWAY STE 2300	Fax: (432) 686-6586	
City: DENVER State: CO Zip: 80290	Email: kyle.waggoner@whiting.com	
API Number : 05- 123 39885 00 OGCC Facility ID Number: 438120 Well/Facility Name: Horsetail Well/Facility Number: 19N-1924M Location QtrQtr: SWSE Section: 19 Township: 10N Range: 57W Meridian: 6 County: WELD Field Name: WILDCAT Federal, Indian or State Lease Number:		<div>Survey Plat</div> <div>Directional Survey</div> <div>Srhc Eqpmt Diagram</div> <div>Technical Info Page</div> <div>Other</div>

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

1

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

1

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

This form applies to the Horsetail 19N-1924M well (05-123-39885), and requests an exception to ground water sampling requirements per statewide Rule 609. There is one water source located 1/2 mile from the proposed oil and gas well. AG Wassenaar, Inc. visited this well on August 1, 2014. The windmill powering the well ran for 1.75 hours and the well did not produce any water. This water resource has been determined to be unsuitable for sampling. There are no other water resources within 1/2 mile. There are four water source exceptions requested per Rule 609.c. The COGCC GIS Online interactive map was used to research water source locations.

Operator Comments:

This form applies to the Horsetail 19N-1924M well (05-123-39885), and requests an exception to ground water sampling requirements per statewide Rule 609. There is one water source located 1/2 mile from the proposed oil and gas well. AG Wassenaar, Inc. visited this well on August 1, 2014. The windmill powering the well ran for 1.75 hours and the well did not produce any water. This water resource has been determined to be unsuitable for sampling. There are no other water resources within 1/2 mile. There are four water source exceptions requested per Rule 609.c. The COGCC GIS Online interactive map was used to research water source locations.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kyle Waggoner
Title: Env Compliance Supervisor Email: kyle.waggoner@whiting.com Date: 10/3/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 10/6/2014

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments**User Group****Comment****Comment Date**

Environmental	A review of DWR data on the COGCC website indicates that there are no additional water features, other than those addressed by the operator, that meet the 100 series definition of a water source within 1/2 mile of the oil and gas well(s).	10/6/2014 9:16:02 AM
---------------	--	-------------------------

Total: 1 comment(s)

Attachment Check List**Att Doc Num****Name**

400659581	FORM 4 SUBMITTED
400659591	REFERENCE AREA MAP

Total Attach: 2 Files