

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

10/06/2014

Document Number:

675100489

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	430832	430834	GRANAHAN, KYLE	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 10411Name of Operator: ENDEAVOUR OPERATING CORPORATIONAddress: 1125 17TH STREET #1525City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Wiggin, Roger	720-979-0722	roger.wiggin@endeavourcorp.com	
Kellerby, Shaun		shaun.kellerby@state.co.us	
Degenhart, Mark		mark.degenhart@endeavourcorp.com	

Compliance Summary:QtrQtr: NWNW Sec: 22 Twp: 3N Range: 97W**Inspector Comment:****Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
430832	WELL	XX	11/23/2012	LO	103-11952	Wiley 22-3-97-1	ND	<input checked="" type="checkbox"/>

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>2</u>	Separators: <u>1</u>	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Emergency Contact Number (S/A/V): _____

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Inspector Name: GRANAHAN, KYLE

☐ Multiple Spills and Releases?

Venting:

Yes/No

Comment

Flaring:

Type

Satisfactory/Action Required

Comment

Corrective Action

CA Date

Predrill

Location ID: 430832

Site Preparation:

Lease Road Adeq.: _____

Pads: _____

Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczko	<p>GROUNDWATER/SURFACE WATER BASELINE SAMPLING</p> <p>Baseline Water Testing: Prior to drilling, operator shall sample the two (2) closest domestic water wells, springs, or surface water features within a one (1) mile radius of the proposed oil and gas location. Testing preference shall be given to domestic water wells and springs over surface water. Testing of surface water features shall only be conducted if two (2) water wells or springs do not exist within a one (1) mile radius of the selected oil and gas location. If possible, the water wells or springs selected should be on opposite sides of the oil and gas location not exceeding a one (1) mile radius. If water wells or springs on opposite sides of the oil and gas location cannot be identified, then the two (2) closest wells or springs within a one (1) mile radius of the oil and gas location shall be sampled. The sample location shall be surveyed in accordance with Rule 215. Sampling and analysis shall be conducted in conformance with an accepted industry standard as described in Rule 910.b.(2).</p> <p>Initial baseline testing shall include: pH, specific conductance, total dissolved solids (TDS), dissolved gases (methane, ethane, propane), alkalinity (total bicarbonate and carbonate as CaCO₃), major anions (bromide, chloride, fluoride, sulfate, nitrate and nitrite as N, phosphorus), major cations (calcium, iron, magnesium, manganese, potassium, sodium), other elements (barium, boron, selenium and strontium), presence of bacteria (iron related, sulfate reducing, slime and coliform), total petroleum hydrocarbons (TPH) and BTEX compounds (benzene, toluene, ethylbenzene and xylenes). Hydrogen sulfide shall also be measured using a field test method. Field observations such as pH, temperature, specific conductance, odor, water color, sediment, bubbles, and effervescence shall also be included. COGCC recommends that the latest version of EPA SW 846 analytical methods be used where possible and that analyses of samples be performed by laboratories that maintain state or national accreditation programs. If free gas or a dissolved methane concentration greater than 1.0 milligram per liter (mg/l) is detected in a water well, gas compositional analysis and stable isotope analysis of the methane (carbon and hydrogen – ¹²C, ¹³C, ¹H and ²H) shall be performed to determine gas type. If test results indicated thermogenic or a mixture of thermogenic and biogenic gas. If the methane concentration increases by more than 5.0 mg/l between sampling periods, or increases to more than 10. mg/l, the operator shall notify the Director and the owner of the water well immediately. After 90 days, but less than 180 days of completion of the first proposed well a “post-completion” test shall be performed for the same analytical parameters listed above and repeated one (1), three (3) and six (6) years thereafter. If the well is a non-producing well, then the one (1), three (3) and six (6) year samples will not be required. If no significant changes from the baseline have been identified after the third test (i.e. the six-year test), no further testing shall be required. Additional “post-completion” test(s) may be required if changes in water quality are identified during follow-up testing. The Director may require further water well sampling at any time in response to complaints from water well owners. Copies of all test results described above shall be provided to the Director and the landowner where the water quality testing well is located within three (3) months of collecting the samples used for the test. The analytical data and surveyed well locations shall also be submitted to the Director in an electronic data deliverable format. Operator may conduct baseline groundwater sampling (if water wells are available for sampling) in accordance with the Colorado Oil and Gas Association (COGA) Voluntary Baseline Groundwater Quality Sampling Program (updated November 15, 2011). Documented refusal to grant access by well owner or surface owner (for surface water and spring sampling) shall not constitute a violation of this COA.</p>	10/23/2012

OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as shown on the Proposed BMPs attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>The moisture content of any cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the drill cuttings are to be left onsite, they must also meet the applicable standards of table 910-1.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p> <p>The access road will be constructed to prevent sediment migration from the access road to nearby surface water or any drainages leading to other nearby surface waters or wetlands areas.</p>	10/23/2012
------	-----------	---	------------

S/A/V: SATISFACTORY**Comment:**

CA:

Date:

Wildlife BMPs:

BMP Type	Comment
Storm Water/Erosion Control	<p>Endeavour Operating Corporation Wiley #22-3-97-1 NWNW Section 22-T3N-R97W Rio Blanco Co., Colorado</p> <p>Best Management Practices Summary</p> <p>Stormwater Management Plans (SWMP) will be in place to address construction, drilling and operations associated with Oil & Gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE). BMP's will be constructed around the perimeter of the site prior to, or at the beginning of construction. The BMP's used will vary according to the location, and will remain in place until the pad reaches final reclamation.</p> <p>Spill Prevention Control and Counter measures (SPCC) plans will be in place to address any possible spills associated with Oil & Gas operations throughout the state of Colorado in accordance with CFR12.</p> <p>Housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, suitable facilities. If spills occur prompt cleanup will be required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup will consist of patrolling the roadways, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, and any contaminated soil. These materials will be disposed of properly.</p> <p>The above BMP's will be provided to all Endeavour Operating Corporation, contractors and will be posted in the company trailer located on location during drilling, completion and production operations.</p>

S/A/V: SATISFACTORY

Comment:

CA:

Date:

Stormwater:**Comment:****Staking:****On Site Inspection (305):**Surface Owner Contact Information:

Name: _____

Address: _____

Phone Number: _____

Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____

Phone Number: _____

Date Onsite Request Received: _____

Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____

Phone Number: _____

Agreed to Attend: _____

Summary of Landowner Issues:Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 430832 Type: WELL API Number: 103-11952 Status: XX Insp. Status: ND

Environmental**Spills/Releases:**

Type of Spill: Description: Estimated Spill Volume:

Comment:

Corrective Action: Date:

Reportable: GPS: Lat Long

Proximity to Surface Water: Depth to Ground Water:

Water Well:

DWR Receipt Num: Owner Name: GPS : Lat Long

Field Parameters:

Sample Location:

Emission Control Burner (ECB):

Comment:

Pilot: Wildlife Protection Devices (fired vessels):

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: RANGELAND

Comment:

1003a. Debris removed? CM

CA CA Date

Waste Material Onsite? CM

CA CA Date

Unused or unneeded equipment onsite? CM

CA CA Date

Pit, cellars, rat holes and other bores closed? CM

CA CA Date

Guy line anchors removed? CM

CA CA Date

Guy line anchors marked? CM

CA CA Date

Inspector Name: GRANAHAH, KYLE

- 1003b. Area no longer in use? _____ Production areas stabilized ? _____
- 1003c. Compacted areas have been cross ripped? _____
- 1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
- Cuttings management: _____
- 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
- Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: ☐ NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date	
No evidence of 05-103-11952 being drilled, location not disturbed.	GranahaK	10/06/2014	