

FORM  
2A

Rev  
08/13

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400708338

Date Received:

Oil and Gas Location Assessment

☒ New Location    ☐ Refile    ☐ Amend Existing Location    Location#: \_\_\_\_\_

Submit signed original form. This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

Expiration Date:

☒ This location assessment is included as part of a permit application.

CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 19160

Name: CONOCO PHILLIPS COMPANY

Address: P O BOX 2197

City: HOUSTON    State: TX    Zip: 77252-2197

Contact Information

Name: Justin Carlile

Phone: (281) 206-5770

Fax: (281) 647-1935

email: Justin.Carlile@conocophillips.com

RECLAMATION FINANCIAL ASSURANCE

☒ Plugging and Abandonment Bond Surety ID: 20100227    ☐ Gas Facility Surety ID: \_\_\_\_\_

☐ Waste Management Surety ID: \_\_\_\_\_

LOCATION IDENTIFICATION

Name: Beaver 5-65 34-35    Number: 2H

County: ARAPAHOE

QuarterQuarter: SWNE    Section: 35    Township: 5S    Range: 65W    Meridian: 6    Ground Elevation: 6087

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1373 feet FNL from North or South section line

2278 feet FEL from East or West section line

Latitude: 39.576600    Longitude: -104.631350

PDOP Reading: 1.2    Date of Measurement: 06/30/2014

Instrument Operator's Name: Dallas Nielsen

## RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID #

FORM 2A DOC #

## FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	1	Oil Tanks*	3	Condensate Tanks*		Water Tanks*	1	Buried Produced Water Vaults*	
Drilling Pits		Production Pits*		Special Purpose Pits		Multi-Well Pits*		Modular Large Volume Tanks	
Pump Jacks	1	Separators*	1	Injection Pumps*		Cavity Pumps*		Gas Compressors*	1
Gas or Diesel Motors*		Electric Motors		Electric Generators*		Fuel Tanks*		LACT Unit*	1
Dehydrator Units*	1	Vapor Recovery Unit*	1	VOC Combustor*	1	Flare*	1	Pigging Station*	

## OTHER FACILITIES\*

Other Facility Type

Number

Production Skid	1
Switch Rack	1

\*Those facilities indicated by an asterisk (\*) shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

Future pipelines will consist of:

4 inch Carbon Steel Gas pipeline  
4 inch Carbon Steel Oil pipeline  
4.5 inch Fiberspar Water pipeline

The equipment indicated above may be installed for future use.

## CONSTRUCTION

Date planned to commence construction: 03/31/2015 Size of disturbed area during construction in acres: 4.86

Estimated date that interim reclamation will begin: 06/30/2015 Size of location after interim reclamation in acres: 3.68

Estimated post-construction ground elevation: 6086

## DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H<sub>2</sub>S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? Yes

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE

Drilling Fluids Disposal Method: Recycle/reuse

Cutting Disposal: OFFSITE

Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Drilling cuttings will be taken by a certified transport company and disposed of at a certified disposal facility.

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

Centralized E&P Waste Management Facility ID, if applicable: \_\_\_\_\_

## SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Colorado State Land Board

Phone: \_\_\_\_\_

Address: 1127 Sherman St.

Fax: \_\_\_\_\_

Address: #300

Email: \_\_\_\_\_

City: Denver State: CO Zip: 80203

Surface Owner: ☐ Fee ☒ State ☐ Federal ☐ Indian

Check all that apply. The Surface Owner: ☒ is the mineral owner

☒ is committed to an oil and Gas Lease

☒ has signed the Oil and Gas Lease

☐ is the applicant

The Mineral Owner beneath this Oil and Gas Location is: ☐ Fee ☒ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: oil and gas lease

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

Date of Rule 306 surface owner consultation \_\_\_\_\_

## CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	4643 Feet	4421 Feet
Building Unit:	4730 Feet	4621 Feet
High Occupancy Building Unit:	5280 Feet	5280 Feet
Designated Outside Activity Area:	5280 Feet	5280 Feet
Public Road:	3880 Feet	3617 Feet
Above Ground Utility:	3939 Feet	3676 Feet
Railroad:	5280 Feet	5280 Feet
Property Line:	1373 Feet	1110 Feet

### INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(\*) on the Facilities Tab.

## DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: ☐ Buffer Zone  
☐ Exception Zone  
☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

## FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

☐ Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (onl or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*

☐ By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

## SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: Fondis-Colby silt loams, 3 to 5 percent slopes

NRCS Map Unit Name: Bresser-Stapleton sandy loams, 9 to 20 percent slopes

NRCS Map Unit Name: \_\_\_\_\_

## PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☒ NRCS or, ☐ field observation Date of observation: \_\_\_\_\_

List individual species: \_\_\_\_\_

### Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  
☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  
☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)  
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  
☐ Alpine (above timberline)  
☐ Other (describe): \_\_\_\_\_

## WATER RESOURCES

Is this a sensitive area: ☒ No ☐ Yes

Distance to nearest

downgradient surface water feature: 2325 Feet

water well: 1257 Feet

Estimated depth to ground water at Oil and Gas Location 199 Feet

Basis for depth to groundwater and sensitive area determination:

Groundwater depth based off of averages from the surrounding water wells in the area.

Is the location in a riparian area: ☒ No ☐ Yes

Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: \_\_\_\_\_

## GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

## DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)  
☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)  
☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)  
☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)  
☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

## RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number \_\_\_\_\_

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

### OPERATOR COMMENTS AND SUBMITTAL

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: \_\_\_\_\_ Email: Justin.Carlile@conocophillips.com

Print Name: Justin Carlile Title: Regulatory Specialist

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

### Conditions Of Approval

**All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.**

### Best Management Practices

#### No BMP/COA Type

#### Description

- |   |                                |   |
|---|--------------------------------|---|
| 1 | Drilling/Completion Operations | <p>a. Preferred Option: It is the intent of the County that operators utilize closed-loop or modified closed-loop systems for drilling and completion operations in order to minimize or eliminate the need for earthen pits; however, notwithstanding the foregoing, where appropriate, and subject to prior County approval, the County generally supports: 1) the use of unlined drilling pits when bentonite or a similar clay additive is used during the drilling process, and 2) the use of lined single- or multi-well water storage pits in order to minimize the transport of water and promote recycling, subject to the requirements set forth in this subsection. Permitted modified closed-loop systems include oil and gas wells where air or fresh water is used to drill through the surface casing interval, defined as fifty (50) feet below the depth of the deepest aquifer, and a closed loop system is used for the remainder of the drilling and/or completion or recompletion procedures. Multi-well pits are defined as lined, engineered pits, constructed over an engineered base, with construction or liner specifications meeting or exceeding Commission pit lining rules, that will serve the functions of drilling, completion, and/or flowback pits for more than one well.</p> <p>b. Water Storage Pits to Contain Fresh Water or Brine Water: Water stored in pits approved by the County and allowed under Commission Rules, must meet the definition of fresh water or brine water, except for water stored in pits listed in 2c below. Fresh water is defined as containing total dissolved solids (TDS) less than or equal to 5,000 milligrams/liter (mg/l). Brine water is defined as water produced from an oil and/or gas well with TDS of greater than 5,000 mg/l. The Operator is required to remove all free and visible oil within 24 hours of discovery. Upon closure of the pit, the Operator will ensure the protection of the public health and environment by following all Commission pit closure rules, including collecting analytical data to ensure compliance with state standards. As long as the pit is open and containing fluid, a representative water sample shall be taken every six months from the surface of the pit</p> |
|---|--------------------------------|---|

fluids, the first sample to be taken within 6 months of the pit becoming operational. Water quality data will also include an analysis of Sodium Adsorption Ratio (SAR). The County will review water quality data provided by the Operator every six (6) months. TDS, pH, and specific conductance can be measured with a field meter. TEPH (total extractable petroleum hydrocarbons), BTEX (Benzene, Toluene, Ethylbenzene, and Xylenes), and SAR will be analyzed by an accredited laboratory. If the presence of TEPH and/or BTEX is indicated after County review and/or inspection, other water quality analyses may be required by the County.

c. Additional Pits that Require County Review and Approval: Skimming, settling, percolation, evaporation, and any type of netted pits are generally discouraged by the County; however such pits may be approved on a case-by-case basis through the Use by Special Review ("USR") process. A copy of the Pit Plan submitted to the Commission will be provided to the County at the same time as the plans are submitted to the Commission. Construction of these pits will be preceded by collection of "baseline" soil samples from the center of the planned pit at 6 and 18 inches depth. Soil samples will be analyzed for pH, Sodium Adsorption Ratio (SAR), and Electrical Conductivity (EC). The Operator shall stake and photograph from the center of the planned pit (toward north, south, east, and west directions) for inclusion in the County's copy of the Pit Plan. Upon closure of these pits, pH, SAR, EC, BTEX (Benzene, Toluene, Ethylbenzene, and Xylenes), and TEPH (total extractable petroleum hydrocarbons) analyses may be required if there is evidence of leaks or spills in the immediate area of the pits.

d. Pits That Do Not Require County Approval: Flare, Emergency, Plugging, and Workover pits will not require county review or approval prior to construction (unless within 1/4 mile of a residence as set forth below); however, the County will be copied on the notification(s) sent to the Commission and any pit plans, remediation plans, or analytical results submitted to the Commission.

e. Pit Setbacks: All pit construction within ¼ mile of a residence or water well is generally discouraged by the County and may have additional County requirements, such as fencing. Such pits will be reviewed on a case-by-case basis by the County.

f. Multi-Well Pits: In addition to any requirements stated above, multi-well pits will be lined per the Commission's lining standards. If a multi-well pit is planned for use over a 2-year or greater period, the pit will be double-lined with leak detection. Fluids stored in multi-well pits will be circulated through a four-phase separator or an API-approved settling tank or similar equipment prior to such fluids entering the pit, specifically designed to remove solids and reduce hydrocarbon content and emissions. Retention time in a settling tank and the volume of the tank must be sufficient to separate out any floating, dissolved, or emulsified hydrocarbon phases. Lined multi-well pits may be inspected and/or reviewed on an as-needed basis, over the life of the pit, to determine if the water to be stored in the pit or already stored in the pit meets the definition of fresh water or brine water. Upon closure of the pit, the Operator will ensure the protection of the public health and environment by following all Commission pit closure rules, including collecting analytical data to ensure compliance with state standards. As long as the pit is open and containing fluid, a representative water sample shall be taken from the surface of the pit every six months. Additional requirements, such as fencing, may be required by the County, pre- or post-construction, if such a pit is determined by the County to be adversely impacting residences, water wells, or wildlife habitats and migrations.

g. Technological Advances: The County may require additional measures, if new technological methods for pit construction or maintenance are developed pre- or post-construction and such methods are technologically sound, economically practical, and reasonably available to the Operator.

3. Berms. Berms shall be inspected by Operator on a weekly basis for evidence of discharge. Berms shall be inspected within 48 hours of a precipitation event.

4. Regular Meetings to Monitor and Discuss MOU Issues. The County and Operator agree to meet quarterly or as necessary, to monitor and discuss any pertinent issues associated with oil and gas facilities within the County.

5. Water Supply and Quality. In an effort to reduce truck traffic, where feasible, the Operator will identify a water source lawfully available for industrial use, including oil and gas development, close to the facility location, to be utilized by Operator and its suppliers. Operator will comply with the Colorado Department of Public Health and Environment requirements concerning water quality. Where feasible, temporary surface water lines are encouraged and will be utilized. Operator may be permitted to utilize County Road Right-of-Way, and County drainage culverts, where practical, for the laying and operation of temporary water li

Total: 1 comment(s)

### **Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
400708352	FACILITY LAYOUT DRAWING
400708353	LEGAL/LEASE DESCRIPTION
400708363	ACCESS ROAD MAP
400708460	CONST. LAYOUT DRAWINGS
400708461	HYDROLOGY MAP
400708470	LOCATION DRAWING
400708471	LOCATION PICTURES
400708472	NRCS MAP UNIT DESC
400708473	NRCS MAP UNIT DESC
400708474	REFERENCE AREA MAP
400708475	REFERENCE AREA PICTURES

Total Attach: 11 Files

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>

Total: 0 comment(s)