


**Wellbore Schematic (Actual)**

697-15-01		Actual Wellbore																																									
COMMENTS	EQUIPMENT DESCRIPTION																																										
		<p>FIELD Cascade Creek</p> <p>WELL 697-15-01</p> <p>COUNTY Garfield</p> <p>APINo. 504510686</p> <p>RKB ELEVATION 8,363</p> <p>GL ELEVATION 8,346</p> <p>RKB-GL 17</p> <p>Lat: 39.529079 Long: -108.212929</p>																																									
		<p><b>DIRECTIONAL DATA</b></p> <p>MAX ANGLE 0.000 KOP N/A</p> <p>Dogleg (°/100ft) 0 TYPE S-SHAPED</p>																																									
		<p><b>PRODUCTION DETAIL</b></p> <table border="1"> <thead> <tr> <th></th> <th>TUBING</th> <th>CASING</th> </tr> </thead> <tbody> <tr> <td>SIZE (in)</td> <td>2 3/8</td> <td>4 1/2</td> </tr> <tr> <td>WEIGHT (ppf)</td> <td>4.7</td> <td>11.6</td> </tr> <tr> <td>GRADE</td> <td>N-80</td> <td>P-110</td> </tr> <tr> <td>DEPTH (ft)</td> <td>7,110</td> <td>8,810</td> </tr> <tr> <td>THREAD</td> <td>8rd EUE</td> <td>BTC</td> </tr> <tr> <td>ID. (in)</td> <td>1.995</td> <td>4.000</td> </tr> <tr> <td>DRIFT (in)</td> <td>1.901</td> <td>3.875</td> </tr> <tr> <td>BURST (psi)</td> <td>11200</td> <td>10,690</td> </tr> <tr> <td>COLLAPSE (psi)</td> <td>11,780</td> <td>7,850</td> </tr> <tr> <td>CAPACITY (bbl/ft)</td> <td>0.00387</td> <td>0.0155</td> </tr> <tr> <td># JOINTS</td> <td>222</td> <td>207</td> </tr> </tbody> </table>			TUBING	CASING	SIZE (in)	2 3/8	4 1/2	WEIGHT (ppf)	4.7	11.6	GRADE	N-80	P-110	DEPTH (ft)	7,110	8,810	THREAD	8rd EUE	BTC	ID. (in)	1.995	4.000	DRIFT (in)	1.901	3.875	BURST (psi)	11200	10,690	COLLAPSE (psi)	11,780	7,850	CAPACITY (bbl/ft)	0.00387	0.0155	# JOINTS	222	207				
	TUBING	CASING																																									
SIZE (in)	2 3/8	4 1/2																																									
WEIGHT (ppf)	4.7	11.6																																									
GRADE	N-80	P-110																																									
DEPTH (ft)	7,110	8,810																																									
THREAD	8rd EUE	BTC																																									
ID. (in)	1.995	4.000																																									
DRIFT (in)	1.901	3.875																																									
BURST (psi)	11200	10,690																																									
COLLAPSE (psi)	11,780	7,850																																									
CAPACITY (bbl/ft)	0.00387	0.0155																																									
# JOINTS	222	207																																									
		<p><b>PRODUCTION ASSEMBLY DETAIL</b></p> <table border="1"> <thead> <tr> <th>#</th> <th>O. D.</th> <th>I. D.</th> <th>LENGTH</th> <th>Description</th> </tr> <tr> <th></th> <th>IN</th> <th>IN</th> <th>FT</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3.063</td> <td>1.810</td> <td>0.86</td> <td>F-Nipple</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		#	O. D.	I. D.	LENGTH	Description		IN	IN	FT		1	3.063	1.810	0.86	F-Nipple	2					3					4					5					6				
#	O. D.	I. D.	LENGTH	Description																																							
	IN	IN	FT																																								
1	3.063	1.810	0.86	F-Nipple																																							
2																																											
3																																											
4																																											
5																																											
6																																											
		<p><b>CASING DETAIL</b></p> <table border="1"> <thead> <tr> <th>#</th> <th>SIZE</th> <th>WGHT</th> <th>GRADE</th> <th>THREAD</th> <th>DEPTH</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>9 5/8</td> <td>36</td> <td>K-55</td> <td>LTC</td> <td>2,418</td> </tr> <tr> <td>B</td> <td>4 1/2</td> <td>11.6</td> <td>P-110</td> <td>BTC</td> <td>8,810</td> </tr> <tr> <td>C</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>D</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		#	SIZE	WGHT	GRADE	THREAD	DEPTH	A	9 5/8	36	K-55	LTC	2,418	B	4 1/2	11.6	P-110	BTC	8,810	C						D															
#	SIZE	WGHT	GRADE	THREAD	DEPTH																																						
A	9 5/8	36	K-55	LTC	2,418																																						
B	4 1/2	11.6	P-110	BTC	8,810																																						
C																																											
D																																											
		<p><b>PRESSURE DATA</b></p> <p>HIGHEST ANTICIPATED PRESSURE 432 PSI</p> <p>Max SICP</p> <p>MAXIMUM ALLOWABLE SURFACE PRESS 3000 PSI</p> <p>Valve &amp; BOP rating</p>																																									
		<p><b>WELL COMMUNICATION</b> N</p> <p>Comments</p> <p>M/U 40" x 2.375 eue notch collar to .86" f-nipple w/ 1.81 ID to 2.375 eue 8rd I-80 tubing, RIH 235 jts and tag @ 7501', estimated 8' above fish top, POOH 13 jts and install tubing hanger land well @ 7110' w/ 222 jts in the hole.</p>																																									
		<p>Prepared by: S Awosanya Date: 23-Oct-2014</p>																																									
<p>Perforations</p> <p>6,710' - 8,958'</p> <p>7,028' - 7,358'</p> <p>7,448' - 7,888'</p> <p>7,804' - 8,129'</p> <p>8,195' - 8,574'</p>		<p>1) F-Nipple @ +/- 7,086'</p> <p>EOT @ 7,110'</p> <p>Fish top @ 7,501'</p>																																									
<p>8,756 MD TVD</p> <p>8,810 MD TVD</p>		<p>Last Tag: Tag @ 7501 top of fish in hole (Jan 22, 2014)</p> <p>Last Workover/MIT: MIT performed in Jan 2014 w/ packer</p>																																									