

T2N, R67W

NW COR.
SEC. 28, T2N, R67W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 24305

NE COR.
SEC. 28, T2N, R67W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 24305

S 89°32'41" W 2629.95' (M)
S 89°34'59" W 1307.72' (M)
S 89°35'15" W 1307.61' (M)

N. 1/4 COR.
SEC. 28, T2N, R67W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 12374

E. 1/16 COR.
SEC. 28 AND SEC. 21
T2N, R67W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 24305

N 00°05'44" E 2633.47' (M)

N 00°09'12" E
2636.34' (M)

N 00°22'34" W
1318.74' (M)

N. 1/16 COR.
SEC. 28 AND SEC. 27
T2N, R67W
FOUND 2" ALUM. CAP
L.S. NO. 25937

W. 1/4 COR.
SEC. 28, T2N, R67W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 24305

CENTER COR.
SEC. 28, T2N, R67W
FOUND 2" ALUM. CAP
L.S. NO. 25937

N 00°22'14" W
1318.52' (M)

S 89°36'23" W 2627.27' (M)
S 89°36'29" W 2639.56' (M)

28

E. 1/4 COR.
SEC. 28, T2N, R67W
FOUND 2" ALUM. CAP
L.S. NO. 25937

SURFACE LOCATION
GROUND ELEVATION= 5049.6'
NAD 83
LATITUDE= 40.103228°
LONGITUDE= -104.892012°

LATITUDE= 40°06'11.622"
LONGITUDE= -104°53'31.244"

BOTTOM HOLE LOCATION
NAD 83
LATITUDE= 40.086545°
LONGITUDE= -104.889993°

LATITUDE= 40°05'11.562"
LONGITUDE= -104°53'23.975"

S 05°42'15" E 6104' GRID
S 05°18'41" E TRUE
S 13°48'15" E MAGNETIC

HUNZIKER 1N-4HZ

SURFACE LOCATION

1608'

N 00°03'48" W 2631.68' (M)

SE COR.
SEC. 28, T2N, R67W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 34980

SW COR.
SEC. 28, T2N, R67W
FOUND 2" ALUM. CAP
L.S. NO. 31169

S 89°51'31" W 2616.27' (M)
S 89°43'44" W 2649.36' (M)


S. 1/4 COR.
SEC. 28, T2N, R67W
FOUND 2" ALUM. CAP
L.S. NO. 23027

WELL BORE CONTINUES
INTO SECTION 33

MATCH LINE
SEE SHEET 1B

NOTES:

- ▲ INDICATES FOUND SECTION CORNER
- INDICATES CALCULATED CORNER
- ELEVATION BASED ON NAVD88 (GEOID09)
- BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM 1983 NORTH ZONE UNLESS OTHERWISE NOTED.
- ALL MEASURED DISTANCES ARE GRID. COMBINED SCALE FACTOR: .99972257
- OPERATOR: ROB WILSON / PDOP = 1.6
- SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
- WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.
- THE BOTTOM OF HOLE BEARS S05°42'15"E 6104' FROM THE SURFACE LOCATION.



NOTE:
MAGNETIC NORTH IS CURRENT AS OF 8/12/2014.
MAGNETIC NORTH CHANGES WEST 0°08' PER YEAR.



SCALE: 1" = 1000'

CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT AS DEFINED BY C.S. 38-51-102 AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

Benjamin J. Reenders
PROFESSIONAL LAND SURVEYOR
38305

BENJAMIN J. REENDERS
PROFESSIONAL LAND SURVEYOR
COLORADO REGISTRATION NUMBER 4836
8/14/14

NOTICE:
ACCORDING TO COLORADO STATE LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE ON THE CERTIFICATION SHOWN HEREON.

WELL PAD - HUNZIKER 27C-4HZ

HUNZIKER 1N-4HZ
WELL LOCATION CERTIFICATE
433' FSL & 1608' FEL SWSE (SURFACE)
LOCATED IN SECTION 28
T2N, R67W, 6TH P.M.
360' FNL & 990' FEL NENE (BOTTOM)
LOCATED IN SECTION 4
T1N, R67W, 6TH P.M.
WELD COUNTY, COLORADO

**Kerr-McGee Oil &
Gas Onshore L.P.**
1099 18th Street
Denver, Colorado 80202




CONSULTING, LLC

SHERIDAN OFFICE
2155 North Main Street
Sheridan, Wyoming 82801
Phone 307-674-0609

LOVELAND OFFICE
1635 Foxtrail Drive, Suite 204
Loveland, Colorado 80538
Phone 970-776-4331

DRAFTED BY: LMO	CHECKED BY: BJR	SHEET NO: 1A 1A OF 1
DATE DRAFTED: 8/14/14	DATE SURVEYED: 8/4/14	
REVISED:	FILE NAME: 13-112	

T2N, R67W




CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT AS DEFINED BY C.S. 38-51-102 AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

Benjamin J. Reenders
Benjamin J. Reenders
 PROFESSIONAL LAND SURVEYOR
 COLORADO REGISTRATION NUMBER 183305
 8/14/14


NOTE:
 ACCORDING TO COLORADO STATE LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE ON THE CERTIFICATION SHOWN HEREON.



NOTE:
 MAGNETIC NORTH IS CURRENT AS OF 8/12/2014.
 MAGNETIC NORTH CHANGES WEST 0°08' PER YEAR.

NOTES:

- ▲ INDICATES FOUND SECTION CORNER
- INDICATES CALCULATED CORNER
- ELEVATION BASED ON NAVD88 (GEOID09)
- BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM 1983 NORTH ZONE UNLESS OTHERWISE NOTED.
- ALL MEASURED DISTANCES ARE GRID. COMBINED SCALE FACTOR: .99972257
- OPERATOR: ROB WILSON / PDOP = 1.6
- SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
- WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.
- THE BOTTOM OF HOLE BEARS S05°42'15"E 6104' FROM THE SURFACE LOCATION.



SCALE: 1" = 1000'

WELL PAD - HUNZIKER 27C-4HZ

HUNZIKER 1N-4HZ
 WELL LOCATION CERTIFICATE
 433' FSL & 1608' FEL SWSE (SURFACE)
 LOCATED IN SECTION 28
 T2N, R67W, 6TH P.M.
 360' FNL & 990' FEL NENE (BOTTOM)
 LOCATED IN SECTION 4
 T1N, R67W, 6TH P.M.
 WELD COUNTY, COLORADO

**Kerr-McGee Oil &
 Gas Onshore L.P.**
 1099 18th Street
 Denver, Colorado 80202




CONSULTING, LLC

SHERIDAN OFFICE
 2155 North Main Street
 Sheridan, Wyoming 82801
 Phone 307-674-0609

LOVELAND OFFICE
 1635 Foxtrail Drive, Suite 204
 Loveland, Colorado 80538
 Phone 970-776-4331

DRAFTED BY: LMO	CHECKED BY: BJR	SHEET NO: 1B 1B OF 1
DATE DRAFTED: 8/14/14	DATE SURVEYED: 8/4/14	
REVISED:	FILE NAME: 13-112	




CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT AS DEFINED BY C.S. 38-51-102 AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

Benjamin J. Reenders
PROFESSIONAL LAND SURVEYOR
 8/14/14

BENJAMIN J. REENDERS
 PROFESSIONAL LAND SURVEYOR
 COLORADO REGISTRATION NUMBER 8334


NOTICE:
 ACCORDING TO COLORADO STATE LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE ON THE CERTIFICATION SHOWN HEREON.



NOTE:
 MAGNETIC NORTH IS CURRENT AS OF 8/12/2014.
 MAGNETIC NORTH CHANGES WEST 0°08' PER YEAR.

NOTES:

- ▲ INDICATES FOUND SECTION CORNER
- INDICATES CALCULATED CORNER
- ELEVATION BASED ON NAVD88 (GEOID09)
- BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM 1983 NORTH ZONE UNLESS OTHERWISE NOTED.
- ALL MEASURED DISTANCES ARE GRID. COMBINED SCALE FACTOR: .99972257
- OPERATOR: ROB WILSON / PDOP = 1.6
- SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
- WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.
- THE BOTTOM OF HOLE BEARS S05°42'15"E 6104' FROM THE SURFACE LOCATION.



SCALE: 1" = 1000'

WELL PAD - HUNZIKER 27C-4HZ

HUNZIKER 1N-4HZ
WELL LOCATION CERTIFICATE
 433' FSL & 1608' FEL SWSE (SURFACE)
 LOCATED IN SECTION 28
 T2N, R67W, 6TH P.M.
 360' FNL & 990' FEL NENE (BOTTOM)
 LOCATED IN SECTION 4
 T1N, R67W, 6TH P.M.
 WELD COUNTY, COLORADO

Kerr-McGee Oil & Gas Onshore L.P.
 1099 18th Street
 Denver, Colorado 80202



CONSULTING, LLC

SHERIDAN OFFICE
 2155 North Main Street
 Sheridan, Wyoming 82801
 Phone 307-674-0609

LOVELAND OFFICE
 1635 Foxtrail Drive, Suite 204
 Loveland, Colorado 80538
 Phone 970-776-4331

DRAFTED BY: LMO	CHECKED BY: BJR	SHEET NO: 1C 1C OF 1
DATE DRAFTED: 8/14/14	DATE SURVEYED: 8/4/14	
REVISED:	FILE NAME: 13-112	